
Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.







WYMAN'S FRAMINGHAM NURSERIES

CONDENSED CATALOG FALL 1930

> Copyright, 1930 Richard M. Wyman, Framingham. Mass.

TABLE OF CONTENTS

Evergreen Trees4-18	Vines57-59
Evergreen Shrubs19-23	Roses
Rhododendrons	Hardy Perennials63-90
Deciduous Trees24-36	Index of Varieties91-94
Deciduous Shrubs37-56	

OUR LOCATION

We are located about 20 miles from Boston on the Boston-Worcester Turnpike. See Road Map on Inside Front Cover. Framingham is also on the main line of the Boston & Albany R.R., also on the New Haven R.R.

We cordially invite you to inspect our nurseries at your convenience. Salesmen are not in attendance on Sundays.

SHIPPING INSTRUCTIONS

Customers are requested to state explicitly the mode of conveyance and route by which they want their orders shipped. Otherwise we will use our own discretion. We will not, however, be responsible for delays or damage in transit, or loss in after-cultivation.

MOTOR DELIVERY. Orders of considerable size can best be delivered within a radius of one hundred miles, or even more, by motor truck. Trees so shipped arrive in the best condition. DELIVERY CHARGES will depend on the size of the load and the distance.

PRICES

The articles in the following list will be furnished at the annexed prices only when the quantity specified, of any given variety and size, is taken. FIVE to TWENTY-FOUR plants at the TEN RATE; TWENTY-FIVE or MORE at the HUNDRED RATE.

Specimens personally selected by the purchaser or his representative (or specially selected by us at his request) will be priced according to their individual values.

The prices are for the stock F.O.B. our nurseries.

The prices in this list cancel all previous prices.

GUARANTEE

We give no warranty, express or implied, as to quality, description, productiveness, or any other matter of any nursery stock that we sell.

No complaints will be considered that are not made within ten days after receipt of the stock.



N this New Price List—or Condensed Catalog—we have attempted to accomplish the seemingly impossible. We have attempted to inject the information, usually found only in

large unwieldy illustrated descriptive catalogs, into a small price list of convenient size.

To accomplish this it has been necessary to depart from accepted practice. It has been necessary to dispense with long sentences full of flattering praise—we have reserved our praise for those items which especially deserve praise. It has been necessary to classify trees and plants, not along botanical lines, but along practical lines, into groups which can be graphically presented. It has been necessary to tabulate information and refer to that information by means of code.

Perhaps we have overdone this matter of brevity; perhaps a little more verbosity would be acceptable. We are, however, positive that never before has such a wealth of useful and usable plant information been presented in a Nursery Price List of such small and convenient proportions.


We sincerely hope you will find it as helpful as hundreds of our customers have found it in the brief period since its first presentation.

WYMAN'S FRAMINGHAM NURSERIES COCHITUATE ROAD, FRAMINGHAM, MASS.

Telephones:

September 10, 1930

Framingham 331 and 322



TYPES OF EVERGREENS

To enable us to give accurate brief descriptions of Evergreens, we classify them into six types shown above.

A. Large, roughly conical, medium to coarse texture.

B. Narrow conical to columnar, medium to fine texture.

C. Broad conical, medium to fine texture.

D. Globose, including elliptical and flattened globe.

E. Spreading, bush-form, not prostrate.

F. Flat, prostrate or procumbent.

PROPORTIONS

We indicate the relation between height and breadth by figures such as 3/1. The first figure represents the relative (not actual) height; the second indicates the relative breadth.

MAXIMUM HEIGHTS

These vary under different conditions. The figures given represent an average—not the extremes.

RATES OF ANNUAL GROWTH

These also vary, but we give an approximate average rate per year, also the key letters used in the code.

VR—very rapid—over 18 inches.
R—rapid—12 to 18 inches.
VS—very slow—under 4 inches.
VS—very slow—under 4 inches.


TRANSLATION OF DESCRIPTIVE CODE

We condense the above information into code form such as—B3/1—18' M. Reference to the above explanation indicates that the tree described is a narrow cone or column, its height about three times its breadth, a usual maximum height of eighteen feet, growing from eight to twelve inches a year.

EVERGREEN TREES

Our Evergreens have the quality necessary to provide excellent IMMEDIATE EFFECT—and heavy root masses to promote TRANS-PLANTING SUCCESS.


We dig our Evergreens with a ball of the earth in which they are grown, and wrap them in burlap WITHOUT additional charge.



ABIES balsamea	Each	Per 10	Per 100 Balsam Fir
A5/3-60'R. Needles ½"-1", d	ark abo	ove, pale belo	ow.
2 to 2½ ft	5.00	\$35.00 45.00 55.00	\$300.00 400.00 500.00
concolor			White Fir
A5/3-80'R. Soft flat needles, 1	1/2"-21/2	g", green to	silver.
18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 9 ft 9 to 10 ft 10 to 12 ft	4.00 6.00 8.00 10.00 12.00 15.00 18.00 21.00 25.00 30.00	37.50 55.00	360.00
fraseri			Fraser Fir
A3/2-40'M. Stubby needles, ½	″—¾″.		
$\begin{array}{cccccccccccccccccccccccccccccccccccc$		45.00 55.00 65.00	400.00 500.00 600.00
(For explanation of Descri	iptive	Code, see	page 4)

ABIES—cont'd	Each	Per 10	
homolepis			Nikko Fir
A5/3—80'VR. Strong needles,	½"—1½",	light green.	
18 to 24 in	4.00	36.00	
2 to $2\frac{1}{2}$ ft	5.00	45.00	
$2\frac{1}{2}$ to 3 ft			
veitchi			Veitch Fir
A3/2—80'R. Needles 3/4"—1", silvery beneath. Succeeds in	lustrous difficult s	dark green oils and exp	above, osures.
2 to 2½ ft	5.00	45.00	
$2\frac{1}{2}$ to 3 ft		60.00	
3 to 4 ft	8.00	76.00	

CHAMAECYPARIS—Retinospora



	M.	12 26 1		
CHAMAECYPARI	s Foli	AGE		
CHAMAECYPARIS pisifera		Sawa	ra Retinospora	2
C5/3-35'M. Light green foliage	e, lacv	texture, gra	ceful.	
2 to 2½ ft	3.50	30.00	270.00	
2½ to 3 ft	4.00	35.00	270.00	
3 to 4 ft	5.00	45.00		
	8.00	75.00	700.00	
4 to 5 ft	11.00	105.00	1000.00	
5 to 6 ft		135.00	1000.00	
6 to 7 ft	14.00	155.00		
7 to 8 ft	18.00	,		
Large specimens, \$40.00 to \$6	0U.UU e	ach		
pisif. aurea	(Golden Sawa	ra Relinospora	1
C3/2-30'M. Golden form of pre				
2 to 2½ ft	3.50	30.00	250.00	
2½ to 3 ft	4.00	35.00	300.00	
3 to 4 ft	5.00	45.00	400.00	
4 to 5 ft	8.00	75.00	700.00	
	11.00	100.00	900.00	
5 to 6 ft	14.00	135.00	900.00	
6 to 7 ft	14.00	133.00		
p. filifera		Thre	ad Retinospora	I
C1/1-15'S. Foliage long, slende	r, droo	ping, thread-	like.	
18 to 24 in	3.50	30.00		
2 to 2½ ft	4.50	40.00	360.00	
$2\frac{1}{2}$ to 3 ft	5.50	50.00	450.00	
3 to 4 ft	7.00	65.00	150.00	
J 10 4 11	7.00	05.00		

HAMAECYPARIS—cont'd	Each	Per 10	Per 100
p. filifera aurea	, (iolden Thre	ad Retinospore
D2/3 to C1/1-8'VS. Golden for	m of pre	ceding.	200.00
15 to 18 in. spread	4.00	35.00	300.00
18 to 24 in. spread	5.00	45.00	400.00
2 to 2½ ft. spread	7.00	65.00	600.00
2½ to 3 ft. spread	9.00		
3 to 3½ ft. spread	12.00		
4 to 4½ ft. spread	18.00		
		ם	ne Retinospor
p. plumosa C3/2-20'S. Soft, feathery folia;	~a	I-tui	ne Keunospor
18 to 24 in	2.00	16.00	120.00
18 to 24 in. heavy	2.75	25.00	200.00
10 to 24 in, neavy			
2 to 2½ ft	2.50	20.00	150.00
2 to 2½ ft. heavy	3.50	30.00	250.00
$2\frac{1}{2}$ to 3 ft	3.50	30.00	250.00
2½ to 3 ft. heavy	4.50	40.00	360.00
3 to 4 ft. heavy	6.00	55.00	500.00
Large specimens, \$40.00 to \$	60.00 es	ch	
			D /'
p. plumosa aurea			ne Retinospori
C4/3-20'S. Golden form of praccent.	eceding,	valuable to	or color
18 to 24 in	2.00	16.00	120.00
10 to 24 m	2.75	25.00	200.00
18 to 24 in. heavy			
2 to 2½ ft	2.50	20.00	150.00
2 to 2½ ft. heavy	3.50	30.00	250.00
$2\frac{1}{2}$ to 3 ft	3.50	30.00	250.00
2½ to 3 ft. heavy	4.50	40.00	360.00
3 to 4 ft	5.50	50.00	450.0 0
4 to 5 ft	7.00	65.00	
Large specimens, \$40.00 to \$	60.00 es	ch	
			D. C
p. plumosa sulphurea		oulphur Plun	ne Retinospor
C5/4—15'VS. Brighter yellow th	2.25	20.00	180.00
19 1- 24 :-	2.75		
18 to 24 in		25.00	225.00
2 to 2½ ft	3.50	30.00	270.00
2½ to 3 ft	4.50	40.00	360.00
3 to $3\frac{1}{2}$ ft	5.50	50.00	
JUNIPERUS—Jun	inar (ar	Codon	
JOINI EROS—Jun	iper (or	Cedari	
= 1/1/1		ž.	
		1	
31.X.M		120	
		19	
White was a state of the state		9 % 8	
		B & es	
		7 9 8	f
	3	B 2 1 1	\$2°

JUVENILE OR NEEDLE TYPE

MATURE OR SCALE TYPE

THE TWO TYPES OF JUNIPER FOLIAGE
(For explanation of Descriptive Code see page 4)

Eac	h Per 10	Per 100
JUNIPERUS chinensis albovariegata	Whiteleaf C	hinese Juniper
C3/2-20'S. Compact, dense. Folia	ge needle type	, dark
steel gray-green, occasional yellow-v		
$\frac{2_{1}}{2}$ to 3 ft		
3 to 4 ft	_	
4 to $4\frac{1}{2}$ ft	U	
ship nfitzaviana		Détaca luminos
chin. phtzeriana		Pfitzer Juniper
E1/2—12' spread, S to M. Foliage types, medium green, slightly gray.	Graceful, rugs	ged.
18 to 24 in. spread 3.5		
2 to 2½ ft. spread 5.0		400.00
$2\frac{1}{2}$ to 3 ft. spread 6.5	0 60.00	540.00
3 to $3\frac{1}{2}$ ft. spread 8.5		750.00
3½ to 4 ft. spread		1000.00
4 to 5 ft. spread		
5 to 6 ft. spread		
6 to 7 ft. spread		
EXTRA FINE COMPACT SHEARED MANY		
3½ to 4 ft. spread		
5 to 6 ft. spread		
6 to 7 ft. spread		
communis depressa		Field Juniper
E1/2 to F1/3—10' spread, S to M foliage, turns purple in winter.	. Gray-green	needle
	5	
18 to 24 in. spread		
2½ to 3 ft. spread	1	
3 to 4 ft. spread		
4 to 5 ft. spread		
5 to 6 ft. spread		
	Callan	Field Lumin an
com. dep. aurea F1/3—10' spread, S to M. Golden va		Field Juniper
18 to 24 in. spread 3.5		
2 to 2½ ft. spread 5.0		
2½ to 3 ft. spread 6.5		
com. hibernica		Irish Juniper
	r cometimes	
B4/1 to 3/1—12' S. Usually column conical; compact, smooth, strict. R type foliage. Excellent for formal pl	ich gray-green	needle
$\frac{2}{2}$ to $\frac{21}{2}$ ft		240.00
$2\frac{1}{2}$ to 3 ft		300.00
3 to 4 ft		390.00 48 0.00
4 to $4\frac{1}{2}$ ft	0 34.00	400.00
com. suecica		vedish Juniper
B3/1-12' S. Columnar. Gray-gree	n. Similar to	Irish
Juniper, except outline not so stric slightly drooping give feathery appear	t. Tips of bra	ncniets e.
2 to 2½ ft		270.00
2½ to 3 ft		360.00
3 to 4 ft		450.00
4 to $4\frac{1}{2}$ ft		


JUNIPERUS-cont'd	Each	Per 10	Per 100
excelsa stricta			Greek Juniper
C3/2—10' S. Dense, compact. bluish steel gray-green.	Foliage	sharp, need	lle type,
18 to 24 in	4.00	36.00	
2 to $2\frac{1}{2}$ ft		45.00	
$2\frac{1}{2}$ to 3 ft	6.50		
japonica			npanese Juniper
E4/5-6' spr. VS. Foliage scale			green.
15 to 18 in		40.00	450.00
2 to 2½ ft		50.00 60.00	5 5 0.00
	0.50		
jap. aurea	£		ipanese Juniper
E3/4-8' spr. S. Golden form o	-	ing.	
15 to 18 in	5.50		
2 to 2½ ft	6.50		
	0.50		C . 1 .
sabina		1:	Savin Juniper
E to F1/2-5' spr. VS. Grayenriched by slight bronze. Ubanks.	seful for	r rock gard	ens and
15 to 18 in. spread	3.00	27.00	225.00
18 to 24 in. spread	4.00	36.00	300.00
2 to 2½ ft. spread		42.00	375.00
2½ to 3 ft. spread	6.00	55.00	480.00
3 to 3½ ft. spread	7.50	70.00 85.00	
3½ to 4 ft. spread		05.00	
	. 12.00		T
sab. tamariscifolia		lione of soc	Tamarix Savin
sab. tamariscifolia E to F1/2—5' spr. VS. Gray	green fo		
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread	green fo	27.00	
sab. tamariscifolia E to F1/2–5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread	green fo . 3.00 4.00		
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread	green fo . 3.00 4.00	27.00 36.00	le type.
sab. tamariscifolia E to F1/2-5' spr. VS. Gray- 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread	green fo . 3.00 4.00 . 5.50	27.00 36.00 50.00	le type. Redcedar
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees.	green fo . 3.00 4.00 . 5.50	27.00 36.00 50.00 th types, sceen.	Redcedar
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft	green fo . 3.00 4.00 . 5.50 liage box Rich gre . 4.50	27.00 36.00 50.00 th types, sceen. 42.00	Redcedar ale type 400.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft	green fo . 3.00 4.00 . 5.50 liage box Rich gro . 4.50 . 6.50	27.00 36.00 50.00 th types, sceen.	Redcedar
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft	green fo 3.00 4.00 5.50 liage bor Rich gro . 4.50 . 6.50	27.00 36.00 50.00 th types, so een. 42.00 60.00	Redcedar ale type 400.00 550.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft 4 to 5 ft 5 to 6 ft	green fo 3.00 4.00 5.50 liage bot Rich gro 4.50 6.50 9.00 12.50	27.00 36.00 50.00 th types, so een. 42.00 60.00 85.00	Redcedar ale type 400.00 550.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 9 ft	green fo 3.00 4.00 5.50 liage bot Rich gro 4.50 6.50 9.00 12.50 18.00 22.00	27.00 36.00 50.00 th types, so een. 42.00 60.00 85.00	Redcedar ale type 400.00 550.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 9 ft 9 to 10 ft 9 to 10 ft	green fo 3.00 4.00 5.50 liage bor Rich gr 4.50 6.50 9.00 12.50 18.00 22.00 27.00	27.00 36.00 50.00 th types, so een. 42.00 60.00 85.00	Redcedar ale type 400.00 550.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 9 ft	green fo 3.00 4.00 5.50 liage bor Rich gr 4.50 6.50 9.00 12.50 18.00 22.00 27.00	27.00 36.00 50.00 th types, so een. 42.00 60.00 85.00	Redcedar ale type 400.00 550.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 9 ft 9 to 10 ft 9 to 10 ft	green fo 3.00 4.00 5.50 liage bot Rich gr 4.50 6.50 9.00 12.50 18.00 22.00 27.00	27.00 36.00 50.00 th types, so een. 42.00 60.00 85.00	Redcedar ale type 400.00 550.00 800.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread. 15 to 18 in. spread. 18 to 24 in. spread. virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft. 10 to 12 ft.	green fo 3.00 4.00 5.50 liage bot Rich gr 4.50 6.50 9.00 12.50 18.00 22.00 27.00	27.00 36.00 50.00 th types, so een. 42.00 60.00 85.00	Redcedar ale type 400.00 550.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 9 to 10 ft 10 to 12 ft PICEA-	green fo 3.00 4.00 5.50 liage bor Rich gr 4.50 9.00 12.50 18.00 22.00 27.00 35.00	27.00 36.00 50.00 th types, sceen. 42.00 60.00 85.00 120.00	Redcedar ale type 400.00 550.00 800.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread. 15 to 18 in. spread. 18 to 24 in. spread. virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft. PICEA- PICEA canadensis A5/3-60' R. Light green to sl. 18 to 24 in.	green fo 3.00 4.00 5.50 liage bot Rich gr. 4.50 6.50 9.00 12.50 18.00 22.00 27.00 35.00 -Spruce ight silv 2.50	27.00 36.00 50.00 th types, sceen. 42.00 60.00 85.00 120.00	Redcedar ale type 400.00 550.00 800.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 9 ft 9 to 10 ft PICEA- PICEA canadensis A5/3-60' R. Light green to sl 18 to 24 in 2 to 2½ ft	green fo 3.00 4.00 5.50 liage bot Rich gr. 4.50 6.50 9.00 12.50 18.00 22.00 27.00 35.00 Spruce ight silv 2.50 3.00	27.00 36.00 50.00 th types, sceen. 42.00 60.00 85.00 120.00 er green. 22.50 27.00	Redcedar ale type 400.00 550.00 800.00 White Spruce 200.00 240.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft	green fo 3.00 4.00 5.50 liage bot Rich gr. 4.50 9.00 12.50 18.00 22.00 27.00 27.00 Spruce ight silv 2.50 3.00 3.75	27.00 36.00 50.00 th types, sceen. 42.00 60.00 85.00 120.00	Redcedar ale type 400.00 550.00 800.00 White Spruce 200.00 240.00 300.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread 15 to 18 in. spread 18 to 24 in. spread virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 9 to 10 ft 9 to 10 ft PICEA- PICEA canadensis A5/3-60' R. Light green to sl 18 to 24 in 2 to 2½ ft 2 to 2½ ft 3 to 4 ft 3 to 4 ft	green fo . 3.00 . 4.00 . 5.50 liage bor Rich gr. . 4.50 . 9.00 . 12.50 . 18.00 . 22.00 . 27.00 . 35.00 . Spruce ight silv . 2.50 . 3.00 . 3.75 . 5.50	27.00 36.00 50.00 th types, sceen. 42.00 60.00 85.00 120.00 er green. 22.50 27.00 35.00 50.00	Redcedar ale type 400.00 550.00 800.00 White Spruce 200.00 240.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread. 15 to 18 in. spread. 18 to 24 in. spread. virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft. 10 to 12 ft. PICEA- PICEA canadensis A5/3-60' R. Light green to sl 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 4 to 5 ft. 4 to 5 ft.	green fo 3.00 4.00 5.50 liage both Rich gri 4.50 6.50 9.00 12.50 18.00 22.00 27.00 35.00 —Spruce ight silv 2.50 3.00 3.75 5.55 8.00	27.00 36.00 50.00 th types, sceen. 42.00 60.00 85.00 120.00	Redcedar ale type 400.00 550.00 800.00 White Spruce 200.00 240.00 300.00
sab. tamariscifolia E to Fi/2-5' spr. VS. Gray. 12 to 15 in. spread. 15 to 18 in. spread. 18 to 24 in. spread. virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft. 10 to 12 ft. PICEA- PICEA canadensis A5/3-60' R. Light green to si 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 5 to 6 ft. 6 to 7 ft.	green fo 3.00 4.00 5.50 liage bot Rich gr. 4.50 9.00 12.50 18.00 22.00 27.00 35.00 Spruce ight silv 2.50 3.75 5.50 8.00 10.00	27.00 36.00 50.00 th types, sceen. 42.00 60.00 85.00 120.00 er green. 22.50 27.00 35.00 50.00	Redcedar ale type 400.00 550.00 800.00 White Spruce 200.00 240.00 300.00
sab. tamariscifolia E to F1/2-5' spr. VS. Gray. 12 to 15 in. spread. 15 to 18 in. spread. 18 to 24 in. spread. virginiana B3/1 to 4/1-40' M to S. Fo predominating in older trees. 3 to 4 ft. 4 to 5 ft. 5 to 6 ft. 6 to 7 ft. 7 to 8 ft. 8 to 9 ft. 9 to 10 ft. 10 to 12 ft. PICEA- PICEA canadensis A5/3-60' R. Light green to sl 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 4 ft. 4 to 5 ft. 4 to 5 ft. 4 to 5 ft.	green fo 3.004.005.504.506.5012.5012.5018.0022.0027.0035.0025.0035.0025.0035.0037.55.5030037.55.5030010.0012.00	27.00 36.00 50.00 th types, sceen. 42.00 60.00 85.00 120.00 er green. 22.50 27.00 35.00 75.00	Redcedar ale type 400.00 550.00 800.00 White Spruce 200.00 240.00 300.00 450.00

10	WYMAN'S FRAMIN	GHAM .	NURSERII	ES
	nni '2—75' M to R. Symmetr			Per 100 lmann Spruce
_	k to silvery gray-green. I 2½ ft		55.00	
$2\frac{1}{2}$ to	3 ft	. 7.00	65.00	
3 to 4	4 ft	. 8.00 .00 to 200	75.00	
excelsa	25 II. specimens 100	.00 10 200		orway Spruce
A5/	/3-90' R to VR. The			Spruce.
	edles 5/8"—1", dark. Hands 3 ft		22.50	200.00
3 to 4	4 ft	. 4.00	36.00	330.00
	5 ft		50.00 65.00	480.00 620.00
6 to 1	7 ft	. 8.00	75.00	700.00
7 to 8	8 ft	. 10.00		
		.1111		
		15		
		1/1/2/		
11			ARKATE	
7			DE MANINI	MIII
			a 3	
	The same of the sa	. , , ,	11,	
	11/1/1/			
glauca c	SPRUCE I		Dwarf Al	berta Spruce
C2/1 fine	1—6' VS. New, rare, true -textured, hardy, exceeding	dwarf, s	ymmetrical, ül. Popular.	dense,
12 to	15 in. VERY	. 3.50	33.00	270.00
15 to 18 to	18 in. DWARF 21 in. PYRAMID	. 4.00 . 5.00	36.00 45.00	330.00 400.00
21 to 2	24 in. EXCEED	. 6.00	5 5.00	500.00
$\frac{2}{2}$ to $\frac{2}{2}$ to	½ ft. INGLY 3 ft. FINE	. 8.00 . 10.00	75.00 95.00	700.00 900.00
$2\frac{1}{2}$ to	3 ft. heavy specimens	. 20.00	75.00	705.00
	heavy specimens heavy specimens			
	heavy specimens			
orientalis			Or	iental Spruce
4 to 5	4—50' M. Needles 3/8"—5/8" 5 ft	, dark, glo . 15.00	ossy.	
5 to 6	6 ft	. 20.00		
pungens	ft	. 25.00	Col	orado Spruce
A3/2	2-80' M to R. Handsome,	, hardy, s	ymmetrical.	Light
18 to	n needles, ¾"—1". 24 in	. 3.50	33.00	300.00
2 to 2	2½ ft	. 4.50	40.00 55.00	360.00 500.00
3 to 4	ft	8.00	75.00	20000

PICEA—cont'd pungens glauca	Each	Per 10 Blue Co	Per 100 olorado Spruc
A3/2 to 2/1—80' M to F Needles 78", stiff, pointe	R. Beautiful var d, medium silver	iety of pre	•
18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 4 ft 9 to 10 ft. specimens 14 to 20 ft. specimens	8.00 10.00 12.50 50.00	60.00 75.00 95.00	
pungens kosteri		Koste	r Blue Spruce
A3/2-80' M. Needles 1" silvery blue.	'-1¼", stiff, poin	ted, strong	, bright
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	16.00 20.00	.00 each	
rubra			Red Spruce

A3/2 to 2/1-80' M. Needles about 1/2", bright green.

2 to 2½ ft	2.00	18.00	150.00
$2\frac{1}{2}$ to $\bar{3}$ ft	2.50	22.50	200.00
3 to 4 ft	3.00	27.00	240.00



PINUS densihora		Japanes	e Red Pine
A4/3 to 3/2—100′ VVR. Loose hancedles, 4"—5".	abit.	Slender bright a	green
3 to 4 ft	5.00 7.00 9.00	65.00	400.00 600.00 720.00

(For explanation of Descriptive Code see page 4)

PINUS—cont'd	. Each	Per 10	Per 100 Limber Pin
flexilis A3/2—50' R. Dark green, slig with bunchy or tufted appeara	ghtly blu	ish needles,	
4 to 5 ft	7.50 10.00 15.00 20.00	70.00 90.00 140.00 180.00 225.00	
montana mughus			Mugho Pin
D3/5-8' S. Dense, rich green, ceeds in all except wet soils. greens. Neat, compact, hardy Pine suitable for Foundation 1	wonderfu One of full of o	l winter cold finest dwar haracter. T	or. Suc- rf ever- the only
12 to 15 in. spread	. 2.75 . 3.50 . 4.00 . 7.50	25.00 30.00 36.00 70.00 90.00	225.00 270.00 330.00 650.00
nigra (austriaca)			Austrian Pin
A3/2—60' M. Needles 4"—6", I Flourishes near salt water as	neavy, me well as in	edium to dar	k green.
2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 10 ft	. 6.50 . 10.00 . 15.00 . 20.00 . 25.00	42.00 60.00	
nigra globosa	of the p		Austrian Pin
D1/1—10' S. Dwarf globe form 3 to 3½ ft		receding.	
3½ to 4 ft	. 50.00		
resinosa		Red o	r Norway Pin
A5/3-70' VR. Tall, pyramida by pruning. Leaves 6"-10", d	l, loose, ark.	can be mad	e dense
2 to 3 ft 3 to 4 ft 4 to 5 ft 5 to 6 ft 6 to 7 ft 7 to 8 ft 8 to 10 ft 10 to 12 ft 12 to 14 ft	3.00 5.00 7.00 9.00 12.00 14.00 16.00	27.00 45.00	240.00

PINUS—cont'd	Each	Per 10	Per 100
strobus			White Pine
A3/2—100' VR. Needles very green, overlaid with silvery blue	slender, e bloom.	4"-5", rich	dark
2 to 3 ft	3.00	27.00	240.00
3 to 4 ft	4.00	36.00	330.00
4 to 5 ft	6.00	55.00	500.00
5 to 6 ft	10.00		
8 to 10 ft	30.00		
10 to 12 ft	40.00		
12 to 14 ft	50.00		
14 to 16 ft	60.00		
16 to 18 ft	75.00		
sylvestris			Scotch Pine
•	sials 2#	All amorrials	
A3/2—60' R to VR. Needles the green, often curly. The trees strain, bushier and denser than	we offer	are of excep	tional
2 to 3 ft	2.50	22.50	200.00
3 to 4 ft	3.50	33.00	300.00
4 to 5 ft	5.50	50.00	450.00
5 to 6 ft	8.00	75.00	

PSEUDOTSUGA—Douglas Fir



PSEUDOTSUGA FOLIAGE

PSEUDOTSUGA douglasi			Douglas I	Fir
A3/2 to 2/1-70' R. Dark gree velops huge column habit as it	en to gra matures.	y-blue, sof Very bear	t. De- utiful.	
2 to 3 ft	4.50	40.00	375.00	
3 to 4 ft	6.00	55.00	500.00	
4 to 5 ft	8.50	80.00	750.00	
5 to 6 ft	11.00	105.00	1000.00	
6 to 7 ft		140.00		
7 to 8 ft	18.00			

TAXUS—Yew	
TAXUS canadensis	Canada Yen
E2/3 to F1/3—10' spr. S. Slender branches, sma needles, medium to dark green. Not good in full sun	l fine
15 to 18 in	
18 to 24 in	

(For explanation of Descriptive Code see page 4)

C

TAXUS-cont'd

Each Per 10 Per 100

canadensis stricta

Dwarf Hedge Yew

El/1-2½' VS. The only satisfactory evergreen for dwarf edging hedges in severe New England climate. The best substitute for Dwarf Boxwood. Hardy, really dwarf, fine texture, dark, easily grown, shears perfectly, thoroughly tested for past thirteen years. Also excellent for use in general plantings of dwarf evergreens.

6 to 8 in, not B&B	1.00	8.50	75.00
8 to 10 in. not B&B	1.50	12.00	90.00
10 to 12 in. B&B	2.00	18.00	150.00
12 to 15 in. B&B		27.00	
15 to 18 in. B&B	4.00	3 7 .50	
18 to 24 in. B&B	5.00	45.00	




TYPICAL TAXUS FOLIAGE

cuspidata (spreading form)	Spreading J	apanese Yew
E2/3—8' spr. S. Naturally somewhat obut can be sheared into compact, globe either way. Full of character. Dark, r.	se form. Be	egular, autiful
15 to 18 in. spread 3.75	35.0 0	300.00
18 to 24 in. spread 5.00	45.00	420.00
2 to 2½ ft. spread 7.50	70.00	650. 0 0
2½ to 3 ft. spread	115.00	1100.00
3 to 3½ ft. spread 18.00	175.0 0	
3½ to 4 ft. spread		
3½ to 4 ft. spread, heavy 40.00		
4 to 4½ ft. spread		
4 to 4½ ft. spread, heavy 60.00		
4½ to 5 ft. spread		
5 to 6 ft. spread		

cusp. capitata		Erect J	apanese Y	en.
B2/1-25' to 40' S. Erect form,	definite	leader. Fine.		
15 to 18 in	4.00	38.00	350.00	
18 to 24 in	6.00	58.00	550.00	
2 to $2\frac{1}{2}$ ft	7.50	72.00	700.00	
$2\frac{1}{2}$ to $\frac{3}{2}$ ft		95.00	900.00	

TAXUS—cont'd	Each	Per 10	Per 100	
cusp. nana (brevifolia)		Dwarf	Japanese Yew	
E1/1-6' VVS. Very dwarf, hal needles, very dark, almost blue	bit irreg	ular. Strong	heavy	
12 to 15 in. spread	4.00	38.00	350.00	
15 to 18 in. spread	5.00	45.00	420.00	
18 to 21 in. spread	8.00	75.00		
21 to 24 in. spread	12.00	115.00		
2 to 2½ ft. spread		175.00	1700.00	
$2\frac{1}{2}$ to 3 ft. spread		225.00		
3 to 3½ ft. spread	35.00			
3 to 3½ ft. spread	35.00	Siebold	Japanese Yew	
			Japanese Yew	
sieboldi			Japanese Yew	
sieboldi E2/3 to 1/1—15' spr. S. Glossy	needles,	1''-1½''.	Japanese Yew	
sieboldi E2/3 to 1/1—15' spr. S. Glossy 15 to 18 in. spread	needles,	1"'—1½". 36.00	Japanese Yew 750.00	
sieboldi E2/3 to 1/1—15' spr. S. Glossy 15 to 18 in. spread	needles, 4.00 5.50 8.50 15.00	1"'—1½". 36.00 50.00		
sieboldi E2/3 to 1/1—15' spr. S. Glossy 15 to 18 in. spread	needles, 4.00 5.50 8.50 15.00 40.00	1"'—1½". 36.00 50.00 80.00		
sieboldi E2/3 to 1/1—15' spr. S. Glossy 15 to 18 in. spread	needles, 4.00 5.50 8.50 15.00 40.00 60.00	1"'—1½". 36.00 50.00 80.00		
sieboldi E2/3 to 1/1—15' spr. S. Glossy 15 to 18 in. spread	needles, 4.00 5.50 8.50 15.00 40.00 60.00 80.00	1"'—1½". 36.00 50.00 80.00		

THUJA—Arborvitae (or White Cedar)



THUJA FOLIAGE

THUJA occidentalis	American Arborvita
B5/2 to 2/1-40' S to M. The old, "White Cedar." Valuable for hedges; specimens; in small sizes in foundation	familiar, so-called in large sizes for plantings.
2 to 3 ft. 2.50 3 to 4 ft. 4.00 4 to 5 ft. 5.50 5 to 6 ft. 7.50 6 to 7 ft. 10.00 7 to 8 ft. 12.00	21.00 160.00 35.00 300.00 50.00 450.00 70.00 650.00 95.00 900.00 115.00 1100.00
8 to 9 ft. 16.00 9 to 10 ft. 20.00 10 to 12 ft. 24.00 12 to 14 ft. 28.00	150.00 190.00


(For explanation of Descriptive Code see page 4)

THILLA .'1	Г	D 10	D 100
THUJA—cont'd	Each		Per 100
occ. columbia		Colum	ibia Arborvitae
B2/1-10' VS. Broad fronds of	toliage,	58.00	gation.
3 to 4 ft		75.00	
5 to 6 ft		75.00	
3 to 0 1	. 10.00		
occ. columnaris		Colum	nar Arborvitae
B5/2 to 2/1-40' M. This new	variety	has the soft	texture
B5/2 to 2/1-40' M. This new of T. occidentalis. For this r dense, columnar habit, it is growing narrow evergreens.	eason, an	nd on accour most desira	t of its ble tall-
3 to $3\frac{1}{2}$ ft	. 5.00	45.00	420.00
$3\frac{1}{2}$ to 4 ft	. 6.00	55.00	500.00
4 to 4½ ft	. 7.00	65.00	600.00
4½ to 5 ft	. 8.00	75.00	700.00
5 to 6 ft	. 10.00	95.00 115.00	900.00 1100.00
6 to 7 ft		145.00	1400.00
/ 10 0 11	. 15.00	143.00	1400.00
occ. conica		Cone Sha	ped Arborvitae
C2/1-12' S. Perfect cone; nee	ds very	little trimmi	ng.
2^1_2 to 3 ft		36.00	
3 to $3\frac{1}{2}$ ft		45.00	
$3\frac{1}{2}$ to 4 ft	. 6.00	55.00	500.00
4 to $4\frac{1}{2}$ ft		65.00	600.00
4½ to 5 ft	. 8.00	75.00 95.00	700.00
5 to 6 ft	. 10.00	95.00	
occ. douglasi pyramidalis B3/1 to 5/2—15' S. Spire-like small, but decidedly dense as 3 to 4 ft	habit; s size incre	omewhat ope	mid Arborvitae en when
3 to 4 ft	7.00	65.00	620.00
5 to 6 ft		90.00	800.00
6 to 7 ft		130.00	000.00
7 to 8 ft			
occ. ellwangeriana			mb Arborvitae
C1/1-6' S. Dense, compact, ing both scale and needle folia		ider branchle	ts hav-
2½ to 3 ft			
occ. globosa	1	American Gl	obe Arborvitae
D1/1-3' VS. Loose globe; fo	liage me	dium gray-g	
12 to 15 in		17.50	150.00
15 to 18 in	. 2.50	22.50	200.00
18 to 24 in	. 3.00	27.00	250.00
2 to $2\frac{1}{2}$ ft	. 4.00	36.00	
occ. Little Gem		I iula C	em Arborvitae
D1/2—2' VS. Low dense tusso	ck of dar		
15 to 18 in. spread		a green iona	800
18 to 21 in. spread	5.00	45.00	
21 to 24 in. spread		13.00	
2 to $2\frac{1}{2}$ ft. spread	7.50		

THUJA-cont'd		Each	Per 10	Per 100	
occ. lutea				dy Arborvita	10
B5/2-15' S. Striking	golden v		corge r caso	ay moon vita	
2½ to 3 ft	-	4.50	40.00		
3 to 3½ ft		5.50	50.00		
3½ to 4 ft		6.50	60.00		
4 to 5 ft		7.50	70.00	650.00	
5 to 6 ft		9.00	85.00	800.00	
6 to 7 ft		10.00	95.00	000.00	
occ. pumila (umbrachulife	ra)			be Arborvita	ıe
D1/1-21/2' VS. Perfec tained all winter.	t globe. S	trong g	reen hue well	main-	
15 to 18 in		3.00	27.00		
18 to 24 in		4.00	36.00	300.00	
2 to $2\frac{1}{2}$ ft		5.00	45.00	700.00	
2 to 22 1t		5.00	45.00		
occ. pyramidalis		Amer		dal Arborvita	ie
B3/1 to 5/2-20' S.	Improve	ement	on T. occ.	More	
columnar, dense, comp winter.	oact. Dark	cer colo	r well mainta	ined in	
		3.50	30.00	270.00	
2 to $2\frac{1}{2}$ ft		4.00	36.00	330.00	
$2\frac{1}{2}$ to 3 ft		5.00	45.00	420.00	
3½ to 4 ft		6.00	55.00	500.00	
4 to 4½ ft		7.00	65.00	600.00	
4½ to 5 ft		8.00	75.00	700.00	
5 to 6 ft		10.00	95.00	900.00	
6 to 7 ft		12.00	115.00	1100.00	
		12.00			
occ. reidi			R_{i}	eid Arborvita	ıe
C to D1/1-4' VS. (broad	
rounding cone or point	nted globe	. Very	rugged.		
12 to 15 in		2.50	22.50	200.00	
15 to 18 in		3.00	27.00	250.00	
18 to 24 in		4.00	36.00	330.00	
$\frac{2}{2}$ to $2\frac{1}{2}$ ft		5.00	48.00		
$2\frac{1}{2}$ to 3 ft		7.50			
occ. rosenthali			Rosenti	hal Arborvita	ie
B2/1 to 5/2-8' S. Ch	oice dark	gray-g	reen foliage;	dense.	
2 to 2½ ft		5.00	45.00		
2½ to 3 ft		6.00	57.00		
3 to 3½ ft		7.00	65.00		
3½ to 4 ft		8.00	75.00		
			.,	4.1	
occ. vervaeneana				ne Arborvita	е
C5/3-10' S. Broad, de		_	soft. Rugge		
18 to 24 in		3.00	25.00	225.00	
2 to 3 ft		4.00	36.00	330.00	
3 to 4 ft		6.00	55.00		
4 to 5 ft		8.00	75.00		
5 to 6 ft		10.00	95.00		
6 to 7 ft	• • • • • • • •	14.00	130.00		
occ. ver. aurea		ν	ervaene Gold	len Arborvit <mark>a</mark>	le.
C5/3-10' S. Moderate	vellow fo	-			
3 to 4 ft		6.00	. cocums.		
4 to 5 ft		8.00			
(For explanation o	f Descri	ptive	Code see 1	page 4)	

18 WYMAN'S FRAMIN	GHAM	NURSERI	ES
THUJA—cont'd occ. wagneri D5/3—5' VS. Narrow oval foliage. Thought to be a cro. T. orientalis.	Each ; dark g ss between	Wag	Per 100 nerArborvitae e lacy lis and
18 to 24 in	4.00	27.00 36.00	240.00 300.00
occ. wareana C3/2—12' S. Tough; excep Dark; suggestion of dark ste	tionally heel-blue. F	ardy. Dense ull of charac	n) Arborvitae e, full. ter.
18 to 24 in	3.00	27.00 30.00	240.00
$2\frac{1}{2}$ to 3 ft	4.50	40.00	270.00 360.00
3 to 4 ft	6.00	55.00	500.00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	8.00	75.00	
occ. woodwardi		Woodwa	ırd Arborvitae
D1/1-3' VS. Practically per 12 to 15 in	fect globe 1.50	without shea	ring. 100.00
15 to 18 in	2.00	17.50	150.00
18 to 24 in	2.50	22.50	200.00
2 to $2\frac{1}{2}$ ft		30.00	250.00
TSUGA	—Hemlock	ron Marie	
			S
			Ma.
	Wife -		
TSI ICA canadancie	FOLIAGE	Cat	nada Hemlock
A3/2 to C3/2-70' M to R. northern United States, Canalacy. Graceful. Often pronon North America. The Hemloc a large specimen of exception used in plantings of Dwarf 12 and 12 to 12	The best Is ada. Folia unced the k, when used beauty.	demlock. Na lge rich dark finest Everg npruned, grov Pruned, it i	green, reen of ws into may be
2 to $2\frac{1}{2}$ ft	t,vergreens	33.00	300.00
2½ to 3 ft	4.50	42.00	390.00
3 to $3\frac{1}{2}$ ft	6.00	55.00	500.00
3½ to 4 ft	8.00 10.00	75.00 95.00	700.00 900.00
5 to 6 ft	14.00	135.00	1300.00
6 to 7 ft	18.00	175.00	1700.00
7 to 8 ft	22.00	210.00	
caroliniana C5/3-50' M to R. Only slig	ghtly less		olina Hemlock n pre-
ceding. Desirable. 2 to $2\frac{1}{2}$ ft	4.50	42.00	
$2\frac{1}{2}$ to 3 ft	5.50	50.00	450.00
3 to $3\frac{1}{2}$ ft	6.50	60.00	550.00
3½ to 4 ft		85.00 115.00	800.00
4 to 5 ft		115.00	





TYPES OF EVERGREEN SHRUBS

- A. Branching habit, leaves large.
- B. Multiple stems, leaves medium.
- C. Multiple stems, slightly branching, leaves usually small, sometimes minute, even scale-like.
- Viny, creeping, climbing or sprawling habit, leaves small to medium.

PROPORTIONS

Since some sorts of Evergreen Shrubs have no definite ratio of height to breadth, we omit the indication of proportion in several instances.

RATES OF ANNUAL GROWTH

VR—very rapid—over 8 inches.
R—rapid—6 to 8 inches.
VS—very slow—under 2 inches.
VS—very slow—under 2 inches.

ANDROMEDA—See Pieris

CALLUNA—cont'd v. alba hammondi C—15" VS. White, Aug., Sept., 6 to 8 in	Each foliage	Hammond White Heather
v. alba spicata C—15" VS. White, Aug., Sept.		Tall White Heather
6 to 8 in	.75	6.00
v. alporti C-15" VS. Rosy carmine flo- deep green, turning bronze in w 6 to 8 in	wers, S vinter. .75	Alport Heather Sept., Oct. Foliage 6.00
v. aurea		Golden Heather
C-8" VS. Pink fls., Aug., Sept 6 to 8 in	. Folia	age golden yellow.
v. flore plena		Double Heather
C—15" VS. Double rosy-pink fl 6 to 8 in	owers, .75	
v. hirsuta		Woolly Heather
C-8" VS. Low, compact. For purple, Aug., Sept.		
6 to 8 in	.75	6.00
v. monstrosa C to D—12" VS. Loose, sprea- Sept.	ding.	Coarse Heather Flowers pink, Aug.,
6 to 8 in	.75	6.00
v. nana C-6" VS. Low, compact. Folia	ge mos	Moss Heather
Flowers pale lavender. Sept. 4 to 6 in	_	6.00
	.,,	
DAPHNE cneorum C to B—18" S. Leaves narrov cately fragrant flowers, produce occasionally during the summer	v, 34". d freel	Rose Daphne Rose-colored, deli- y in May, June and
6 to 8 in		11.00 90.00 14.00 120.00
ERICA carnea		Spring Heath
C-6" VS. Leaves are needles, J bell-shaped flowers, April, Ma acid soil.	4″—3⁄8″ y. Re	
4 to 6 in	.75	6.00
stricta		Corsican Heath
C-16" S. Erect habit. Pink flo	`	July to Sept. 6.00
tetralix		Crossleaf Heath
C-8" VS. Foliage grayish. Ros	sy flow .75	ers. 6.00
vagans		Cornish Heath
C—12" VS. Flowers purplish re	d, Aug .75	


	Each	Per 10	Per 100
EUONYMUS radicans			Wintercreeper
C to D-M. Viny branches. Le	eaves ¾"	, oval, dark	
2 yrs		5.00	40.00
3 yrs	.75	6.00	45.00
rad. acutis			Wintercreepe
D-R to VR. Viny, trailing, sp Leaves dull, dark, 1", pointed of	oreading	; makes den	se mat.
3 yrs	.75	6.00	
4 yrs	1.00	8.00	
rad. argenteo-marginata		Silveredge	Wintercreepe
C to D-M. Leaves 34", silver	margine		
2 yrs	.60	5.00	
3 yrs	.75	6.00	50.00
4 yrs	1.00	8.00	
rad. carrieri			Wintercreepe
C to B—R. Glossy oval leaves Euonymus. Unsupported, mak	s, 134".	Strongest c	limbing
0	.75	6.00	
2 yrs	1.00	8.00	50.00 70.00
4 yrs	1.50	12.50	70.00
rad. colorata			Wintercreepe
C to B-R. Leaves 1½", oval,	red unde		
2 yrs	.75	6.00	50.00
rad. kewensis		Baby	Wintercreepe
C to D-S. Leaves 1/2". Branc	nes very	slender.	·
4 in. pots	.75	6.50	55.00
rad. vegetus		Bigleaf	Wintercreepe
B to D-M. Leaves round, 1".	Fruit 1	⅓″, orange-	scarlet.
2 yrs	.75	6.00	48.00
3 yrs	1.00	8.00	70.00
HEDERA helix			English Iv
D-VR. Fine viny branches. slightly white-veined, 1\%"-3".	Leave	s pentagon	dark,
4 in. pots, 18 in. tops	.60	5.50	
h. baltica		Har	dy English Ivy
D-VR. A plant of this sort it time. It is almost the same as appearance. Leaves a little s Much hardier, having survivee ingham. While we believe th hardy, it may occasionally lose winters. But because of its cost, it should be tried. More	the ording maller, a severe at it wie a brancoxcellent of a cree	needed for lary English darker and winters at ll prove aboth or two in promise and per than cli	a long i Ivy in richer. Fram- solutely severe i small mber.
4 in. pots, 18 in. tops	.75	6.50	60.00
ILEX glabra B4/3 to 1/1-3' M. Dark, gloss	y, oval l	eaves. Blac	Inkberry k fruit,
15 in	2.50 3.00		
CALMIA angustifolia B4/3-11/2' M. Crimson flowers	in Tune	and Tuly	Lambkil
18 to 24 in	2.00	18.00	160.00
2 to 2½ ft	2.50 3.00	22.50 27.50	200.00
(For explanation of Descri	ptive C	ode see p	age 19)

KALMIA-cont'd	Each	Per 10	Per 100
latifolia		M	ountain Laurel
A4/3 to 1/1-8' M to R. Leaves rounding clusters of small w Our Kalmias are nursery gro by virtue of their exceptional far better results than collecte	3"—4", d hite and p own from lly heavy d stock.	ark, glossy. oink flowers northern se root system	Large, , June. ed, and is, give
15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft 3½ to 4 ft 4 to 4½ ft	. 2.50 . 3.00 . 4.00 . 5.00 . 7.00 . 10.00	22.50 27.00 35.00 45.00 65.00 95.00	200.00 240.00 330.00
LEIOPHYLLUM buxifolium			Sandmyrtle
C-18" VS. Leaves ¼", oval, pink outside, in corymbs, 1"-	thick. F	lowers 1/5",	
10 to 12 in. spread		10.00	•
LEUCOTHOE catesbaei B4/34' R. Graceful, droopin narrow, pointed, dark glossy; i Flowers small white, bell-shap	ng branche beautiful p		oing Leucothoe 3"—5", winter.
12 to 15 in. THESE ARE. 15 to 18 in. ALL VERY. 18 to 24 in. BUSHY 2 to 2½ ft. PLANTS	. 2.00 . 2.50 . 3.25	18.00 22.50 30.00 35.00	165.00 200.00 270.00
PACHISTIMA canbyi C-8" VS. A splendid evergr row oblong leaves 1/2", and r	een groun		nby Pachistima th nar-
3 yrs. from pots		5.00	40.00
PACHYSANDRA terminalis C—10" S. Erect plant develop Small white flowers. Plant at	ing into a		panese Spurge " high. q. foot.
2 yrs., pot grown		2.50 3.00	18.00 21.00
PIERIS floribunda			in Andromeda
B3/4—3'. Low, dense, compa White flowers, April, like Lil	ct. Dark y of th e V	oval leave: alley.	s, 1½".
12 to 15 in. spread	. 4.00 . 6.00 . 9.00	27.00 36.00 55.00 85.00	250.00 330.00 500.00
VINCA minor D-VR. Glossy dark leaves.	. Blue fl		non Periwinkle
every square foot. Grows in 2 yrs., pot grown	ito a solid	mat. 2.20	15.00
min. alba			nite Periwinkle
D-VR. White flowering form 2 yrs., pot grown		ing. 3.50	33.00

RHODODENDRONS

	Each	Per 10	Per 100
RHODODENDRON carolinianum	Lacii		Rhododendron
A3/2 to 1/1—6' M to R. Le Pink flowers, profuse, late Ma and rugged under almost all co	aves 2" y, clust		
15 to 18 in 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft	3.00 3.50 4.50 6.00 7.50	27.00 33.00 42.00 55.00 72.00	250.00 300.00 400.00
catawbiense		Catawba I	Rhododendron
A4/3-6' M to R. Leaves 4"-6 flowers, clusters 5"-7", profuse	", revol	ute. Lavend	er-pink
	, late M	ay, June. 33.00	
18 to 24 in	4.00	36.00	
2½ to 3 ft	5.00	48.00	
3 to $3\frac{1}{2}$ ft	6.50	63.00	
3½ to 4 ft	8.00		
maximum			Rhododendron
A4/3 to 1/1-10' M to R. Flat	leaves, 5	"—10". Wh	ite and
blush-pink flowers in clusters, 18 to 24 in	3.50	. 33.00	300.00
2 to 2½ ft	4.00	36.00	200.00
$2\frac{1}{2}$ to 3 ft	5.00	45.00	
3 to 3½ ft	6.50	60.00	
$3\frac{1}{2}$ to 4 ft	7.50		
4 to 5 ft			
4 to 5 ft	9.00 12.00		
4 to 5 ft	9.00	D: 11	DI 1 1. 1.
4 to 5 ft	9.00 12.00		Rhododendron
4 to 5 ft	9.00 12.00	s deep pink,	
4 to 5 ft	9.00 12.00		
4 to 5 ft	9.00 12.00 Flower: 3.00 4.00 5.00	27.00 36.00 45.00	
4 to 5 ft	9.00 12.00 Flowers 3.00 4.00	27.00 36.00	
4 to 5 ft. 5 to 6 ft. minus A4/3-8' M to R. Loose habit. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. smirnovi	9.00 12.00 Flower: 3.00 4.00 5.00 6.00	s deep pink, 27.00 36.00 45.00 55.00 Smirnow I	June. Rhododendron
4 to 5 ft. 5 to 6 ft. minus A4/3-8' M to R. Loose habit. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft.	9.00 12.00 Flower: 3.00 4.00 5.00 6.00	s deep pink, 27.00 36.00 45.00 55.00 Smirnow I	June. Rhododendron s long,
4 to 5 ft. 5 to 6 ft. minus A4/3-8' M to R. Loose habit. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. smirnovi A1/1 to 3/4-8' M to S. Flower narrow, revolute; underside coupale tan felt. 12 to 15 in.	9.00 12.00 Flower: 3.00 4.00 5.00 6.00	s deep pink, 27.00 36.00 45.00 55.00 Smirnow I	June. Rhododendron s long,
4 to 5 ft. 5 to 6 ft. minus A4/3—8' M to R. Loose habit. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. smirnovi A1/1 to 3/4—8' M to S. Flower narrow, revolute; underside coupale tan felt. 12 to 15 in. 15 to 18 in.	9.00 12.00 Flower: 3.00 4.00 5.00 6.00	s deep pink, 27.00 36.00 45.00 55.00 Smirnow I	June. Rhododendron s long,
4 to 5 ft. 5 to 6 ft. minus A4/3-8' M to R. Loose habit. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. smirnovi A1/1 to 3/4-8' M to S. Flower narrow, revolute; underside coupale tan felt. 12 to 15 in.	9.00 12.00 Flower: 3.00 4.00 5.00 6.00	s deep pink, 27.00 36.00 45.00 55.00 Smirnow I	June. Rhododendron s long,
4 to 5 ft. 5 to 6 ft. minus A4/3—8' M to R. Loose habit. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. smirnovi A1/1 to 3/4—8' M to S. Flower narrow, revolute; underside cov pale tan felt. 12 to 15 in. 15 to 18 in. 18 to 24 in. Hybrid Rhododendrons	9.00 12.00 Flower: 3.00 4.00 5.00 6.00 rs pure rered wi 5.00 7.00 9.00	s deep pink, 27.00 36.00 45.00 55.00 Smirnow I pink. Leave th heavy wi	June. Rhododendron s long, nite to
4 to 5 ft. 5 to 6 ft. minus A4/3—8' M to R. Loose habit. 18 to 24 in. 2 to 2½ ft. 2½ to 3 ft. 3 to 3½ ft. smirnovi A1/1 to 3/4—8' M to S. Flower narrow, revolute; underside cov pale tan felt. 12 to 15 in. 15 to 18 in. 18 to 24 in. Hybrid Rhododendrons	9.00 12.00 Flower: 3.00 4.00 5.00 6.00 rs pure rered wi 5.00 7.00 9.00	s deep pink, 27.00 36.00 45.00 55.00 Smirnow I pink. Leave th heavy wi	June. Rhododendron s long, nite to
minus A4/3-8' M to R. Loose habit. 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft smirnovi A1/1 to 3/4-8' M to S. Flower narrow, revolute; underside compale tan felt. 12 to 15 in 15 to 18 in Hybrid Rhododendrons A4/3 to 3/4-8' to 10' M to R. are beautiful, strong, bushy printsed colors only, containing sulavender. These plants are green Rhododendrons, and are MUCH GRAFTED HYBRIDS. 15 to 18 in. B&B	9.00 12.00 Flower: 3.00 4.00 5.00 6.00 Spure rered with the spure of the Hyllomats. Ch shaddown from HARI	s deep pink, 27.00 36.00 45.00 55.00 Smirnow I pink. Leave th heavy wi	June. Rhododendron s long, nite to
## ## ## ## ## ## ## ## ## ## ## ## ##	9.00 12.00 12.00 Flower: 3.00 4.00 5.00 6.00 7.00 7.00 9.00 The Hyllants. ch shadown from I HARII 4.50 5.50	s deep pink, 27.00 36.00 45.00 55.00 Smirnow I pink. Leave th heavy wi	June. Rhododendron s long, nite to
minus A4/3-8' M to R. Loose habit. 18 to 24 in 2 to 2½ ft 2½ to 3 ft 3 to 3½ ft smirnovi A1/1 to 3/4-8' M to S. Flower narrow, revolute; underside compale tan felt. 12 to 15 in 15 to 18 in Hybrid Rhododendrons A4/3 to 3/4-8' to 10' M to R. are beautiful, strong, bushy printsed colors only, containing sulavender. These plants are green Rhododendrons, and are MUCH GRAFTED HYBRIDS. 15 to 18 in. B&B	9.00 12.00 Flower: 3.00 4.00 5.00 6.00 Spure rered with the spure of the Hyllomats. Ch shaddown from HARI	s deep pink, 27.00 36.00 45.00 55.00 Smirnow I pink. Leave th heavy wi	June. Rhododendron s long, nite to

(For explanation of Descriptive Code see page 19)



TYPES OF DECIDUOUS TREES

- A. Narrow columnar habit, branches erect.
- B. Oval or elliptic head, branches ascending.
- C. Conical head, branches ascending.
- D. Broad rounding head, branches spreading.
- E. Irregular habit, branches irregularly ascending or spreading.
- F. Branches ascending, arching, even drooping near ends.

Certain types such as B, C and D do not always show the characteristics depicted when young, but do so as they mature.

PROPORTIONS

We omit the indication of proportions of Deciduous Trees as they are not sufficiently constant to be of any practical value. The type sketches indicate the proportions in a general way.

RATES OF ANNUAL GROWTH

VR—very rapid—over 4 feet.
R—rapid—3 to 4 feet.
M—medium—2 to 3 feet.
S—slow—1 to 2 feet.
VS—very slow—under 1 foot.

DECIDUOUS SHADE AND ORNAMENTAL TREES

Caliper measurements are taken 12 inches above ground. Varieties marked "B&B" are always dug with Ball and Burlapped at No Additional Cost.

Each Per 10 Per 100

	Lach	Per IU	Per 100
ACER dasycarpum			Silver Maple
B-80' VR. Lvs. 5", light green	silver	v under 5-lo	
8 to 10 ft	2.00	18.00	160.00
	2.50	22.50	
10 to 12 ft			200.00
12 to 14 ft	3.00	27.00	240.00
14 to 16 ft	3.50	30.00	270.00
16 to 18 ft	4.00	35.00	300.00
18 to 20 ft	5.00	45.00	
das. pyramidalis		Pyramida	l Silver Maple
A to C-80' VR. Columnar to c	onical :	strain.	·
6 to 8 ft	2.00		
dasy. wieri			Cuileaf Maple
F-80' VR. Branchlets droop. I		3½", deeply	cut.
8 to 10 ft	3.00	27.00	240.00
ginnala		Am	ur Bush Maple
15' S. Many-branched, excelle Leaves 21/2", 3-lobed, brilliant p		tall bushy red in fall.	hedge.
3 to 4 ft	1.25	10.00	85.00
4 to 5 ft	1.50	12.50	100.00
5 to 6 ft	2.00	17.50	150.00
6 to 8 ft	2.50	22.50	200.00
8 to 10 ft	3.00	27.00	240.00
10 to 12 ft	4.00	36.00	
platanoides		1	Vorway Maple
D-50' R. The best of all shad street use. Broad, dense head, dark rich green leaves, 5" to 7'	de trees covered	for both la l with large, ed.	wn and heavy,
6 to 8 ft	2.75	25.00	225.00
8 to 10 ft	4.00	37.50	360.00
10 to 12 ft	5.00	48.00	450.00
12 to 14 ft	6.50	60.00	540.00
14 to 16 ft	7.50	00.00	3 10.00
16 to 18 ft			
3 to 5 in. cal. 12.00 to 2	5.00 ea	-L	
5 to 8 in. cal. 25.00 to 10			
3 to 6 m. car. 25.00 to 10	0.00 6	icii	
plat. schwedleri			hwedler Maple
D-50' R. Lvs. bright red, sprin			111111111111111111111111111111111111111
5 to 6 ft	4.00	36.00	
6 to 8 ft	5.00 6.00	45.00	
(For explanation of Descri	ptive (Code see p	age 24)

ACER—cont'd pseudoplatanus B-70'. Leaves 5-lobed, 6".	Each Bark brown		Per 100 camore Maple
5 to 6 ft			
rubrum B to F—80' R. Leaves 3", green under; orange, scarlet		rich green flowers, Ap	Red Maple 1; pale pril.
6 to 8 ft	3.50 5.00	25.00 33.00	225.00
saccharum			Sugar Maple
B-80' R. Lvs. 3-5-lobed, 3"			
6 to 8 ft	3.50 5.00 6.00	24.00 33.00 45.00 55.00	
3 to $3\frac{1}{2}$ in. cal		ch	
ARALIA spinosa		Devils	Walkingstick
Irregular erect habit—10' S. pound, 1 to 2 ft., leaflets oval			
2 to 3 ft	1.00		
BETULA alba			White Birch
C-40' M. Old bark white. I		2½"; yello	w, fall.
6 to 8 ft	3.00	27.50	
lutea			Yellow Birch
C-60' M. Bark, silky, tan. I.		; blaze of go	old, fall.
8 to 10 ft	. 3.00	27.50	
10 to 12 ft		37.50	
papyrifera C-70' M. Young bark brown	ı; older, wh	•	Canoe Birch
4 to 5 ft	. 1.75	16.50	,
pendula gracilis C–50' M. Bark white. Brai	nchlets droo	-	eeping Birch
cut. 5 to 6 ft 6 to 8 ft 8 to 10 ft	. 3.00	36.00	

BETULA—cont'd	Each	Per 10	Per 100
populifolia	Laci	1 01 10	Gray Birch
A to C 40' M Bork white fl	acked or	ov Ivo to	
A to C-40' M. Bark white, ff	ecked gr	ay. Lvs. ti	rangie,
5 to 6 ft	1.00	9.00	
6 to 8 ft	1.50	12.50	
8 to 10 ft	1.75	15.00	
CARPINUS caroliniana		Americ	an Hornbeam
C-30' S. Leaves pointed over scarlet to orange yellow in fall.	al, 3", d	ark bluish	green;
3 to 4 ft. B&B	2.50	22.50	
4 to 5 ft. B&B	3.00	27.00	
5 to 6 ft. B&B	4.00	37.00	
6 to 8 ft. B&B	5.00	48.00	
8 to 10 ft. B&B	6.50	60.00	
10 to 12 ft. B&B	8.00	75.00	
CATALPA bignonioides E-30' S. Lvs. 8". White fls., J	une. Tulv		nmon Catalpa 1s. 15″
8 to 10 ft	1.50	12.00	10, 10 .
10 to 12 ft	2.00	18.00	
12 to 14 ft	2.50	22.50	
14 to 16 ft	3.00	28.00	
			L
Dense globe-shaped, very dwar straight bare stem for formal et	f bush, t		brella Catalpa ted on
	2.50	22.50	mapeu.
2 yr. heads, 6 ft. stems 3 yr. heads, 6 ft. stems	3.50	30.00	,
speciosa		W	estern Catalpa
C-60' R. Leaves 10". Flowers	white, 2"	, June. Po	ds 12".
5 to 6 ft	1.00	9.00	75.00
6 to 8 ft	1.25	10.00	90.00
8 to 10 ft	1.50	14.00	125.00
10 to 12 ft	1.75		
CERCIDIPHYLLUM japonicum			Kalsura Tree
A to C-40' S. Leaves 2½", he purple; maturing bright green;	art shap bright ye	e, opening p ellow in fall.	
4 to 5 ft	2.00	18.00	170.00
5 to 6 ft	3.00	27.50	250.00
6 to 7 ft	4.00	36.00	
CERCIS canadensis E-25' S. Lvs. 4", heart-shaped	Ela I/I		ican Red Bud
18 to 24 in	. 60	, rosy pink 5.50	, may.
2 to 3 ft	.75	5.50	
CHIONANTHUS virginica			White Fringe
16' VS. Shrubby. Large lacy w	hite pani	cles, May, J	une.
2 to 3 ft	1.50	14.00	
3 to 4 ft	2.00	18.00	
CLADRASTIS lutea		7	ellow-Wood
E-30' S. Leaves 3", glossy,dar June.		ant white pa	nicles,
8 to 10 ft	3.50		
10 to 12 ft	4.50		
12 to 14 ft	6.00		
		de see po	0.41

	Each	Per 10 Per 100	
CORNUS florida E-15' VS. Leaves dark red in 4", May. Red fruit 1/3".	fall.	Flowering Dogwood Flowers white, 3"—	1
3 to 4 ft	2.00	18.00	
4 to 5 ft	3.00	27.00	
5 to 6 ft	5.00 6.50	45.00	
6 to 7 ft	0.50		
		White Flowering Dogwood	d
E-15' VS. A double-flowering f			
3 to 4 ft. B&B	5.00 6.50	45.00 60.00	
4 to 5 ft. B&B	0.50	00.00	
flor. rubra		Red Flowering Dogwood	d
E-15' VS. Deep rose-colored fl			
2 to 3 ft. B&B	5.00	48.00	
3 to 4 ft. B&B	6.00		
4 to 5 ft. B&B 5 to 6 ft. B&B	7.50 10.00		
7 to 0 1t. DQD	10.00		
CRATAEGUS coccinea		Thicket Hawthorn	n
D to E-20' S. Thorny. Whe scarlet fruits, August, remain la	ite flate; att	owers, May. Large tract birds.	
3 to 4 ft	1.50	14.00	
4 to 5 ft	2.00	18.00	
5 to 6 ft	3.00	25.00	
6 to 8 ft	5.00 6.50		
8 to 10 ft	0.50		
cordata		Washington Hawthor	n
E to D-25' S. Thorny. Lvs. si May, June. Abundant crimson	nall 3-	-5-lobed. Fls. white,	
3 to 4 ft 4 to 5 ft	2.00 2.50	18.00 150.00 22.50 200.00	
5 to 6 ft	3.50	22.30 200.00	
3 10 0 11	7.50		
crusgalli		Cockspur Thorn	n
E-20' S. Leaves narrow, da White flowers, June. Red fruit	rk, gl rema	lossy. Long thorns.	
2 to 3 ft	1.25	12.00 110.00	
3 to 4 ft	1.75	16.00 150.00	
4 to 5 ft	2.50	22.50	
5 to 6 ft	3.50		
oxyacantha		English Hawthor	n
E-15' S. Leaves small. Fls. la		hite, May.	
2 to 3 ft	.75		
3 to 4 ft	1.00 1.25		
4 to 5 ft	1.25		
oxy. splendens		s Double Scarlet Hawthor	n
E-15' S. Double scarlet form o	f prece	eding.	
4 to 5 ft	2.50		
5 to 6 ft	3.00		
6 to 7 ft	4.00		
7 to 8 ft	5.00		

CRATAEGUS—cont'd	Each	Per 10	Per 100
succulenta			eshy Hawthorn
E to D-20' S. White corymbs,		_	t fruits.
2 to 3 ft	1.00	8.50	
3 to 4 ft	1.25	11.00	90.00
4 to 5 ft	1.50	12.50	110.00
5 to 6 ft	1.75		
FAGUS americana		Δ	merican Beecl
C to B—80' S Branches ass	cending	r hark ligh	t grav
C to B-80' S. Branches ass Foliage pointed, elliptic, 2½"- green, yellowish-green undernea	-5", h	eavily veine	d, dark
green, yellowish-green undernea	th, brig	ght yellow in a	autumn.
6 to 8 ft. B&B	10.00		
8 to 10 ft. B&B	14.00	130.00	
10 to 12 ft. B&B	18.00	170.00	
	22.00		
14 to 16 ft. B&B	28.00		
	35.00		
	45.00		
			י חיים
sylvatica riversi	***	doub sumple	River Beech
C to B-50' S. Leaves shorter,			
18 to 25 ft. B&B 40.00 to 100.	.00 ead	ch	
FRAXINUS americana			White Ash
C to D-80' M. Leaves compou	ınd, le	aflets 3"-5",	
and purple in autumn.		·	
6 to 8 ft	1.50	1 2. 50	
8 to 10 ft	2.00	18.00	150.00
10 to 12 ft	2.50	22.50	200.00
12 to 14 ft	3.00	27.00	240.00
14 to 16 ft	4.00	36.00	
lanceolata *			Green Asl
C to D-60' M. Foliage light	green.	compound.	
2"-5".		-	
6 to 8 ft	1.50	14.00	
8 to 10 ft	2.00	18.00	
10 to 12 ft	2.50	22.50	
12 to 14 ft	3.00	27.00	
GLEDITSIA triacanthos		Commo	n Honeylocus
F-80' S to M. Thorny. Folia			•
clear yellow in autumn.	age co	mpound, lear	iets i",
	1.25	10.00	80.00
5 to 6 ft	1.50		100.00
		12.00	
		12.00	
8 to 10 ft	1.75	12.00 15.00	120.00
		15.00	
8 to 10 ft	1.75	15.00 Kentu	120.00 icky Coffeetree
8 to 10 ft	1.75	15.00 Kentu	120.00 icky Coffeetree
8 to 10 ft	1.75	15.00 Kentu	120.00 icky Coffeetree
8 to 10 ft	mmens	15.00 Kentu	120.00 icky Coffeetree
8 to 10 ft	mmens cles. E	15.00 Kentu	120.00 icky Coffeetree
8 to 10 ft	1.75 mmens cles. E 2.00 2.50	15.00 Kentu	120.00 icky Coffeetree
8 to 10 ft	1.75 mmens cles. 1 2.00 2.50 3.00	15.00 Kentu se compound Fruit pods 2"	120.00 ucky Coffeetree leaves. —10".
8 to 10 ft	1.75 mmens cles. F 2.00 2.50 3.00 4.00	15.00 Kentu se compound Fruit pods 2"	120.00 icky Coffeetree leaves. 10".
8 to 10 ft	1.75 mmens cles. F 2.00 2.50 3.00 4.00	15.00 Kentu se compound Fruit pods 2"	120.00 ucky Coffeetred leaves. 10".
8 to 10 ft	1.75 mmenscles. F 2.00 2.50 3.00 4.00 2"—4". May.	15.00 Kentu Ge compound Fruit pods 2"	120.00 ucky Coffeetred leaves. 10".
8 to 10 ft	1.75 mmenscles. F 2.00 2.50 3.00 4.00 2"—4". May. 1.00	15.00 Kentu se compound Fruit pods 2"	120.00 icky Coffeetree leaves. 10".
8 to 10 ft	1.75 mmenseles. F 2.00 2.50 3.00 4.00 2"—4". May. 1.00 1.25	15.00 Kentu Ge compound Fruit pods 2"	120.00 icky Coffeetree leaves. 10".
8 to 10 ft	1.75 mmenseles. F 2.00 2.50 3.00 4.00 2"—4". May. 1.00 1.25 1.50	15.00 Kentu Ge compound Fruit pods 2"	120.00 icky Coffeetree leaves. 10".
8 to 10 ft	1.75 mmenseles. F 2.00 2.50 3.00 4.00 2"—4". May. 1.00 1.25	15.00 Kentu Ge compound Fruit pods 2"	120.00 icky Coffeetree leaves. 10".

HIGH AND	Each	Per	10	Per 100
JUGLANS cinerea	0	2	NT .	Butternut
E-50' S. Leaves compound, I shaped, 2½"-4".				oblong
5 to 6 ft	2.00	18.		
6 to 8 ft	2.50 3.00	22.	.50	
8 to 10 ft	4.00			
	1.00		c	
LABURNUM alpinum	three	1,, 2,,		tch Laburnum
C to B-30' S to VS. Leaves in Flowers bright yellow in hanging	ig race	, 1"—2", m e s.	ngn	green.
3 to 4 ft., bush form	1.50			
4 to 5 ft., bush form	2.00			
5 to 6 ft., bush form	2.50			
LIRIODENDRON tulipifera				Tulip Tree
C to B-80' R. Lvs. broad, 2-6 tulip-shaped, greenish yellow, of	-lobed,	5"-6",	gloss	y. Fls.
4 to 5 ft	1.50	marking	s.	
5 to 6 ft	2.00			
6 to 8 ft	2.50			
8 to 10 ft	3.50			
20.22				
MALU	-			
(The Flowerin	•	-		
We specialize in growing semi-ma	tured :	pecimen	s of	the several
MALUS species. Unlike the usu	al run	of stoc	k of	ered, these
are mostly old trees, several times to give a worthwhile immediate eff				
or bushiness of each sort is indicate				1 Heaviness
MALUS arnoldiana	·			Arnold Crab
E-15' S. Semi-double pink blo	ssoms.	May. Y	ellow	
3 to 4 ft. B&B	2.00			
4 to 5 ft. B&B	3.00			
5 to 6 ft. B&B	4.00			
atropurpurea			Pu	rpleleaf-Crab
E-16' S. Single deep pink flo	wers.	Foliage 1	purpli	ish red
during flowering period.	2 00	27	00	
4 to 5 ft. B&B	3.00 4.00	27. 36.		
6 to 7 ft. XX. B&B	6.00	50.	00	
7 to 8 ft. XX, B&B	12.00			
8 to 10 ft. XX, B&B	15.00			
atrosanguinea			4	Carmine Crab
E-14' S. Single flowers, crim side, May. A splash of color w	son ou	tside, de	ер рі	nk in-
side, May. A splash of color w				
3 to 4 ft. X, B&B	2.00	18.0 22.		
4 to 5 ft. X, B&B 5 to 6 ft. XX, B&B	2.50 3.50	33.0		
6 to 7 ft. XX, B&B	5.00	,,,,	50	
7 to 8 ft. XX, B&B	6.50			
baccata				Siberian Crab
B to D-35' S. Pure white, fra when unfolding. Fruit yellow, s	grant i	dowers, 1	ink (outside
		red.		
7 to 8 ft. XX, B&B 8 to 10 ft. XXX, B&B	15.00			
10 to 12 ft. XXX, B&B	20.00			
	_0.00			

MALUS—cont'd	Each	Per 10	Per 100
coronaria		Wil	d Sweet Crab
B-30' S. Flowers rose-pink,		ented, May.	
4 to 5 ft. X, B&B	2.50		
5 to 6 ft. X, B&B	3.00		
6 to 8 ft. X, B&B	4.00		
floribunda		lapanese Fl	owering Crab
E-20' S. Flowers single, deep	rose-pin	- •	-
small, yellow and red.	2.00	10.00	
3 to 4 ft. X, B&B	2.00	18.00 27.50	
4 to 5 ft. X, B&B	4.50	43.00	
6 to 7 ft. XX, B&B	5.50	15.00	
0 10 7 11. 7171, 202	. 5.50		
ioensis fl. pl.			Bechtel Crab
C to D-15' S. One of the be pink; resemble small roses, M	st. Flow	vers double, d	lelicate
2 to 3 ft. X, B&B		13.50	125.00
3 to 4 ft X B&B	2.00	18.00	160.00
3 to 4 ft. X, B&B	2.50	22.50	200.00
5 to 6 ft. XX. B&B	3.50	33.00	300.00
5 to 6 ft. XX, B&B 6 to 7 ft. XX, B&B	. 6.00	50.00	
niedzwetzkyana			Redvein Crab
B to E-25' S. Foliage tinged	purple.	Semi-double f	lowers,
pink, May.	. 2.50	22.50	
4 to 5 ft. B&B 5 to 6 ft. B&B	. 3.00	27.00	
6 to 7 ft. X, B&B	4.00	36.00	
7 to 8 ft. XX, B&B	5.00	30.00	
8 to 9 ft. XX, B&B	6.00		
parkmani		I-	Parkman Crab
E-12' VS. Double, clear pink.	Leaves	very dark.	
3 to 4 ft. X, B&B	2.50		
4 to 5 ft. X, B&B	3.50		
			Samuel Carl
sargenti E-8' VS. Rigid, spreading br	ranches	Dura white	Sargent Crab
May. Wine-colored small fruit	t attract:	s birds.	iowers,
2 to 3 ft. X, B&B	2.00	18.00	150.00
3 to 4 ft. B&B	3.00	25.00	
4 to 5 ft. B&B	4.00	35.00	
4 to 5 ft. XX, B&B	. 12.50		
5 to 6 ft. XX, B&B	. 15.00		
scheideckeri		Sch	eidecker Crab
E-15' S. Double rose-pink in	side, dee		•
blooming.			
4 to 5 ft. B&B	. 2.50	22.50	
5 to 6 ft. X, B&B 6 to 7 ft. X, B&B	. 3.00	27.00 42.00	
7 to 8 ft. X, B&B	. 6.00	42.00	
		c a	941
(For explanation of Descr	iptive (Lode see p	age 24)

MALUS—cont'd	Each	Per 10	Per 100
spectabilis flore pleno		Double	Chinese Crab
B-18' S. Double pale pink flo			
4 to 5 ft. X, B&B	. 2.50	22.50	
5 to 6 ft. X, B&B		27.00	
6 to 7 ft. X; B&B	. 4.50	42.00	
spect. rosea plena	1	Double Pink	Chinese Crab
B-15' S to VS. Double deep	pink. Pro	fuse.	
5 to 6 ft. X, B&B	. 3.00	27.00	
6 to 7 ft. X, B&B	. 4.50	42. 00	
7 to 8 ft. X, B&B	. 6.00		
theifera			Tea Crab
Wilson, Keeper of the Arnold this tree: "Rigid of branch, v 15 ft. long, the Chinese M. the of Crab-apple loveliness. It is ing 20 feet in height, with sp rather zigzag branches. When is transformed into a floral pl sible to thrust a finger with petals are reddish pink in th cately stained with pale pink	cription is	given by	E. H.
Wilson, Keeper of the Arnold	Arboretu	m, who disc	overed
15 ft. long, the Chinese M, the	vith wands ifera is the	verv quint	s often essence
of Crab-apple loveliness. It is	a small ti	ree, seldom	exceed-
ing 20 feet in height, with sp	arse, uprig	ght and spre	eading,
is transformed into a floral pl	lume into	which it is	impos-
sible to thrust a finger with	out touchi	ng a flowe	r. The
cately stained with pale pink	e ioiaea b when fully	ud, wnite o	r deli-
2 to 3 ft. B&B	. 2.00	18.00	160.00
3 to 4 ft. B&B	. 3.00	27.00	250.00
4 to 5 ft. B&B	. 4.00	36.00	330.00
5 to 6 ft. B&B	. 5.00	45.00	400.00
7 to 8 ft. XXX, B&B	. 12.00	13.00	.00.00
8 to 10 ft. XXX. B&B	. 16.00		
8 to 10 ft. XXX, B&B 10 to 12 ft. XXX, B&B	. 20.00		
MORUS alba pendula		Tage Wass	ing Mulberry
8 ft. Umbrella-shaped, gracel	fully droom		s light
8 ft. Umbrella-shaped, gracel green, deeply lobed. Fruit red	dish-purpl	e, edible.	8
6 ft. stems, 2 yr. heads	. 3.50	33.00	
6 ft. stems, 3 yr. heads	. 4.50	42.00	
OXYDENDRON arboreum			Sourwood
	s. long, na	rrow, pointe	
25' S. Loose, open, erect. Lvs 7". Flowers, small white bells	s in panicl	es, June, Ju	ily.
2 to 3 ft	. 2.00		
3 to 4 ft	. 2.50		
4 to 5 ft	. 3 .5 0		
5 to 6 ft	. 5.00		
PHELLODENDRON sachalinense		Sagh	alien Corktree
B to F-50' R. Leaves con green. Fruit black \(\frac{1}{3}''.			
10 to 12 ft		25.00	
12 to 14 ft		30.00	
14 to 16 ft		36.00	
16 to 18 ft	. 5.00	45.00	
POPULUS nigra italica		Lon	bardy Poplar
A-60' VR. Leaves triangular	to rhombi		
6 to 8 ft. HEAVY	. 1.25	10.00	90.00
8 to 10 ft. LOW		12.00	100.00
10 to 12 ft. BRANCHED		15.00	120.00
12 to 14 ft. TRANS		20.00	160.00
14 to 16 ft. PLANTED	. 3.00	24.00	200.00
16 to 18 ft. SPECI		30.00	240.00
18 to 20 ft. MENS		40.00	330.00
20 to 25 ft	. 6.00	55.00	480.00


POPULUS—cont'd	Each	Per 10 F	Per 100
simoni fastigiata		Chinese Lomb	
A-50' VR. Leaves round poin 2"-3". Young shoots reddish.	ted, tap	ering base, glo	ossy,
6 to 8 ft	1.25	10.00	80.00
8 to 10 ft	1.50	12.00	100.00
10 to 12 ft	1.75	16.50	135.00
12 to 14 ft	2.00 4.00	18.00	
	7.00	Pura	leleaf Plum
PRUNUS cerasifera pissardi 15' S. Shrubby habit. Leaves d	ark pur	ple. Flowers si	
15' S. Shrubby habit. Leaves d blush-white, May. Dark, wine	-red fru	it.	ĺ
3 to 4 ft	1.50 2.00	12.50 18.00	
5 to 6 ft	2.50	22.50	
6 to 8 ft	3.25	30.00	
cer. bliriana	Dou	ible Pink Purp	leleaf Plum
15' S. Similar to preceding. Flo	owers do		
5 to 6 ft	2.50	D	1 1 01
serotina	e-chane	B. glossv. 4"-	lack Cherry
B-60' S to M. Leaves land Flowers white in 6" racemes. F	ruit 1/3	", purple black	-0 .
5 to 6 ft	.80	7.50	
6 to 8 ft	1.00	9.00	
8 to 10 ft	2.50 3.00	22.50 27.00	
JAPANESE FLOWER	ING C	HERRIES	
BENI HIGAN E-20' VS. Pale pink, profuse,	early.		
5 to 6 ft	5.00		
FUJIZAN			
E-20' VS. Flowers snow white 4 to 5 ft	4.00	double.	
5 to 6 ft	5.00	45.00	
KOFUGEN			
B-30' S. Flowers red, double.	4.00		
4 to 5 ft	4.00		
B-20' VS. Flowers old rose, do	ouble. fo	111.	
4 to 5 ft	4.00	36.00	
5 to 6 ft	5.00	45.00	
NADEN			
B-20' S. Flowers pink, double.	4.00		
5 to 6 ft	5.00		
NUMBER EIGHTEEN			
B-25' S. Pink, double, free.	4.00	26.00	
4 to 5 ft	4.00 5.00	36.00 45.00	
DOUBLE FINK WEEPING CHERRY	5.00	45.00	
3 yr. heads, 6 ft. stems	5.00	48.00	
SINGLE PINK WEEPING CHERRY	2.00		
3 yr. heads, 6 ft. stems	5.00	48.00	
PTELEA trifoliata		Comm	on Hoptree
C to E-25' S to M. Leaves pointed elliptic, 3"-5", dark, shi	compour	nd, leaflets in	3's,
Small nuts, 1".	ny. Fru	nt broadly win	gea.
5 to 6 ft	.80	7.5 0	
6 to 8 ft	1.00	9.00	
8 to 10 ft	1.50	12.50	
(For explanation of Descrip	tive Co	ode see page	24)

PYRUS calleryana	Each		Per 100 nese Sand Pear
C to B-40' S to M. White flow low to orange, scarlet, red, crim	vers, Ma		
5 to 6 ft	2.00	•	
6 to 8 ft	3.00	27.00	
8 to 10 ft	4.00	36.00	•
10 to 12 ft	5.00	48.00	
12 to 14 ft	6.00	55.00	
QUERCUS alba			White Oak
E to D-100' M to R. Bark 1: round-pointed lobes, 5"-8".	ight gra	y. Leaves,	6 to 16
6 to 8 ft	4.50	42.00	
8 to 10 ft	6.00	55.00	
10 to 12 ft	7.00	68.00	
12 to 14 ft	8.00	78.00	
14 to 16 ft	10.00	70.00	
coccinea			Scarlet Oak
C to B-80' M to R. Shining deeply, sharply 7-9-lobed; scar	green fo	oliage, 6"-8	" long,
deeply, sharply 7—9-lobed; scar	let in au	itumn.	
5 to 6 ft	3.50		
6 to 8 ft	4.50		
8 to 10 ft	6.00		
10 to 12 ft	8.00		
rubra		Con	nmon Red Oak
B to C-80' M to R. Dark ba 9", dark red in fall.	rk. Lea		
5 to 6 ft	3.00	27.00	•
6 to 8 ft	3.50	33.00	
8 to 10 ft	4.50	42.00	
10 to 12 ft	6.00	12.00	
12 to 14 ft	7.00		
14 to 16 ft	8.00		
14 to 10 ft	0.00		
SALIX babylonica		•	eeping Willow
F-40' R to M. Branchlets ve shaped, light green, 2"-6".	ry droop	ping. Leave	es lance
6 to 8 ft	1.50	14.00	
pentandra			Laurel Willow
C to B-20' R. Leaves elliptic,	glossy, o	dark, 2"-4".	
5 to 6 ft. extra bushy		8.00	75.00
6 to 8 ft. extra bushy		9.00	85.00
vitellina aurea		Russian (Golden Willow
E-80' R. Bark golden yellow.	Leaves	lance shape	d.
6 to 8 ft	1.25	11.00	
SORBUS americana			Mountain Ash
C to B-30' S to M. Leaves of pointed. Flowers white, May, small, bright red fruits, ¼".	compo u n June.	d, leaflets 2 Large cory	1½"—6", rmbs of
5 to 6 ft	2.00	18.00	
6 to 8 ft	2.50	21.00	180.00
	3.00	27.00	240.00
8 to 10 ft	3.50	27.00	2 10.00
10 to 12 ft	الر.ر		

SORBUS—cont'd	Each	Per 10	Per 100
amurense		Amur	Mountain Ash
A to C-20' S. Narrow growing	form.		
6 to 8 ft	2.50	22.50	
8 to 10 ft	3.00	27.00	
10 to 12 ft	3.50		
aucuparia			Mountain Ash
C-30' S to M. Large corymbs, Large corymbs of large scarlet	white fruits.	flowers, May	, June.
6 to 8 ft	2.00	18.00	160.00
8 to 10 ft	2.50	22.50	200.00
10 to 12 ft	3.00	28.00	260.00
12 to 14 ft	3.50	33.00	300.00
Extra heavy grade.			
5 to 6 ft	2.00	18.00	160.00
6 to 8 ft	2.50	22.50	200.00
8 to 10 ft	3.00	28.00	260.00
10 to 12 ft	3.50	32.50	300.00
12 to 14 ft	4.00	36.00	
5 to 6 ft	2.00	18.00	160.00
6 to 8 ft	2.50	22.50	
8 to 10 ft	3.00	27.00	
auc. pendula		Weeping	Mountain Ash
Irregular drooping form of prece	eding.		
3 yr. heads, 6 ft. stems	5.00		
commixta		lapanese.	Mountain Ash
C to B-30' S to M. Holds folia	ge late.	Late fruitir	
5 to 6 ft	2.00		
6 to 8 ft	2.50	22.50	200.00
8 to 10 ft	3.00	27.00	240.00
10 to 12 ft	3.50	27.00	210.00
decora		Shown	Mountain Ash
C to B-30'. Similar to S. ame	ericana;		
fruit. 6 to 8 ft	2 00		
8 to 10 ft	3.00 4.00		
10 to 12 ft	5.00		
quercifolia		Oakleaf i	Mountain Ash
C to B-25' S. Leaf typical "Oa	k-leaf"		
4 to 5 ft	1.50	12.50	
SYRINGA japonica		Japan	ese Tree Lilac
C to A-25' S. Flowers yellow-w	hite pa	nicles, June.	July.
3 to 4 ft	1.50	13.50	•
4 to 5 ft	2.00	18.00	
ΓΙLΙΑ americana		Am	erican Linden
C to B-80' M to R. Broad, Small, yellow, fragrant fls., July.	heart-sl		5"—9".
8 to 10 ft	3.50	33.00	
10 to 12 ft	4.50	42.00	
12 to 14 ft	5.50	50.00	
(For explanation of Descrip	tive C	ode see pe	age 24)
-			-

TILIA—cont'd cordata C to B—60' S. Small, broad, h Small flowers, sweet-scented. 8 to 10 ft	3.50 4.50 5.50 7.00 25.00 each	lleleaf E d leaves,	Per 100 uropean Linden 2"-3".
euchlora (dasystyla) C-50' S to M. Young branch shaped, 3"-4", glossy. Specimens, 4 to 8 in. cal. 60.00		. Leave	Erimean Linden s heart-
platyphyllos (grandiflora) C to B–80' M to R. Lvs. heart Specimens, 4 to 8 in. col. 60.00	-shaped, 3"	-4", ligh	uropean Linden nt green.
tomentosa (argentea) C to B-80' M to R. Leaves green above, silvery fuzzy unde Specimens, 5 to 9 in. cal. 75.00	heart-shap r. O to 150.0	ed, 3″—5 0 each	Silver Linden ", dark
ULMUS americana F-120' R. Fine street tree branches. Leaves pointed ellipt	for wide s	treets.	American Elm Arching
branches. Leaves pointed ellipt 6 to 8 ft	2.00 2.75 4.00 5.00 8.00 00 each	18.00 25.00 36.00 45.00	160.00 225.00 300.00 400.00
Moline Elm C-80' R to VR. Branches heav	v. Leaves	4"—7".	
5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft	2.00 3.00 3.75 4.50	18.00 27.00	
Am. Vase Shape Elm F-100' R. 5 to 6 ft 6 to 8 ft 8 to 10 ft 10 to 12 ft	2.00 3.00 3.75 5.00		
campestris	5.00		English Elm
F—80' R to M. specimens 4 to 10 in cal	60.	00 to 15	0.00 each
pumila F—60' VR. Fine branches. Lea popular.	ves 1"—2".	Gracef	Siberian El m ul. Very
5 to 6 ft	2.00 2.50 3.00	16.00 21.00 25.00	

DECIDUOUS FLOWERING AND ORNAMENTAL SHRUBS



TYPES OF DECIDUOUS SHRUBS

- A. Stems erect, moderately branched, usually narrow.
- B. Stems spreading, then ascending or erect, moderately branched.
- C. Few stems, many branches.
- D. Many stems, few or no branches.
- E. Stems ascending or erect, arching, finally drooping.
- F. Low, spreading, sprawling.

Since few Deciduous Shrubs have a definite rate of growth, or constant ratios of height to breadth, we omit those items, but indicate the types and usual maximum heights.

the types and usual maximum neights	•		
ACANTHOPANAX pentaphyllum			Per 100 Fiveleaf Aralia
A-8'. Slightly thorny. Leave dark glossy.			leaflets,
2 to 3 ft	.60	5.00	40.00
3 to 4 ft	. 7 5 1.00	6.00 8.00	50.00
4 10 3 11	1.00	0.00	
AMELANCHIER canadensis (botry	apium)		Shadblow
A-10'. White flowers, May. M	Iaroon fru	it, June,	July.
2 to 3 ft		8.00	72.00
3 to 4 ft	1.25	11.00	

ARALIA pentaphylla—See ACANTHOPANAX above.

	AM NORDE	11120
E ARONIA arbutifolia	Lach Per 10	Per 100 Red Chokeberry
A-10'. White fls., May. Crimsor 2 to 3 ft	1 fall foliage an 1.90 8.00 1.25 11.00 1.50 14.00 2.00 17.50	d fruit.) 70.00) 85.00
melanocarpa (nigra) D-6'. Clusters of white flowers berries. Attracts birds.	in May. Bla	Black Chokeberry ck glossy
2 to 3 ft	.90 7.50 1.25 10.00 1.50 12.50 2.00 17.50) 75.0 0
AZALEA	S	
Our stock of Azaleas is all NURSE, transplanted, having heavy masses o superior results to the planter. They collected stock frequently offered.	f fibrous roots	which insure
AZALEA arborescens		Sweet Azalea
D-5'. The plants we offer of this lutely true strain—they contain n so often found. They are low, Flowers large, white, pink outs true strain of arborescens is a vershould be more freely planted, par	species are of o trace of mon broad, dense, side, midde Ju y desirable shr ticularly for ma	the abso- grel blood rounding. ine. This rub, which iss effects.
18 to 24 in. spread B&B	3.00 27.00 3.50 33.00 4.50 40.00 5.00 55.00	300.00 375.00
calendulacea (lutea)		Flame Azalea
18 to 24 in. B&B	ge, yellow; earl 2.50 22.50 3.00 27.00 3.50 33.00 4.50 42.00 5.00	200.00 250.00 300.00
canadensis—See RHODORA		
canescens		Gray Azalea
A-4'. Pink, May 20th. Foliage g 15 to 18 in. B&B	rayish. 2.50 2.75 3.25 4.00	2
dahurica sempervirens	Λ	Iongolian Azalea
A to B—8'. Flowers medium pt Leaves 1"—2", dark, semi-ever; autumn, aromatic. 15 to 18 in. B&B	arplish-rose, Agreen, light cr 4.00 5.00	pril 10th. rimson in

ZALEA—cont'd Each Per 10				
A-10'. Flowers June 1, attractive mixed colors golden yellow, light pink, cream and orange.		Per 10	Each	ZALEA—cont'd
15 to 18 in. B&B.	Ghent Azale			
15 to 18 in. B&B.	, light to	ked colors,	tive mi	A-10'. Flowers June 1, attrac
2 to 2½ ft. B&B	330.00	26.00	4.00	15 - 19 :- De-D
2 to 2½ ft. B&B			5.00	19 to 10 in, D&D
2½ to 3 ft. B&B 7.50 72.00 kaempferi A-8'. Foliage small, scarlet to crimson in fall. combination of red, pink, salmon, blend into a indescribable flame color; late May. 15 to 18 in. B&B 4.00 35.00 18 to 24 in. B&B 4.75 45.00 2 to 2½ ft. B&B 6.00 55.00 2½ to 3 ft. 8.00 mollis A-6'. The showiest of all Azaleas. Large of bright orange flowers, occasionally red or yellow; 12 to 15 in. B&B 2.50 22.50 15 to 18 in. B&B 3.50 33.00 33.00 18 to 24 in. B&B 3.50 33.00 18 to 24 in. B&B 4.50 42.00 2½ to 3 ft. B&B 8.00 mol. altaclarensis A-6'. Very bright yellow; late May. 12 to 15 in. B&B 2.75 25.00 mol. Louisa Hunnewell A-6'. Very bright yellow; late May. 12 to 15 in. B&B 4.50 18 to 24 in. B&B 4.50 18 to 24 in. B&B 4.50 18 to 24 in. B&B 4.50 18 to 24 in. B&B 4.50 18 to 24 in. B&B 4.00 37.50 18 to 24 in. B&B 2.50 22.50 18 to 18 in. B&B 2.50 22.50 22.50 18 to 24 in. B&B 2.5			6.00	2 21 f. Do.D
kaempferi				21 . 2 f. Do.D
A-8'. Foliage small, scarlet to crimson in fall. combination of red, pink, salmon, blend into a indescribable flame color; late May. 15 to 18 in. B&B. 4.00 35.00 18 to 24 in. B&B. 4.75 45.00 2½ to 3 ft. 8.00 mollis A-6'. The showiest of all Azaleas. Large of bright orange flowers, occasionally red or yellow: 12 to 15 in. B&B. 2.50 22.50 15 to 18 in. B&B. 3.50 33.00 18 to 24 in. B&B. 4.50 42.00 2½ to 3 ft. B&B. 8.00 mol. altaclarensis A-6'. Very bright yellow; late May. 12 to 15 in. B&B. 2.75 25.00 mol. Altaclarensis A-6'. Very bright yellow; late May. 12 to 15 in. B&B. 4.50 18 to 24 in. B&B. 4.00 37.50 18 to 24 in. B&B. 4.00 37.50 18 to 24 in. B&B. 3.25 30.00 mucronulata A-6'. Rosy purplish pink, April 20th. Leaves be low in autumn. 15 to 18 in. B&B. 4.00 37.50 18 to 24 in. B&B. 3.25 30.00 mudiflora A-6'. Flowers white to pale pink, fragrant, May. 15 to 18 in. B&B. 2.75 25.00 2½ to 3 ft. B&B. 3.25 30.00 poukhanense D-3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpini dendrons, in fall a pleasing assortment of red Blooms single, 1½"—2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a pla New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 2½ ft. spread B&B. 4.00 36.00 2½ to 3 ft. spread B&B. 5.00 45.00 2½ to 3 ft. spread B&B. 5.00 45.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 12.00	,	72.00	7.50	∠₂ to 3 ft. D⊗D
15 to 18 in. B&B. 4.00 35.00 18 to 24 in. B&B. 4.75 45.00 2 to 2½ ft. B&B. 6.00 55.00 mollis A-6'. The showiest of all Azaleas. Large of bright orange flowers, occasionally red or yellow; 12 to 15 in. B&B. 2.50 22.50 15 to 18 in. B&B. 3.50 33.00 18 to 24 in. B&B. 4.50 42.00 2 to 2½ ft. B&B. 6.00 2½ to 3 ft. Walled to 2.75 25.00 mol. altaclarensis A-6'. Very bright yellow; late May. 12 to 15 in. B&B. 2.75 25.00 mol. Louisa Hunnewell A-6'. Large clusters, flowers golden yellow to early June. 15 to 18 in. B&B. 4.50 18 to 24 in. B&B. 4.50 18 to 24 in. B&B. 4.00 mucronulata A-6'. Rosy purplish pink, April 20th. Leaves bright in autumn. 15 to 18 in. B&B. 4.00 37.50 18 to 24 in. B&B. 5.00 48.00 mudiflora A-6'. Flowers white to pale pink, fragrant, May. 15 to 18 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D-3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"—2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a plant New England collections." 15 to 18 in. spread B&B. 4.00 36.00 2½ to 3 ft. spread B&B. 4.00 36.00 2½ to 3 ft. spread B&B. 4.00 36.00 3½ to 4 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 12.00	Torch Azale Flowers wonderful	on in fall. d into a w	o crims	taempferi A-8'. Foliage small, scarlet t combination of red, pink, salm
18 to 24 in. B&B				
2 to 2½ ft. B&B				
2½ to 3 ft				10 to 24 in. B&B
March Marc	,	55.00		2 to 2½ ft. B&B
A-6'. The showiest of all Azaleas. Large of bright orange flowers, occasionally red or yellow; 12 to 15 in. B&B			8.00	2½ to 3 ft
A-6'. The showiest of all Azaleas. Large of bright orange flowers, occasionally red or yellow; 12 to 15 in. B&B	Chinese Azale			
12 to 15 in. B&B.	lusters of	Targe clu	721425	Δ_6' The showiest of all Δ
12 to 15 in. B&B	late May.	or vellow: la	llv red	bright orange flowers, occasiona
15 to 18 in. B&B. 3.50 33.00 18 to 24 in. B&B. 4.50 42.00 2½ to 3 ft. B&B. 8.00 mol. altaclarensis A-6'. Very bright yellow; late May. 12 to 15 in. B&B. 2.75 25.00 mol. Louisa Hunnewell A-6'. Large clusters, flowers golden yellow to early June. 15 to 18 in. B&B. 4.50 18 to 24 in. B&B. 4.50 18 to 24 in. B&B. 4.00 mucronulata A-6'. Rosy purplish pink, April 20th. Leaves bin low in autumn. 15 to 18 in. B&B. 4.00 37.50 18 to 24 in. B&B. 5.00 48.00 mudiflora A-6'. Flowers white to pale pink, fragrant, May 15 to 18 in. B&B. 2.50 22.50 18 to 24 in. B&B. 2.75 25.00 2½ to 3 ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D-3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"—2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a pla New England collections." 15 to 18 in. spread B&B. 4.00 36.00 2½ to 3 ft. spread B&B. 4.00 36.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 9.00 3½ to 4 ft. spread B&B. 9.00 3½ to 4 ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00	210.00	22.50	2.50	12 to 15 in. B&B
18 to 24 in. B&B				
2 to 2½ ft. B&B. 6.00 2½ to 3 ft. B&B. 8.00 mol. altaclarensis				
2½ to 3 ft. B&B. 8.00 mol. altaclarensis	7 100.00	12.00		
mol. altaclarensis A-6'. Very bright yellow; late May. 12 to 15 in. B&B				
A-6'. Very bright yellow; late May. 12 to 15 in. B&B. 2.75 25.00 mol. Louisa Hunnewell A-6'. Large clusters, flowers golden yellow to early June. 15 to 18 in. B&B. 4.50 18 to 24 in. B&B. 6.00 mucronulata A-6'. Rosy purplish pink, April 20th. Leaves by low in autumn. 15 to 18 in. B&B. 4.00 37.50 18 to 24 in. B&B. 5.00 48.00 mudiflora A-6'. Flowers white to pale pink, fragrant, May 15 to 18 in. B&B. 2.50 22.50 18 to 24 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D-3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"-2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a pla New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 24 in. spread B&B. 4.00 36.00 2 to 2½ ft. spread B&B. 5.00 45.00 2 to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 12.00			0.00	22 to 3 H. D&D
A-6'. Very bright yellow; late May. 12 to 15 in. B&B. 2.75 25.00 mol. Louisa Hunnewell A-6'. Large clusters, flowers golden yellow to early June. 15 to 18 in. B&B. 4.50 18 to 24 in. B&B. 6.00 mucronulata A-6'. Rosy purplish pink, April 20th. Leaves by low in autumn. 15 to 18 in. B&B. 4.00 37.50 18 to 24 in. B&B. 5.00 48.00 mudiflora A-6'. Flowers white to pale pink, fragrant, May 15 to 18 in. B&B. 2.50 22.50 18 to 24 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D-3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"-2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a pla New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 24 in. spread B&B. 4.00 36.00 2 to 2½ ft. spread B&B. 5.00 45.00 2 to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 12.00				nol. altaclarensis
mol. Louisa Hunnewell A-6'. Large clusters, flowers golden yellow to early June. 15 to 18 in. B&B. 4.50 18 to 24 in. B&B. 6.00 mucronulata A-6'. Rosy purplish pink, April 20th. Leaves by low in autumn. 15 to 18 in. B&B. 4.00 37.50 18 to 24 in. B&B. 5.00 48.00 mudiflora A-6'. Flowers white to pale pink, fragrant, May 15 to 18 in. B&B. 2.50 22.50 18 to 24 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D-3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"—2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a pla New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 2½ ft. spread B&B. 5.00 45.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 9.00 3½ to 4 ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00			May.	A-6'. Very bright yellow; late
mol. Louisa Hunnewell A-6'. Large clusters, flowers golden yellow to early June. 15 to 18 in. B&B. 4.50 18 to 24 in. B&B. 6.00 mucronulata A-6'. Rosy purplish pink, April 20th. Leaves by low in autumn. 15 to 18 in. B&B. 4.00 37.50 18 to 24 in. B&B. 5.00 48.00 mudiflora A-6'. Flowers white to pale pink, fragrant, May 15 to 18 in. B&B. 2.50 22.50 18 to 24 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D-3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"—2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a pla New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 2½ ft. spread B&B. 5.00 45.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 9.00 3½ to 4 ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00)	25.00	2.75	12 to 15 in. B&B
15 to 18 in. B&B.	unnewell Azale o orange,	Louisa Hui yellow to	golden	A-6'. Large clusters, flowers
A-6'. Rosy purplish pink, April 20th. Leaves be low in autumn. 15 to 18 in. B&B			4.50	15 to 18 in. B&B
15 to 18 in. B&B. 4.00 37.50 18 to 24 in. B&B. 5.00 48.00 mudiflora A—6'. Flowers white to pale pink, fragrant, May 15 to 18 in. B&B. 2.50 22.50 18 to 24 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D—3'. Low, broad, dense, rounding, with the pranches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"—2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a plance New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 2½ ft. spread B&B. 5.00 45.00 2 to 2½ ft. spread B&B. 6.50 60.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00	ınchurian Aza le ı	Man		nucronulata
15 to 18 in. B&B. 4.00 37.50 18 to 24 in. B&B. 5.00 48.00 mudiflora A—6'. Flowers white to pale pink, fragrant, May 15 to 18 in. B&B. 2.50 22.50 18 to 24 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D—3'. Low, broad, dense, rounding, with the pranches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"—2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a plance New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 2½ ft. spread B&B. 5.00 45.00 2 to 2½ ft. spread B&B. 6.50 60.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00	right yel-	Leaves brig	il 20th.	A-6'. Rosy purplish pink, Apr
18 to 24 in. B&B. 5.00 48.00 nudiflora A-6'. Flowers white to pale pink, fragrant, May 15 to 18 in. B&B. 2.50 22.50 18 to 24 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D-3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"-2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a ple New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 24 in. spread B&B. 5.00 45.00 2½ to 3 ft. spread B&B. 6.50 60.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00		27 50	1.00	low in autumn.
A-6'. Flowers white to pale pink, fragrant, May 15 to 18 in. B&B. 2.50 22.50 18 to 24 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D-3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"-2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a plance New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 2½ ft. spread B&B. 5.00 45.00 2 to 2½ ft. spread B&B. 6.50 60.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00				
A-6'. Flowers white to pale pink, fragrant, Mar. 15 to 18 in. B&B. 2.50 22.50 18 to 24 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D-3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"-2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a plance New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 2½ ft. spread B&B. 5.00 45.00 2 to 2½ ft. spread B&B. 6.50 60.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00)	48.00	5.00	18 to 24 in. B&B
A-6'. Flowers white to pale pink, fragrant, Mar. 15 to 18 in. B&B. 2.50 22.50 18 to 24 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D-3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"-2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a plance New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 2½ ft. spread B&B. 5.00 45.00 2 to 2½ ft. spread B&B. 6.50 60.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00	Pinxterbloom			udiflora
15 to 18 in. B&B. 2.50 22.50 18 to 24 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D=3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"-2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a plance New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 2½ ft. spread B&B. 5.00 45.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00		rant. May	nk, frag	
18 to 24 in. B&B. 2.75 25.00 2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 2½ to 3 ft. B&B. 4.00 36.00 coukhanense D—3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"—2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a plance New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 2½ ft. spread B&B. 5.00 45.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 9.00 3½ to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00)	22.50	2.50	15 to 18 in B&B
2 to 2½ ft. B&B. 3.25 30.00 2½ to 3 ft. B&B. 4.00 36.00 poukhanense D-3'. Low, broad, dense, rounding, with t branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"-2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a ple New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 2½ ft. spread B&B. 5.00 45.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 9.00 3½ to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00			2.75	
2½ to 3 ft. B&B				
D-3'. Low, broad, dense, rounding, with the branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"—2", fragrant, pure medium pink, profuse, mid-May to early June. We conside of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a plance New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 24 in. spread B&B. 5.00 45.00 2 to 2½ ft. spread B&B. 6.50 60.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00				
D-3'. Low, broad, dense, rounding, with t branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"-2", fragrant, pure medium pink, profuse, mid-May to early June. We consid of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a pla New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 24 in. spread B&B. 5.00 45.00 2 to 2½ ft. spread B&B. 6.50 60.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00		50.00	1.00	2 ₂ to 3 It. DQD
D-3'. Low, broad, dense, rounding, with t branches resting on the ground. Leaves 2" long, in summer resemble those of the evergreen Alpin dendrons, in fall a pleasing assortment of red Blooms single, 1½"-2", fragrant, pure medium pink, profuse, mid-May to early June. We consid of the very best new plants which we have grown late Prof. C. S. Sargent said, "It deserves a pla New England collections." 15 to 18 in. spread B&B. 4.00 36.00 18 to 24 in. spread B&B. 5.00 45.00 2 to 2½ ft. spread B&B. 6.50 60.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00	Korean Azale			oukhanense
18 to 24 in. spread B&B 5.00 45.00 2 to 2½ ft. spread B&B 6.50 60.00 2½ to 3 ft. spread B&B 9.00 3 to 3½ ft. spread B&B 12.00 3½ to 4 ft. spread B&B 15.00	he lower	, with the	ounding	D-3'. Low, broad, dense, r
18 to 24 in. spread B&B 5.00 45.00 2 to 2½ ft. spread B&B 6.50 60.00 2½ to 3 ft. spread B&B 9.00 3 to 3½ ft. spread B&B 12.00 3½ to 4 ft. spread B&B 15.00	1/2" wide;	2" long, 1/2	Leaves	branches resting on the ground.
18 to 24 in. spread B&B 5.00 45.00 2 to 2½ ft. spread B&B 6.50 60.00 2½ to 3 ft. spread B&B 9.00 3 to 3½ ft. spread B&B 12.00 3½ to 4 ft. spread B&B 15.00	e Rhodo-	een Alpine	e evergi	in summer resemble those of th
18 to 24 in. spread B&B 5.00 45.00 2 to 2½ ft. spread B&B 6.50 60.00 2½ to 3 ft. spread B&B 9.00 3 to 3½ ft. spread B&B 12.00 3½ to 4 ft. spread B&B 15.00	n orchid-	ent or red	essortme	Rloome single 11/"-2" frage
18 to 24 in. spread B&B 5.00 45.00 2 to 2½ ft. spread B&B 6.50 60.00 2½ to 3 ft. spread B&B 9.00 3 to 3½ ft. spread B&B 12.00 3½ to 4 ft. spread B&B 15.00	der it one	We conside	Tune.	pink, profuse, mid-May to early
18 to 24 in. spread B&B 5.00 45.00 2 to 2½ ft. spread B&B 6.50 60.00 2½ to 3 ft. spread B&B 9.00 3 to 3½ ft. spread B&B 12.00 3½ to 4 ft. spread B&B 15.00	, and the	ave grown,	ch we h	of the very best new plants whi
18 to 24 in. spread B&B 5.00 45.00 2 to 2½ ft. spread B&B 6.50 60.00 2½ to 3 ft. spread B&B 9.00 3 to 3½ ft. spread B&B 12.00 3½ to 4 ft. spread B&B 15.00	ace in all	rves a plác	'It dese	late Prof. C. S. Sargent said,
18 to 24 in. spread B&B 5.00 45.00 2 to 2½ ft. spread B&B 6.50 60.00 2½ to 3 ft. spread B&B 9.00 3 to 3½ ft. spread B&B 12.00 3½ to 4 ft. spread B&B 15.00				New England collections."
18 to 24 in. spread B&B. 5.00 45.00 2 to 2½ ft. spread B&B. 6.50 60.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00	3 5 0.00	36.00	4.00	15 to 18 in. spread B&B
2 to 2½ ft. spread B&B. 6.50 60.00 2½ to 3 ft. spread B&B. 9.00 3 to 3½ ft. spread B&B. 12.00 3½ to 4 ft. spread B&B. 15.00				18 to 24 in, spread B&B
2½ to 3 ft. spread B&B 9.00 3 to 3½ ft. spread B&B 12.00 3½ to 4 ft. spread B&B 15.00				
3 to 3½ ft. spread B&B 12.00 3½ to 4 ft. spread B&B 15.00		20.00		21 to 3 ft. spread B&B
3½ to 4 ft. spread B&B 15.00				3 to 31 ft spread B&B
(For explanation of Descriptive Code con			13.00	JE 10 T II. spiead DXD
The confidence of Descriptive Code see	page 37)	ode see n	tive C	(For explanation of Descrip

AZALEA—cont'd	Each	Per 10	Per 100
schlippenbachi			Royal Azalea
A-6'. Pure pink, May 20th.	4.00		
12 in. B&B	5.00		
18 in. B&B	7.50		
vaseyi		P	inkshell Azaled
A-6'. Native American plant ance. One of the prettiest Az freely planted. Very delicate pu	with a aleas, de	Japanese serves to	appear- be more
15 to 18 in. B&B EXTRA	3.50	33.00	300.00
18 to 24 in. B&B BUSHY	4.50	42.00	400.00
2 to 2½ ft. B&B PLANTS	6.00	55.00	540.00
2½ to 3 ft. B&B	7.50		C 4 1
Viscosa			Swamp Azalea
A-8'. Tall narrow habit. Frag	grant wn	ite nowers	in June
18 to 24 in. B&B	2.25	20.00	180.00
2 to 2½ ft. B&B	2.75	25.00	225.00
2½ to 3 ft. B&B	3.50	32.00	270.00
3 to 4 ft. B&B	4.25	40.00	360.00
4 to 5 ft. B&B	5.00 6.50	45.00	400.00
yodogawa		$Y\sigma$	dogawa Azaleo
D-4'. Double flowered form of	A. pouk	hanense.	
15 to 18 in. B&B	3.00 6.00		
BERBERIS thunbergi			oanese Barberry
E to D-5'. The familiar h autumn. Crimson-scarlet berri	edge plan	nt, leaves	red in
12 to 15 in. bushy	.20	1.50	9.00
15 to 18 in bushy	.25	2.00	12.00
15 to 18 in. bushy	.35	2.50	18.00
2 to $2\frac{1}{2}$ ft. bushy	.50	4.00	27.00
2½ to 3 ft. bushy	.60	5.40	45.00
3 to 3½ ft. bushy	.90	7.50	60.00
$2\frac{1}{2}$ to 3 ft. specimens, B&B	1.00	9.00	
thunb. atropurpurea			oanese Barberry
E to D-5'. A new variety of blood-red foliage when planted	of the pro in full so	eceding. I unlight.	Brilliant,
15 to 18 in	.90	8.00	7 5. 0 0
18 to 24 in	1.00	9.00	80.00
vulgaris			opean Barberry
A-6'. Narrow loose habit. Lo 2 to 3 ft	ng, narro .60	w, red fru 4.50	ıt.
vul. atropurpurea		1	Purple Barberry
A-6'. Handsome variety of the foliage, red fruit.	he preced		et purple
18 to 24 in	.60	5.00	
2 to 3 ft	.75 .90	6.50 7 .50	
3 to 4 ft	.70		D 4.1
BUDDLEIA davida magnifica E—6'. Flowers rosy purple, spi	kes. Aug	-	ye Butterflybusi
2 yrs	.60	5.00	

	Each	Per 10	
CALYCANTHUS floridus			ion Sweetshru
D-6'. Flowers 11/2", brown, sp		_	
2 to 3 ft	.75	6.00	
CARAGANA arborescens			Siberian Pe
A to E-10'. Leaves compound	Yellow	flowers, Jur	ıe.
3 to 4 ft	1.00	9.00	
4 to 5 ft	1.25	10.00	
5 to 6 ft	1.50	12.50	
EANOTHUS americanus			Jersey-Te
D-3'. Flowers white, June.			
18 to 24 in			
2 to 3 ft	.75		
EPHALANTHUS occidentalis			Buttonbus
B-5'. Flowers white, globe-sh	naped, 1"	, July-Sept.	
18 to 24 in	.60	4.50	36.00
2 to 3 ft	.75	6.50	45.00
CHIONANTHUS virginica—See u	nder Tre	ees.	
LETHRA alnifolia			Summerswee
A-6'. Spikes white, fragrant	flowers,]	uly-Sept.	
2 to 3 ft	.75	5.50	45.00
ORNUS alba (siberica)		Tate	arian Dogwoo
B-10'. Stems blood red in v Flowers yellow-white, June. I	vinter. 1		
Flowers yellow-white, June. I birds.	Fruit blu	ish white,	attracts
3 to 4 ft	.60	4.50	30.00
4 to 5 ft	.75	6.00	40.00
5 to 6 ft	1.00	7.50	48.00
6 to 8 ft		12.00	90.00
8 to 10 ft		18.00	
alba spaethi			gated Dogwood
B-8'. Similar to preceding. I.			
2 to 3 ft	1.00	8.50	
alternifolia			goda Dogwoo
C-15'. Erect stems, horizon green foliage, whitish beneath. Fruit dark blue.	tal branc Flowers	thes. Smoo white, Ma	th pale y, June.
2 to 3 ft	1.00	9.00	
3 to 4 ft	1.25	10.00	80.00
4 to 5 ft	1.50	12.50	100.00
5 to 6 ft	2.00	18.00	
amomum (sericea)			Silky Dogwood
B-10'. Red stems. Flowers,	cymes,	white, Jun	e, July.
Fruit blue, sometimes partly w 3 to 4 ft		6.00	
4 to 5 ft		7.00	
5 to 6 ft		8.00	
6 to 8 ft	1.50	13.00	100.00
8 to 10 ft	2.00	18.00	
elegantissima		Silverb	lotch Dogwoo
B-8'. Leaves variegated with			
	1 00	0.50	
2 to 3 ft	1.00	8.50 11. 0 0	

	IIIIII	WONSEIG	
CORNUS—cont'd	Each	Per 10	Per 100
paniculata			ray Dogwood
A-10'. Panicles of white flower attracts birds.	rs, May	June. Whi	e fruit
2 to 3 ft	.75	5.50	45.00
3 to 4 ft. bushy	1.00	8.00	60.00
4 to 5 ft. bushy	1.25	10.00	80.0 0
sanguinea		Bloods	wig Dogwood
C-12'. Dark red branches. F Fruit black.	lowers	white, May,	
2 to 3 ft	.60	5.50	
3 to 4 ft	.75	6.00	
4 to 5 ft	1.00	8.00	
5 to 6 ft	1.50	13.50	
6 to 8 ft	2.00	18.00	
8 to 10 ft	2.50	10.00	
stolonifera flaviramea B-8'. Strong, broad leaf. Bar Small white flowers, May, June		Goldent t yellow in	wig Dogwood winter.
2 to 3 ft	.60	4.50	40.00
3 to 4 ft	.75	6.00	40.00
4 to 5 ft	1.00	8.00	60.00
5 to 6 ft	1.25	10.00	
WILSON'S CHINESE	сото	NEASTER	s
introduced by Dr. E. H. ("Chinese Arboretum, and famous horticultura all valuable for their profusion of for their glossy, semi-persistent leave ing the following species to those wh plants.	flowers s. We	and fruits, take pleasu	and some e in offer-
OTONEASTER acutifolia villosula A-10'. Leaves dull green, 2". Fruit oval, ½", black.	Flowers	Pekin	g Cotoneaster June.
2 to 3 ft., field grown	1.00	9.00	
3 to 4 ft., field grown	1.25	11.00	
4 to 5 ft., field grown	1.50	13.50	
5 to 6 ft., field grown	2.00	18.00	
6 to 8 ft., field grown	2.50	22.50	
dielsiana		Die	s Cotoneaster
E-6'. Branches slender. Leave June. Fruit globe 1/4", red.	s 1". I	Plowers smal	
18 to 24 in., from 5 in. pots	1.50	13.50	125.00
2 to 3 ft., from 5 in. pots	2.00	18.00	175.00
3 to 4 ft., from 5 in. pots	2.50	21.00	180.00
	2.50		
divaricata E to F-6'. Obliquely ascending, ing and recurving. Leaves oval fuse, June. Fruit red, 1/2".	slender	branches, sp Flowers pink	g Cotoneaster pread- , pro-
15 to 18 in., from 5 in. pots	1.25	11.00	100.00
18 to 24 in., from 5 in. pots	1.50	13.50	125.00
2 to 3 ft., from 5 in. pots	2.00	18.00	. 22.00
	2.00	10.00	
foveolata A to E-8'. Leaves 1½", ora Flowers pink, June. Fruit black,	nge and	d scarlet in	fall.
0 to 12 in function of in mate	75	6.50	

9 to 12 in., from 5 in. pots.... .75 15 to 18 in., from 5 in. pots... 1.00 6.50 9.00

COTONEASTER—cont'd	Each	Per 10	Per 100
horizontalis			k Cotoneaster
Low spreading, irregular, ()val. sen	ni-evergreen.	dark
Low spreading, irregular. (glossy green leaves, 3%" to 1/2 lowed by abundance of red frui	". Pink	flowers, Jun	ie, fol-
		13.50	120.00
12 to 15 in., from 5 in. pots 15 to 18 in., from 5 in. pots		18.00	150.00
horiz. Wilsoni			s Cotoneaster
Similar to the preceding, but r	nore even		s Cotoneaster
9 to 12 in., from 5 in. pots		11.00	100.00
12 to 15 in., from 5 in. pots		13.50	120.00
15 to 18 in., from 5 in. pots	2.00	18.00	
lucida			
A-6'. Noteworthy for profusion	on of inky	black fruit	
15 to 18 in., from 5 in. pots		11.00	
2 to 3 ft., from 5 in. pots	1.75	16.00	150.00
3 to 4 ft., from 5 in. pots	2.25	20.00	
multiflora			
E-6'. Slender arching branc Fruit red, 1/3".	hes. Wh	ite flowers,	May.
2 to 3 ft., from 5 in. pots		18.00	
	2.00	10.00	
zabelli E-6'. Flowers pink, May. Fr	it red or	ral 1/. "	
2 to 3 ft., from 5 in. pots		22.50	
	2.50		
CYDONIA japonica			vering Quince
B-6'. Spiny. Orange-scarlet and beautiful.	dowers, A	pril, May.	Showy
18 to 24 in	.75	6.50	50.00
2 to 3 ft	.90	8.00	60.00
3 to 4 ft	1.25	11.00	
DEUTZIA gracilis		Sla	ender Deutzia
D-3'. White flowers, May, Ju			
15 to 18 in	.75	6.00	
18 to 24 in	1.00	8.00	
grac. rosea			Rose Deutzia
F-3'. Flowers pink, June.	. 75	(50	
15 to 18 in	.75 1.00	6.50 8.50	
	1.00		D
lemoinei D-4'. Flowers white, profuse,	late May		roine Deulzia
2 to 2½ ft	.75	6.50	50.00
			flake Deutzia
scabra candidissima	rana Tuna		jiane Deutzia
A-6'. Large, double white flow 3 to 4 ft	.75	6.00	
4 to 5 ft	1.00	7.50	
5 to 6 ft	1.25	10.00	
6 to 7 ft	1.50	12.50	
s. crenata		F	uzzy Deulzia
A-6'. Flowers double white, so	metimes	blush-pink,	June.
2 to 3 ft	.50	4.00	27.00
3 to 4 ft	.60	5.00	33.00
4 to 5 ft	.75	6.00	45.00
(For explanation of Descri	ptive Co	ode see pa	ge 37)

DEUTZIA—cont'd s. Pride of Rochester	Each	Per 10	Per 100 of Rochester
A-8'. Double flowers, pink ou	teida wh		-
2 to 3 ft	.50	4.00	une.
3 to 4 ft	.60	5.00	33.00
4 to 5 ft	.75	6.00	45.00
5 to 6 ft	.90	8.00	60.00
6 to 7 ft	1.25	0.00	00.00
	1.25	W.	iterer Deutzia
s. watereri	1		
D-6'. Small fringed, double finside, profuse.			wnite
2 to 3 ft	.60	5.00	
3 to 4 ft	.75	6.00	
4 to 5 ft	1.00	8.00	
5 to 6 ft	1.25	10.00	
ENKIANTHUS campanulatus		Redve	in Enkianthus
A-8'. Leaves elliptic, 11/2". drooping clusters, pale yellow,	Flowers May.	small, bell-s	haped,
18 to 24 in	3.00		
2 to $2\frac{1}{2}$ ft	4.00	36.00	
$2\frac{1}{2}$ to 3 ft	5.00		
EUONYMUS alatus		Wing	ed Euonymus
A to E-10'. Branches have flame color in autumn. Scatter	corky w	ings. Leave	s turn
2 to 3 ft	1.50 2.00	13.50 18.00	120.00 160.00
bungeanus		Winterber	ry Euonymus
A to E-12'. Slender branches.	Leaves	2½", pinki:	
A to E-12'. Slender branches in fall. Fruit pink, orange cap,	showy.	,-,-	
3 to 4 ft	1.00	8.00	60.00
4 to 5 ft	1.25	10.00	75.0 0
5 to 6 ft	1.50	13 .5 0	125.00
6 to 8 ft	2.00	18.00	
8 to 10 ft	3.00	27.00	
europaeus A—14'. Dark green foliage, 3" lowish flowers; scarlet fruit.	—4", cri:	European mson in fall.	Burningbush Yel-
3 to 4 ft	1.25	11.00	90.00
4 to 5 ft	1.50	13.50	125.00
5 to 6 ft	2.00	18.00	150.00
yedoensis		Yeda	lo Euonymus
A-8'. The showiest bush E slightly pendulous, brilliant red berry, with pink husk, borne in ber. We strongly recommend the	uonymus in fall.		
ber. We strongly recommend the	his varie	ty.	ptem
18 to 24 in	1.00	9.00	80.00
2 to 3 ft	1.25	11.00	90.00
3 to 4 ft	1.50	13.50	125.00
4 to 5 ft	1.75		
EXOCHORDA grandiflora		Commo	n Pearl Bush
A-10'. Leaves gray green. Flo	owers wh	ite, 2" acros	s, 6 to
2 to 3 ft	.75	6.50	
3 to 4 ft	1.00	8.00	
FORSYTHIA intermedia spectabilis A to E-8'. Deep yellow flower	e profue		der Forsythia
	.75	6.00	,.
2 to 3 ft	.90	7.50	

FORSYTHIA—cont'd	Each	Per 10	Per 100
suspensa		Wed	eping Forsythia
E-8'. Drooping branches. Gold	len flowe		
2 to 3 ft	.60	5.00	
3 to 4 ft	.75	6.50	
4 to 5 ft	.90	7.50	
susp. fortunei A to E-8'. Golden flowers, pro	fuse, Ap		tune Forsythi
2 to 3 ft	.60	5.00	
3 to 4 ft	.75	6.00	
4 to 5 ft	1.00	8.00	
viridissima A-10'. Green bark. Flowers lig	ght yello		stem Forsythi
2 to 3 ft	.60	5.00	
3 to 4 ft	.75	6.00	
HALESIA tetraptera—See under De	eciduous		
-IAMAMELIS virginiana			n Witch Haze
A-10'. Loose open habit. St. bright yellow flowers, Nov. On			
2 to 3 ft	.75	6.50	60.00
3 to 4 ft	1.00 1.25	8.00 10.00	70.00
4 to 5 ft	1.75	15.00	90.00 125.00
6 to 8 ft	2.00	18.00	123.00
HIBISCUS syriacus A-12'. Tall narrow shrub or si midsummer and August, when flower.		_ 1_	Shrub-althe wers in not in
3 to 4 ft	.75	7.0 0	
VARIETIES Anemonaeflorus—Double white. Ardens—Double bluish pink. Boule de Feu—Semi-double violet Duchesse de Brabant—Double pi Jeanne d'Arc—Double white, strong	nk.		
Lady Stanley-Double blush white	÷.		
HYDRANGEA arborescens grandisson D-5'. Foliage broad, dark, 4" in rounding cymes 5"-7", July,	ra -5". Flo	Snowl wers cream	nill Hydrange 1-white,
	Aug.		
2 to 3 ft	.75 .80	6.50 7.50	60.00 69.00
paniculata (type)		Pani	cle Hydrange
A-8'. Flowers white, large par			50.00
2 to 3 ft	.75 1.00	6.50 8.00	50.00 70.00
	1.00		
paniculata grandiflora A-12'. Huge, white panicles, to		nk, July, A	
18 to 24 in	.60	5.00	33.00
2 to 3 ft	.75 .90	5.50 6.50	40.00 54.00
paniculata grandiflora—tree form Preceding variety trained into t	ree shane		ee Hydrange
3 to 4 ft	1.50	14.00	
			27)
(For explanation of Descrip	nive Co	oae see p	age 3/)

ILEX verticillata	Each		Per 100 on Winterberry
A-8'. Bright scarlet berries re	main ur		
			e1.
18 to 24 in	.75	6.50	
2 to 3 ft	1.00	8.50	
KERRIA japonica			Kerria
D-3'. Stems bright green. Yel	low flow	ers, June-O	ct.
15 to 18 in	.60	5.50	
18 to 24 in	.75	6.00	
jap. flore pleno			Double Kerria
D-5'. Double yellow flowers, Ju	une to S	ent.	
18 to 24 in	.75		
2 to 3 ft	.90		
2 6 7 1	.,,		
KOLKWITZIA amabilis			Beautybush
E-8'. New, very beautiful an	nd desira	able. The	arching
E-8'. New, very beautiful ar branches are covered with an blush pink flowers and fine fo E. H. Wilson of Arnold Arbo one of the most valuable shrubs	abundar oliage. etum, w s receive	ice of mag Introduced ho describe d from the	nificent by Dr. s it as Orient.
18 to 24 in	2.00	18.00	
2 to 3 ft	3.00	27.00	
LIGUSTRUM acuminatum			harpleaf Privet
E-10'. Matures into strong bing, white, June. Inky black f	ushy sh ruit rem	rub. Free ains late.	flower-
5 to 6 ft. XXX specimens	8.00	75.00	
6 to 8 ft. XXX specimens	10.00	95.00	
amurense			Amur Privet
A-12'. Excellent, tall, narrow,	hardy he	edge plant.	
2 to 3 ft	.40	2.50	18.00
3 to 4 ft	.60	3.50	24.00
ibolium			Ibolium Privet
A-8'. A cross between the	Californ	ia and the	Ibota
A-8'. A cross between the Privet, it combines the hardines of the California. Succeeds under the best Privet for hedges.	s of Ibo der the	ta with the heaviest sh	beauty learing.
2 to 3 ft	.40	3.00	21.00
3 to 4 ft	.50	4.00	27.00
ibota			Ibota Privet
C-8'. Very hardy. Makes broa	ıd, dense	, medium h	
2 to 3 ft	.40	3.00	18.00
3 to 4 ft	.50	4.00	27.00
ibota regelianum—true spreading form	n		Regel Privet
F-5'. Makes fine broad, low he			3
18 to 24 in. spread	.50	4.00	
2 to $2\frac{1}{2}$ ft. spread	.60	5.00	39.00
2½ to 3 ft. spread	.70	6.00	
3 to 4 ft	1.00	8.00	

LIGUSTRUM—cont'd ovalifolium A—12'. The most popular Priv. Withstands heavy shearing. O quality, three and four-year tops, heavy root masses.	Each et. Leave ur Califor transplant	Cali	Per 100 fornia Privet dark. extra Bushy
18 to 24 in		1.50 1.80 2.70	10.00 12.00 15.00
vulgare A-15'. Tall, strong, vigorous. 6 to 8 ft. XXX specimens 8 to 18 ft. XXX specimens	8.00	Eur lowers June, 75.00 95.00	opean Privel July.
LONICERA fragrantissima E to F-6'. Flowers white, fr	ogrant a		Honeysu c kle
2 to 3 ft	.75	6.50 7.50	50.00 72.00
morrowi C to F-12'. Foliage dark gre white flowers, May, June. Bri	en, grayi		Honeysuchle ream-
2 to 3 ft	50	4.00 5.00 6.00	30.00 33.00
ruprechtiana E-12'. Leaves 2"-3", grayis white, May, June. Red fruit.	h-green.	Manchurian Flowers yell	Honeysuckle
white, May, June. Red fruit. 2 to 3 ft 3 to 4 ft	60	5.00 6.50	
tatarica C—10'. Pink flowers, June. I.	ight red		Honeysuckle
2 to 3 ft	50 60	4.00 4.50 6.00	30.00 33.00
tat. alba C-10'. White flowers, May,			Honeysuckle
2 to 3 ft	50 60	4.00 6.00	33.00
tat. grandiflora rosea C-10'. Deep pink flowers, M 2 to 3 ft	Iay June. 60 75	Pink Bride Red berries 5.00 6.00 7.50	Honeysuckle s.
xylosteum A-10'. Leaves grayish. Fls. 4 to 5 ft	yellow whi	European Fly	Honeysuc kl e rk r e d.
(For explanation of Descr	iptive C	ode see po	ige 37)

AVDICA III I	Each	Per 10	
MYRICA carolinensis			lhern Bayberry
 Dark green, narrow leaves, Aromatic. 	4"—6".	Waxy gray	fruits.
15 to 18 in	.75	6.00	
18 to 24 in		8.00	
2 to 3 ft	1.25	10.00	
PHILADELPHUS coronarius			et Mockorange
A-10'. Huge, fragrant, white		•	50.00
4 to 5 ft	.75 .90	6.00	50.00
5 to 6 ft	.90	8.00	65.00
cor. aureus		Golde	en Mockorange
D-6'. Clear bright yellow folia			
12 to 18 in	.75	7.00	
gordonianus		Gordo	n Mockorange
A-10'. Large white flowers, Ju	une, July		
4 to 5 ft	.75	6.00	50.00
5 to 6 ft	1.00	8.00	70.00
grandiflorus			ss Mockorange
A-10'. Large, white showy flo			
3 to 4 ft	.60	4.00	33.00
4 to 5 ft	.75 .90	5.00 6.00	39.00
5 to 6 ft	.90		
speciossimus	-		ıf Mo ckora nge
A-8'. Small leaves, white flow		e, July.	
2 to 3 ft	.60 .75	6.50	
3 to 4 ft	.90	8.00	70.00
5 to 6 ft	1.25	11.00	100.00
6 to 8 ft	1.50		
HYBRID MOC			
HIDRED MOC	KORAI	NGES	
Avalanche	KORAI		e Mockorange
Avalanche		Avalanch	
		Avalanch	
Avalanche A-6'. Showy white flowers cov of the slender, drooping branche 2 to 3 ft	er almos es. .75	Avalanches the entire 6.50	length
Avalanche A-6'. Showy white flowers cov of the slender, drooping branche 2 to 3 ft Lemoine A-6'. Pearly white flowers, June	er almos es. .75	Avalanches the entire 6.50	length
Avalanche A-6'. Showy white flowers cov of the slender, drooping branche 2 to 3 ft Lemoine A-6'. Pearly white flowers, June 2 to 2½ ft	rer almos es. .75 me.	Avalanch t the entire 6.50 Lemoin 6.50	length e Mockorange
Avalanche A-6'. Showy white flowers cov of the slender, drooping branche 2 to 3 ft Lemoine A-6'. Pearly white flowers, June 2 to 2½ ft	.75 .75	Avalanch the entire 6.50 Lemoin 6.50 Mt. Blan	length
Avalanche A-6'. Showy white flowers cov of the slender, drooping branche 2 to 3 ft Lemoine A-6'. Pearly white flowers, June 2 to 2½ ft	rer almoses75 ne75 owers, Ju	Avalanch the entire 6.50 Lemoin 6.50 Mt. Blan	length e Mockorange
Avalanche A-6'. Showy white flowers cov of the slender, drooping branche 2 to 3 ft	.75 .75	Avalanch the entire 6.50 Lemoin 6.50 Mt. Blan	length e Mockorange
Avalanche A-6'. Showy white flowers cov of the slender, drooping branche 2 to 3 ft Lemoine A-6'. Pearly white flowers, June 2 to 2½ ft	rer almos es75 ne75 owers, Ju .60 .75 .90	Avalanch to the entire 6.50 Lemoin 6.50 Mt. Blan ane. 5.00 6.50 7.50	length e Mockorange
Avalanche A-6'. Showy white flowers cov of the slender, drooping branche 2 to 3 ft Lemoine A-6'. Pearly white flowers, Jun 2 to 2½ ft	rer almoses75 ne75 owers, Ju60 .75 .90 1.00	Avalanch to the entire 6.50 Lemoin 6.50 Mt. Blan sine. 5.00 6.50 7.50 9.00	length e Mockorange
Avalanche A-6'. Showy white flowers cov of the slender, drooping branched to 3 ft Lemoine A-6'. Pearly white flowers, June 2 to 2½ ft Mt. Blanc A-4'. Large, fragrant white flowers, 18 to 24 in	rer almos es75 ne75 owers, Ju .60 .75 .90	Avalanch to the entire 6.50 Lemoin 6.50 Mt. Blan ane. 5.00 6.50 7.50	length e Mockorange
Avalanche	rer almoses75 .75 .75 .75 .60 .75 .90 1.00 1.25	Avalanch to the entire 6.50 Lemoin 6.50 Mt. Blan sine. 5.00 6.50 7.50 9.00 10.00 Virgina	e Mockorange c Mockorange al Mockorange
Avalanche	rer almoses75 .75 .75 .75 .60 .75 .90 1.00 1.25	Avalanch to the entire 6.50 Lemoin 6.50 Mt. Blan sine. 5.00 6.50 7.50 9.00 10.00 Virgina	length e Mockorange c Mockorange
Avalanche	rer almoses75 .75 .75 .75 .60 .75 .90 1.00 1.25	Avalanch to the entire 6.50 Lemoin 6.50 Mt. Blan sine. 5.00 6.50 7.50 9.00 10.00 Virgina	length e Mockorange c Mockorange

HYBRID MOCKORANGES—coi	Each nt'd	Per 10	Per 100
Zeyheri		Zanh	er Mockor ang e
A-8'. Bark vellow. White flow	vers, Ju	ne, July.	i mociforange
2 to 3 ft	.75	, , ,	
3 to 4 ft	1.00	11.00	
4 to 5 ft	1.25	11.00	
5 to 6 ft	1.50	12.50	
PHOTINIA villosa		4.1.	Photinia
A-10'. Leaves narrow, 2". F June. Fruit bright scarlet, \frac{1}{3}"	lowers	white corym	.bs, 2",
4 to 5 ft	1.50	14.00	
PHYSOCARPUS opulifolia		Com	mon Ninebark
E-14'. Coarse branched. Whit	e flowe	rs, June.	
5 to 6 ft	.75		
6 to 8 ft	1.25		
PRUNUS glandulosa rosea A-8'. Small rosettes of pink to branches in early May.	Doub flowers	le Pink Flon scattered alo	perin g Almon ding the
2 to 3 ft	1.00		
tomentosa		N	anking Cherry
	ers whi	te, red calvx	. Mav.
A-8'. Leaves oval, 2½". Flow Edible red fruit, 5%".	4 00	0 #0	., 2.2.0,7
2 to 3 ft	1.00	8.50	
triloba			owering Plum
A-8'. Flowers light pink, doul			
2 to 3 ft	.75	6.50	
trichostyla sinensis			ering Almond
A-8'. Flowers double, white, ea		-	
3 to 4 ft	1.25 1.50	10.00	
4 to 5 ft	1.50	C 1	· D 1.1
RHAMNUS caroliniana			ina Buckthorn
A-20'. Lustrous dark green turning to black.	ieaves.	Berries dan	k red,
5 to 6 ft	.75		
6 to 7 ft	1.00	9.00	
7 to 8 ft	1.25 1.75	11.00	
8 to 10 ft	1./3	C	Dl.11
cathartica	1		on Buckthorn
A to B—10'. Spiny branches, gr	.50	7.60	33.00
2 to 3 ft. extra bushy 3 to 4 ft. extra bushy	.60	5.00	39.00
4 to 5 ft. extra bushy	.75	6.00	37.00
RHODORA canadensis			Rhodora
A-3'. A dwarf shrub resemb flowers in May.	oling A	zalea. Rose-	purple
12 to 15 in. B&B	1.60	15.00	135.00
15 to 18 in. B&B	2.00	18.00	160.00
18 to 24 in. B&B	2.50	22.50	200.00
RHODOTYPOS kerrioides			Jeibead
C-5'. Flowers large, white, Foliage light green. Shining bla	star-sh ick berr	aped, May, ies.	June.
18 to 24 in	.60	5.00	40.00 45.00
2 to 3 ft	.75 .90	6.00 8.00	47.00
(For explanation of Descrip		0.00	ige 37)
(. or explanation of Descrip		- 10 000 po	

	Each	Per 10	Per 100
RHUS canadensis	Lacn		Fragrant Sumac
5'. Irregular, half-viny, aroma	tic S		
early May.	itic. Si	man yenow	nowers,
18 to 24 in	.75	6.50	60.00
2 to 3 ft	1.00	9.00	80.00
3 to 4 ft	1.25	11.00	CI I I C
copallina			Shining Sumac
B-8'. Lvs. compound, dark, gl	ossy; o: .6 0	range, scario	et, ian.
3 to 4 ft	.75	6.50	
cotinus			nmon Smoketree
12'. Small, thread-like, grayish give hazy, smoky appearance.	-purple	flowers, Ju	ne, July,
give hazy, smoky appearance.			
2 to 3 ft	1.00	9.00	
•	2.00		Smooth Sumac
glabra Freet irregular -10' Compound	Lleaves	darle graas	
Erect irregular—10'. Compound fall. Large clusters of crimson	seeds.	, dain gicei	, 100 III
2 to 3 ft	.50	4.00	
3 to 4 ft	.60	5.00	70.00
4 to 5 ft	.75 .90	6.50 7.50	70.00
6 to 8 ft	1.25	10.00	
g. laciniata			Smooth Sumac
10'. Deeply cut-leaved variety	of the		Smooth Samue
18 to 24 in	.75	preceding.	
2 to 3 ft	1.00		
4 to 5 ft	1.50		
typhina			Staghorn Sumac
Erect irregular-20'. Young sh	oots fuz	zzy.	
4 to 5 ft	.75		
5 to 6 ft	1.00		
typh. laciniata		Cutleaf .	Staghorn Sumac
Cut-leaf variety of preceding.	70		55.00
3 to 4 ft	.70 .90	6.50 7. 5 0	55 .0 0 65.00
5 to 6 ft	1.25	10.00	05.00
ROBINIA hispida			Rose Acacia
B-6'. Clear pink flowers in le	nose tar	emes Inne	
2 to 3 ft		6. 5 0	•
3 to 4 ft	1.00	9.00	
6 ft. standards, 3 yr. heads	3.00		
ROSA blanda			Meadow Rose
E-5'. Flowers single, pink, I	Iay, Ju	ne. Red fr	aits.
2 to 3 ft	.60		
hugonis			Hugonis Rose
E-6'. Arching branches. Largue. Well fruited.	ge, sing	de yellow fl	owers in
2 to 3 ft		11.00	90.00
lucida			Virginia Rose
D-4'. Shiny dark foliage. Pin	ık fls	June. Scarl	
15 to 18 in	.50	4.00	
18 to 24 in	.60	5.0 0	

ROSA—cont'd	Each	Per 10	Per 100
multiflora japonica		J	apanese Rose
A-10'. Long, drooping branch profuse, in June.	es. Flowe	ers single, v	vhite.
2 to 3 ft	.50	4.00	30.00
3 to 4 ft	.60	5.00	40.00
4 to 5 ft	.75	6.50	
palustris (carolina)		ε	Swamp Rose
A-6'. Single pink flowers, 2"			10.00
2 to 3 ft	.60	5.00	42.00
rubiginosa			Sweetbriar
E-6'. Bright pink flowers in sivery fragrant. 18 to 24 in	mall clust	ers, June. I	Foliage
18 to 24 in	.50	4.00	
2 to 3 ft	.60	5.00	
rubrifolia			Redleaf Rose
E-6'. Pink flowers borne fre	elv Tun		•
crimson foliage.	cry, juin	c. Dark p	ai piisii
2 to 3 ft	.75	6.50	50.00
3 to 4 ft	.90	7.50	
4 to 5 ft	1.00	9.00	
rugosa			Rugosa Rose
	ssv. Flo	wers single.	
D-5'. Leaves small, dark, glo June to Oct. Large scarlet hips	S,		, p,
18 to 24 in	.50	4.50	
2 to 3 ft	.60	5.00	
rugosa alba		White	Rugosa Rose
D-5'. White flowering form of	preceding		
18 to 24 in	.60	5.00	
2 to 3 ft	.75	6.00	
	., ,	0.00	D D
setigera			Prairie Rose
E to F-8'. Flowers large, sin Heavily fruited, attracts birds.	gle, deep	pink, June	, July.
2 to 3 ft	.50	4.00	30.00
3 to 4 ft	.60	4.50	36.00
4 to 5 ft	.75	5.00	40.00
5 to 6 ft	.90	6.00	10.00
J 10 0 11	.70	0.00	
wichuraiana			ichurian Rose
Creeping and climbing. Foliage grant, pure white flowers in clu	e small, d isters, Ju	ark, glossy. ly to Sept.	Fra-
2 yrs	.60	5.00	42.00
RUBUS odoratus		Elamor	ng Pasharan
			ing Raspberry
D-4'. Sweet, rose purple flower		mer. Small	iruits.
2 to 3 ft	.60		
3 to 4 ft	.75		
4 to 5 ft	.90		
5 to 6 ft	1.25		
SAMBUCUS canadensis			nerican Elder
A-8'. Leaf compound. Minute 6"-10" across, June, July. Fru	white flow	wers in flat	cymes
			icj.
3 to 4 ft	.60	5.00	
4 to 5 ft	.70	6.00	
5 to 6 ft	.80	7.00	
(For explanation of Descrip	ptive Co	de see pa	ige 37)

SORBARIA arborea glabiata	Each	Per 10	Per 100 Tree Spirea
E-12'. Foliage compound, panicles of white flowers, July	soft, b	ronze-green	
2 to 3 ft	75	•	
3 to 4 ft			
5 to 6 ft			
SPIRAEA arguta			Garland Spirea
D-6'. Feathery foliage, mass	es white	flowers, Ma	30.00
3 to 4 ft. bushy	60	5.00	39.00
4 to 5 ft	75	6.00	45.00
bumalda D—3'. Flat pink corymbs, Jul	v. Aug.	1	Bumalda Spirea
15 to 18 in	_	5.00	
bum. Anthony Waterer	_	Anthony	Waterer Spirea
D—3'. Flat bright crimson con			20.00
15 to 18 in	50	4.00 5.00	30.00 40.00
2 to 2½ ft	.75	6.00	10100
fortunei (callosa rosea)			Fortune Spirea
D-4'. Pink panicles, June. F		urplish gree 4.00	n.
15 to 18 in	.60	5.00	
froebelli			Froebel Spirea
D-4'. Flat, bright crimson co for small flowering hedge.	rymbs,	July, Aug.	Valuable
18 to 24 in		4.00	
2 to 3 ft	.60	4.50	39.00
3 to 4 ft	.75	6.00	48.00
japonica ovalifolia (callosa alba) D-3'. White corymbs, July.		vv nue j	lapanese Spirea
15 to 18 in		4.00	30.00
18 to 24 in		5.00 6.50	40.00
prunifolia	.,,	0.50	Bridalwreath
A to E-6'. White flowers, Ma	•		
2 to 3 ft	.60	5.00	48.00
superba D-4'. Pinkish white flowers,	Tuna Tu	117	Striped Spirea
2 to 3 ft	.60	5.00	40.00
3 to 4 ft	.75	6.00	50.00
thunbergi D to E-5'. Feathery foliage,	emall wh		hunberg Spirea
2 to 3 ft		6.00	45.00
3 to 4 ft		7.50	54.00
4 to 5 ft	1.25	10.00	80.00
trichocarpa E-8'. A shrub of medium he	ight, wit	th spreading	Korean Spirea
what drooping branches. W	hite flo	wers, in r	ounding appear-
ance of long fronds of flowers.	It bloom	ns in late J	une and
"B" 8'. A shrub of medium he what drooping branches. W clusters, borne freely along the ance of long fronds of flowers. early July, and is valuable for son for plants of this type. Arboretum calls it "one of the	The Bul	letin of the	Arnold
2 to 3 ft	1.25	nest of all S	90.00
3 to 4 ft	1.50	12.50	110.00
4 to 5 ft	2.00	18.00	

SPIRAEA-cont'd	Each	Per 10	
vanhouttei		V_{c}	inhoutte Spirea
F_8' Leaves small dark St	nall white		
E-8'. Leaves small, dark. Stumbels, May, June.	nan winte	nowers	in nittle
2 to 3 ft	.50	4.00	30.00
3 to 4 ft	.60	5.00	33.00
4 to 5 ft	.75	6.00	45.00
5 to 6 ft	1.00	8.50	75.00
J 10 0 11	1.00	0.50	75.00
SYMPHORICARPOS chenaulti			
E-5'. New. Small pink flow small dark red berries.	ers, July.	Dense	clusters,
2 to 3 ft	1.25		
3 to 4 ft	1.50		
racemosus		Com	non Snowberry
	_		
A to E-5'. Very small pink fl snow-white, waxy, 5%" diam.	owers, Ju	ne to Sept	
18 to 24 in	.50	4.00	3 0. 00
2 to 3 ft	.60	4.50	36.00
2 10 3 11	.00	1.50	
vulgaris			Coralberry
0	chec Sm	all doele	rad har
E-5'. Graceful, drooping bran- ries. Birds like them. Valuable	shriih fo	r embankı	nents
2 to 3 ft	.50	4.00	36.0 0
3 to 4 ft	.60	4.50	39.00
4 to 5 ft	.70	6.00	48.00
SYRINGA chinensis (rothomagensis)			Chinese Lilac
A to B-12'. Small leaves. La	rge, broad	i panicles	of red-
dish-violet flowers in June.			
2 to 3 ft	.90	8.00	
3 to 4 ft	1.25	11.00	
iosikaea		H	lungarian Lilac
3	1.1. 1 T.		angunun zitus
A to B-12'. Bluish purple pan			
3 to 4 ft. bushy	1.00	9.00	80.00
4 to 5 ft. bushy	1.25	11.00	100.00
5 to 6 ft. bushy	1.50	13.50	
J to o It. bushy	1.50	15.50	
persica			Persian Lilac
A to B-8'. Pale purple panicle	s, fragran	t. Tune.	
2 to 3 ft	.75	6.50	
3 to 4 ft	1.00	9.00	
		WE	e Persian Lilac
persica alba			c i cistan Litat
A to B-8'. A white form of th	e above va	ıriety.	
2 to 3 ft	1.00	9.00	
	_		
villosa			Late Lilac
1	rond T		
A to B-12'. Flowers pink to la			
3 to 4 ft	1.25	11.00	100.00
4 to 5 ft	1.50	13.50	120.00
5 to 6 ft	2.00	18.00	
6 . 0 C.			
6 to 8 ft	3.00	25.00	
(For explanation of Descri	ntive Co	de see r	page 37)
	THE COL	ac occ p	

SYRINGA—cont'd	Each	Per 10	
vulgaris A to C—12'. The well-known May and June.	purple fo	rm that bl	Common Lilad ooms in
2 to 3 ft	75 . 1.00	6.50 8.50 10.00	55.00 75.00
vulgaris alba			Common Lila
A-12'. White flowers in May 2 to 3 ft	. 1.00	9.00 11.00	80.00
HYBRID	LILACS		
All our Hybrid Lilacs are g are preferable to grafted or l			roots, which
Alphonse Lavallee—Double, large 3 to 4 ft		vender	
Charles the Tenth-Single, reddisk 2 to 3 ft	. 1.50		
Condorcet—Double, pale blue 2 to 3 ft 3 to 4 ft 4 to 5 ft	. 1.75		
Marie Legraye—Single white 2 to 3 ft	. 1.50		
Michael Buchner—Double, pink 2 to 3 ft 3 to 4 ft 4 to 5 ft	. 1.50 . 1.75	ac	
President Carnot—Double, light p 2 to 3 ft 3 to 4 ft 4 to 5 ft	. 1.50 . 1.75	ds, open pa	ale blue
Rubra de Marley—Single, rosy p 2 to 3 ft 3 to 4 ft	. 1.50		
Sanguinea Rubra Major—Single r 2 to 3 ft 3 to 4 ft 4 to 5 ft	. 1.50 . 1.75	2	
Souvenir de Ludwig Spaeth—Sing 2 to 3 ft	. 1.50	ed	
William Robinson—Double. Peta inside.		outside, l	blue to lilac
3 to 4 ft			

HYBRID LILACS—cont'd Mixed Sorts:	Each	Per 10	Per 100
2 to 3 ft	1.00 1.25 1.75		
4 to 5 ft	1./5		
VACCINIUM corymbosum			Bush Blueberry
A to B-8'. Flowers small, whe edible berries of excellent flavor	ite, June or, July,	. Dark blu August.	ie-black
18 to 24 in	1.00	9.00	75.00
2 to 3 ft	1.25 2.00	11.00 18.00	90.00 160.00
4 to 5 ft	2.50	22.50	200.00
5 to 6 ft 5 to 6 ft. XXX	3.50 10.00	33.00	
VIBURNUM americanum	., ,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,		Cranberrybusl
C-12'. Leaves large, maple-l' June. Scarlet fruits, July.	ike. Wi	nite flowers	, May,
2 to 3 ft	.75 1.00	6.50 8.50	60.00
carlesi			rant Viburnum
Deliciously fragrant pink flower	2.00	18.00	ay.
18 to 24 in	3.00	27.00	
cassinoides			Withe Roo
B-12'. Leaves glossy, bronze g	green. W	hite flower	s, June.
Fruit white, turning to dark ble 2 to 3 ft	.90	7.50	60.00
3 to 4 ft	1.25	10.00	80.00
4 to 5 ft	2.00 4.00	18.00	
5 to 6 ft	6.00		
7 to 8 ft	8.00 10.00		
dentatum			Arrow-wood
A to B-12'. White flowers in fruit. Excellent.	cymes,	June. Bluis	h-black
2 to 3 ft	.60	5.00	40.00
3 to 4 ft	.80	6.50 8.00	50.00 60.00
4 to 5 ft	1.00 1.50	12.50	120.00
Extra heavy plants. 4 to 5 ft	2.00	18.00	160.00
5 to 6 ft	3.50	33.00	100.00
6 to 7 ft	5.00	45.00	
7 to 8 ft	7.50 10.00	65.00	
lantana			ayfaring Tree
A to C-15'. Loose and oper leathery texture. Cymes of whit changing to black. Very fine.	n habit. te flower	Leaves la s, June. Fr	rge, of uit red,
2 to 3 ft	.7 5	6.00	50.0 0
3 to 4 ft	1.00 1.25	8.00 10.00	60.00
(For explanation of Descri	ptive C	ode sce p	age 37)

lenta				
			Per 10	Per 100 <i>Nannyberry</i>
	A-20'. Narrow habit. Slende	r brancl	nes. Large	leaves.
	A-20'. Narrow habit. Slende brilliant scarlet in fall. Broad of Blue-black fruit holds all wint	ymes, w er.	hite flowers	s, June.
3	to 4 ft	.75	6.50	54.00
4	to 5 ft	1.00	8.00	65.00
5		1.25	10.00	80.00
,	to 6 ft			00.00
6	to 8 ft	1.50	12.50	
opulu				Cranberrybush
	C-10'. White panicles, June.	Red berr		foliage.
2	to 3 ft	.75	6.50	50.00
3	to 4 ft	1.00	9.00	
opulı	is nanum		Dwarf	Cranberrybus!
	D-2'. Dwarf variety of prece	ding. V	aluable for	edging
	and low mass planting.			0088
	to 12 in	.60	5.50	48.00
10	10 12 111			
12	to 15 in	.75	6.50	60.00
15	to 18 in	.90	8.00	
op. st				ımon Snowbal
	C-10'. Large white, snowball-l	ike flowe	ers, May, Ja	ine.
	to 3 ft	.75	7.00	
siebo	1.1:		\$:	old Viburnun
	C-12'. Long, thick leaves. Wi	hite flow	ers, May, J	une.
2.	to 3 ft	1.00	0.00	
_		1.00	9.00	
tomer	ntosum		Japa	
tomer			Japa	
tomer	ntosum		Japa	
tomer	ntosum B–8'. White flowers, June. Be	erries rec 1.00	Japa d to blue-bla 8.00	ack.
tomer	ntosum B—8'. White flowers, June. Be to 3 ft plicatum Irregular loose habit—8'. Whit	erries red 1.00	Japa d to blue-bla 8.00 Double Japa	ack. inese Snowba li
tomer 2 tom. j	ntosum B—8'. White flowers, June. Be to 3 ft	erries red 1.00	Japa d to blue-bla 8.00 Double Japa	ack. inese Snowba li
tomer	ntosum B—8'. White flowers, June. Be to 3 ft	1.00	Japa d to blue-bla 8.00 Double Japa s in large 8.00	ack. Inese Snowba li globose
tomer 2 tom. 1	ntosum B—8'. White flowers, June. Be to 3 ft plicatum Irregular loose habit—8'. White balls, June. to 3 ft ELIA Eva Rathke B—4'. Brilliant crimson, bell-	1.00 1.00 Are flower	Japa d to blue-ble 8.00 Double Japa s in large 8.00 Eva R	ack. Inese Snowbal globose athke Weig eld
tomer 2 tom. 1 2 very very constant tom. 2	ntosum B—8'. White flowers, June. Be to 3 ft	1.00 1.00 Are flower	Japa d to blue-ble 8.00 Double Japa s in large 8.00 Eva R	ack. Inese Snowbal globose athke Weig eld
tomer tom. j tom. j VEIG	htosum B—8'. White flowers, June. Be to 3 ft	1.00 I de flower 75 shaped	Japa d to blue-bla 8.00 Double Japa s in large 8.00 Eva R flowers, ap	nnese Snowbald globose athke Weigeld pearing 54.00
tom. p	htosum B—8'. White flowers, June. Be to 3 ft	1.00 1.00	Japa d to blue-bl: 8.00 Double Japa s in large 8.00 Eva R flowers, ap	nnese Snowbald globose athke Weigeld pearing 54.00
tomer 2 tom. j 2 v VEIG	htosum B-8'. White flowers, June. Be to 3 ft	1.00 In the flower 1.75 Shaped 1.75 in June	Japa d to blue-bla 8.00 Double Japa s in large 8.00 Eva R flowers, ap 6.50	nnese Snowbald globose athke Weigeld pearing 54.00
tomer tom. p	htosum B—8'. White flowers, June. Be to 3 ft	1.00 1.00	Japa d to blue-bl: 8.00 Double Japa s in large 8.00 Eva R flowers, ap	nnese Snowbald globose athke Weigeld pearing 54.00
tomer 2 tom. 1 2 very very constant of the c	htosum B-8'. White flowers, June. Be to 3 ft	1.00 In the flower 1.75 Shaped 1.75 in June	Japa d to blue-bla 8.00 Double Japa s in large 8.00 Eva R flowers, ap 6.50	nck. nese Snowball globose athke Weigela pearing 54.00 Pink Weigela
tomer tom. j tom. j Z WEIG rosea	ntosum B-8'. White flowers, June. Be to 3 ft	1.00 In the flower 1.75 shaped 1.75 in June 1.50 1.60	Japa d to blue-bla 8.00 Double Japa s in large 8.00 Eva R flowers, ap 6.50 4.20 5.00 Varie	ack. Incse Snowball globose athlee Weigeld pearing 54.00 Pink Weigeld 36.00 42.00 gated Weigeld
tomer tom. j tom. j VEIG rosea r. var	htosum B-8'. White flowers, June. Be to 3 ft	1.00 In the flower 1.75 shaped 1.75 in June 1.50 1.60	Japa d to blue-bla 8.00 Double Japa s in large 8.00 Eva R flowers, ap 6.50 4.20 5.00 Varie	ack. Incse Snowball globose athlee Weigeld pearing 54.00 Pink Weigeld 36.00 42.00 gated Weigeld
tomer tom. tom. tom. tom. rosea	ntosum B-8'. White flowers, June. Be to 3 ft	1.00 Ite flower .75 shaped .75 in June .50 .60	Japa d to blue-bla 8.00 Double Japa s in large 8.00 Eva R flowers, ap 6.50 4.20 5.00 Varie green, white	ack. anese Snowbald globose athlee Weigeld pearing 54.00 Pink Weigeld 36.00 42.00 gated Weigeld edges.
tomer tom. j tom. j rosea r. var 2	ntosum B-8'. White flowers, June. Be to 3 ft	1.00 In the flower 1.75 shaped 1.75 in June 1.50 1.60	Japa d to blue-bla 8.00 Double Japa s in large 8.00 Eva R flowers, ap 6.50 4.20 5.00 Varie	ack. Inese Snowball globose athlee Weigeld pearing 54.00 Pink Weigeld 42.00 gated Weigeld
tomer tom. j tom. j vVEIG rosea r. var 2 i	ntosum B-8'. White flowers, June. Be to 3 ft	1.00 Per flower .75 shaped .75 in June .50 .60	Japa d to blue-bla 8.00 Double Japa s in large 8.00 Eva R flowers, ap 6.50 4.20 5.00 Varie green, white 6.00	ack. anese Snowball globose athlee Weigeld pearing 54.00 Pink Weigeld 42.00 gated Weigeld edges. 42.00
tomer tom. j tom. j VEIG rosea r. var ANT	ntosum B-8'. White flowers, June. Be to 3 ft	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	Japa d to blue-bla 8.00 Double Japa s in large 8.00 Eva R flowers, ap 6.50 4.20 5.00 Varie green, white 6.00 9.00	ack. anese Snowbald globose athlee Weigeld pearing 54.00 Pink Weigeld 36.00 42.00 gated Weigeld edges. 42.00 Yellow Rook
tomer tom. j tom. j v verifies a second	ntosum B-8'. White flowers, June. Be to 3 ft	in June .50 .60 s. dark g .75 1.00 d cover.	Japa d to blue-bla 8.00 Double Japa s in large 8.00 Eva R flowers, ap 6.50 4.20 5.00 Varie green, white 6.00 9.00	ack. Incse Snowbald globose athlee Weigeld pearing 54.00 Pink Weigeld 36.00 42.00 gated Weigeld edges. 42.00 Yellow Rook t.
tomer tom. 1 tom. 2 tom. 2 rosea r. var 2 3 r. var 12	ntosum B-8'. White flowers, June. Be to 3 ft	1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00 1.00	Japa d to blue-bla 8.00 Double Japa s in large 8.00 Eva R flowers, ap 6.50 4.20 5.00 Varie green, white 6.00 9.00	athke Weigeld pearing 54.00 Pink Weigeld 36.00 42.00 gated Weigeld edges. 42.00

VINES AND CLIMBERS

ACTINIDIA	Each	Per 10	Per 100
ACTINIDIA arguta	heavy lea	vec Small	Actinidia
25'. Vigorous climber. Large, flowers, June. Green-yellow from	neavy lea	ves. Siliali	winte
2 yrs	1.00		
AKEBIA quinata		Fin	veleaf Akebia
12'. Small leaves, five-lobed. purple, May.	Flowers	1", broad,	, rosy
2 yrs	60	5.50	
AMPELOPSIS heterophylla amuren	sis	Amu	ır Ampelopsis
30'. Large porcelain berries, w			
3 yrs		6.50	
4 yrs	90	7.5 0	
quinquefolia		Vir	ginia Creeper
50'. High-climbing. Foliage ri	ch crimson	in autumn.	. Dark
blue berries. 2 yrs	50	3.50	27.00
3 yrs		4.50	30.00
		F.,	C.
quinq. engelmanni 40'. Clings to walls very tenac	viously Fal	_	mann Creeper
to deep red.	lously. Lai	i ionage, o	imant
2 yrs		3.50	27.00
3 yrs	60	4.50	30.00
tricuspidata (veitchi)		Jap	anese Creeper
50'. Leaves 4"—10" broad, five with excellent fall color.	e-pointed, g	glossy dark	green,
2 yrs. from pots		5.50	50.00
3 yrs. from pots		7.00	60.0 0
ARISTOLOCHIA sipho		D	utchman Pipe
25'. Giant, heart-shaped lear	ves and c	urious bro	,
purple nowers shaped like a pi	pe.	11.00	
3 yrs 4 yrs	1 50	11.00	
5 yrs	4		
BIGNONIA radicans		T_1	rumpeicreepet
30'. Foliage compound. Larg	ge, orange-	scarlet, tru	
shaped flowers in August.	=0	4.00	20.00
3 yrs		4.00 5.00	30.00 39.00
CELASTRUS orbiculatus (articulat	,	0,111	lal Bittersweet
15'. Free-fruiting. Fruit oran the crimson seed. Very showy	nge, openin 7.	ig so as to	snow
3 yrs	75	6.00	48.00
4 yrs	1 00	7.50 8.00	60.00 70.00
5 yrs	. 1.00	0.00	70.00

56 WYMANS FRAMING	HAM I	VURSERI	ES
CELASTRUS—cont'd	Each	Per 10	Per 100
scandens (Roxbury Wax Work)		America	an Bittersweet
15'. Strong, arching, drooping, fruits in autumn, lasting well	trailing	branches. winter.	Orange
3 yrs	.75	6.00	48.00
4 yrs	.90	7.50	60.00
5 yrs	1.00	8.00	70.00
6 yrs	2.00	18.00	
8 yrs	3.50	33.00	300.00
10 yrs	5.00	45.00	400.00
CLEMATIS paniculata			tumn Clematis
20'. Small, white, sweet-scented late summer and early fall.	l flowers	cover the	vine in
2 yrs	.50	4.00	27.00
3 yrs	.60	5.00	36.00
4 yrs	.75	6.00	
virginiana		ν	'irgin's Bower
20'. Slender, rapid-growing. Fr	agrant fl	owers, star:	ry.
2 yrs	.60		
av 1925 i mva 1		. ~	
CLEMATIS I	IYBRII	OS	
Larger-flowering varieties. Stro	ng plant	s grown in	pots.
2 yrs	1.50	12.50	
Henryi—Creamy white Jackmanni—Purple			
Mme. Baron Veillard—Soft pink Ramona—Light blue			
HEDERA helix			English Ivy
50'. Leaves evergreen, pentagueined, 1½"-3" broad.	gon, dar		
18 in. tops, from 4 in. pots	.60	5.50	50.00
2 ft. tops, from 4 in. pots	.75	6.50	60.00
hel. baltica		Hara	dy English Ivy
	eeded for		T
almost the same as the ordina	ry Engli:	sh Ivy in	ppear-
ance, with leaves of practically	the same	shape, only	y a lit-
ness it is entirely distinct, ha	ving sur	vived sever	e win-
ters at both the Arboretum and	d Framir	gham. Wl	nile we
A plant of this sort has been in almost the same as the ordina ance, with leaves of practically tle smaller, also darker and ric ness it is entirely distinct, ha ters at both the Arboretum anbelieve that it will prove absolut ally lose a branch or two in se of its excellent promise and low more of a creeper than a climb	ely hardy	, it may oc	casion-
of its excellent promise and low	cost it s	hould be tr	ed. Is
more of a creeper than a climb	er.		
18 in. tops, from 4 in. pots	.75	6.50	60.00
HYDRANGEA petiolaris		Climhi	ng Hydrangea
30'. Rugged, large-leaved climb grant white flowers, July.	ber. Fla		
2 yrs., from pots	.75	6.50	60 .0 0
LONICERA japonica halleana		Hali	! Honeysuckle
20'. Leaves small, elliptical, dan Yellow and white flowers in sun	k green,		
Yellow and white flowers in sun	imer and	3.50	30.00
, VIS		7.70	70.00

	CERA—cont'd		Per 10	
j. au	reo reticulata 20'. Variation of preceding. Le	Yellon aves str	onet Japanes eaked yellov	e Honeysuckle v.
4	yrs	.60		
semp	pervirens			et Honeysuckle
	10'. Small, slender, deep crims from June to Nov. Scarlet ber	on, trum	ipet-shaped	flowers
2 3	yrs	.50 .60	3.50 4.50	24.00 33.00
LYCI	UM chinensis			atrimony Vine
	10'. Half vine, half shrub, vigo shaped flowers. Long scarlet fr	rous clin uits.	nber. Purpl	e, star-
3 4	yrs	.50 .60	4.00 4.80	
VITIS	S coignetiae			Gloryvine
2	30'. Grape foliage, brilliant sca		all.	
3	yrs	1.25 1. 5 0		
WIST	ERIA multijuga		Longo	luster Wisteria
	20'. Long clusters of violet-blu			
2	yrs	.75 1.00	6.00 8.00	
4	yrs	1.25		
siner	nsis		Ch	inese Wisteria
	25'. Rapid-growing, vigorous. hanging clusters, purplish peasfragrant.	Foliage shaped fl	compound. owers, May	Long- Very
2	yrs	.60	5.00	FO 00
3	yrs	.75 1.00	6.00 8.00	50.00
5	yrs	1.25	11.00	
2	yrs. grafted	1.00 1.50	8.50 13.50	125.00
4	yrs. grafted	2.25	21.00	.4300
s. all	•		White Ch	inese Wisteria
3	25'. White-flowered form of pre	ceding. .75	6.50	
	yrs	1.00	8.00	
5 2	yrsyrs. grafted	1.50 1.50	13. 5 0 13.50	
venu	sta			Sill _t y Wisteria
	30'. Very large white flowers.			
3	yrs	1.00	8.00	
4 5	yrs	1.25 1.75	11.00 16. 0 0	

ROSES

Strong field-grown plants, \$1.00 each for less than 5 of one kind; 5 or more of a kind at \$9.00 for 10, unless otherwise specified. If we are out of the variety ordered, we shall select the variety most closely resembling it UNLESS OTHERWISE ADVISED. Our list of Roses has been carefully selected and is constantly improved by adding only varieties of the finest type which succeed best in this rugged climate.

HYBRID PERPETUAL ROSES

Frau Karl Druschki Vigorous plant. Large white flowers.

MME. GABRIEL LUIZET
Vigorous. Light pink, good size, excellent form.

Mrs. John Laing Fragrant, soft pink. Blooms continuously.

Mrs. R. G. Sharman-Crawford
Double, light pink. Profuse bloomer.

Paul Neyron Gigantic double, fragrant rose-pink flowers. Showy.

Persian Yellow Vigorous plant. Small, semi-double, deep yellow flowers.

PRINCE CAMILLE DE ROHAN
Dark flowers, almost maroon, small, very double. Fragrant.

ULRICH BRUNNER
Vigorous plant. Bright crimson flowers in early summer continuously.

HYBRID TEA ROSES

Close planting (about 15 inches apart), prevents the soil from baking and the roots are kept cool by the shade of the foliage.

We list only the sorts that are best for severe northern conditions.

BETTY
Strong, branching plant. Glossy foliage. Fragrant, pale buff-pink fls.

SRIARCLIFF
Vigorous grower, free bloomer. Rose-pink flowers, fragrant.

Columbia Light pink. Well formed.

Duchess of Wellington
Thick petals, intense saffron yellow; fragrant.

Francis Scott Key
Extremely large, crimson.

GENERAL MACARTHUR
Bright red, freely produced throughout season.

GOLDEN OPHELIA Robust grower; delicately fragrant, golden yellow.

GRUSS AN TEPLITZ
Large bushy plant. Clusters of crimson flowers all season.

HADLEY

Rich shining crimson with velvety shades.

INDEPENDENCE DAY

Copper shade, opening to light orange-pink. Slightly fragrant

JONKHEER J. L. MOCK

Inside petals silvery pink; outside, carmine-pink. Full.

Kaiserin Auguste Viktoria

Pure white, tinted lemon in center.

KILLARNEY QUEEN

Sparkling pink. Fragrant.

LADY ASHTOWN

Shining pink, yellow at base of petals. Free-blooming.

LADY URSULA

Large, strong growing. Flesh pink flowers.

MLLE. LOLITA ARMOUR

Double creamy copper; fragrant.

MME. CAROLINE TESTOUT

Large satiny pink. Slightly fragrant.

MRS. W. C. MILLER

Clear rose to light pink; peony-like petals; very fragrant.

Ophelia

Pale pink and gold, changing to white in hot weather.

RADIANCE

Strong growing. Free blooming. Large, globular flowers of two delicately contrasted shades of pink.

RED RADIANCE

Similar to above but shining light crimson.

SUNBURST

Bright glowing orange. Fragrant.

TALISMAN

Gorgeous new rose, color blending yellow to orange to pink. \$2.00 each; \$17.50 per 10.

Willowmere

Rich pink, yellow glow in center.

POLYANTHA ROSES

A very satisfactory class of Everblooming Roses, mostly planted in beds and low hedges.

BABY DOROTHY

Clusters of light crimson-pink flowers. Bushy plants.

CHATILLON Rose

Hardy. Semi-double, bright pink flowers.

ERNA TESCHENDORF

Bright crimson clusters. Dwarf, and continuous blooming.

GEORGE ELGER

Yellow buds; dainty flowers which become cream-white upon opening

KATHERINE ZEIMET

Clusters of white flowers.

La Marne

Dainty single pink flowers in clusters. Freely produced.

MISS EDITH CAVELL

Large clusters of briliant red flowers.

MME. CECIL BRUNER

Double, light pink suffused with yellow. Fragrant.

Mrs. W. H. Cutbush

Low, bushy plant. Clusters of sparkling pink flowers.

ORLEANS

Large, brilliant light red flowers on compact corymbs. Strong grower.

HYBRID RUGOSA ROSES

Strong field-grown plants, \$1.00 each for less than 5 of a kind: 5 or more of a kind at \$9.00 per 10.

CONRAD F. MEYER
Vigorous. Pale silvery pink flowers.

F. J. GROOTENDORST

Strong bush. Flowers small, fringed, bright crimson, produced in clusters.

HANSA

Strong grower. Double red flowers.

PINK GROOTENDORST

Pink flowers.

SIR THOMAS LIPTON

Strong grower. Double white flowers.

CLIMBING ROSES

Strong field-grown plants, 75c each; \$6.00 per 10.

ALIDA LOVETT

Large, double, bright shell pink flowers; fragrant.

AMERICAN PILLAR

Vigorous grower. Gigantic clusters of rosy pink flowers with large white centers.

Bess Lovett

Large, cup-shaped, light crimson flowers. Fragrant. Strong growing.

Blue Rambler

Purplish rose flowers' which turn steel blue.

CRIMSON RAMBLER

Clusters of deep crimson flowers.

DOROTHY PERKINS

Rapid growing climber. Clusters of shell-pink flowers; fragrant. Glossy foliage.

DOROTHY PERKINS WHITE

Small double flowers of creamy white.

Dr. Van Fleet

Large, deep flesh-pink flowers. Glossy foliage.

ERNST GRANDPIERRE

Salmon-yellow buds; double creamy flowers; fragrant.

Excelsa

Vigorous plant. Scarlet crimson flowers.

GARDENIA

Bright yellow in bud, opening cream color. Vigorous.

Very large clusters of brilliant red flowers with white eye. Vigorous.

Mary Lovett

Large, waxy white flowers; fragrant. Strong grower.

Paul's Scarlet Climber

Vivid scarlet, semi-double.

Large, cupped flowers of pure, snow-white. Freely produced.

SILVER MOON

Large semi-double flowers of pure white and gold.

Almost thornless. Large clusters of flowers varying from rich pink to creamy white.


Hardy Perennials

Our list of perennials contains the better sorts only. We have other varieties not listed, which we grow in limited quantities. We shall be pleased to quote on these when requested.

Varieties marked with an asterisk (*) are particularly suitable for the rock garden.

Do not expect to make effective plantings by choosing one or two of a large number of varieties. Better results are obtained by massing together several plants of a kind.

For this reason we are not quoting an "each" price on perennials. However, if only one plant of a kind is required, we will furnish it at one-third of the Three Rate.



PERENNIAL DESCRIPTIONS

For easy visualization of perennials we classify their flowers according to their GENERAL APPEARANCE as shown above, and not according to their botanical structure.

A few sorts are described by foliage characteristics. Other convenient information, such as height of plant, color and period of bloom,

is also given.

KEY TO DESCRIPTIVE CODE OF PERENNIALS

Ag—August	fl-foliage	Ma—May	s-standards of Iris
Ap—April	fg-fragrant	mg-magenta	sc—scarlet
at—apricot	fr-fruit	mn-maroon	sg-single
bk—black	gd-golden	Mr—March	sl—silver
bl-blue	gn-green	mv—mauve	sm—salmon
br—bronze	gy—gray	mx—mixed	Sp—September
cm—cream	Jl—July	Nv—November	tc—terra cotta
cr—crimson	Jn-June	Oc—October	vb variable
cs—cerise	le—lemon	or-orange	vg-variegated
db—double	lg—large	pn—pink	vl—violet
dk—dark	ll—lilac	pp—purple	wt-white
ev-evergreen	lt—light	rd—red	yl—yellow
f—falls of Iris	lv—lavender	rsrose	

Example: A plant with the code—18" B. lv-pn. Ma-Ag.—would grow 18 inches tall, have lavender pink panicles, blooming from May to August inclusive.

HARDY PERENNIALS

	Three	Per 10	Per 100
ACHILLEA			Yarrow
millefolium roseum, Pink Yarrow 18" C. rs-pn. Jn-Oc	.75	2.20	15.00
ptarmica, Perry White, 18" B. wt. Jn-Sp	.90	2.40	18.00
ptarmica, The Pearl, 2' B. wt. Jl-Oc	.75	2.20	15.00
*serbica,—7" Č. wt. Ag *sericea,—6" C. yl. Jl-Oc	1.50 1.50	4.00 4.00	
*tomentosa, Woolly Yarrow, 6" D. yl. JI-Sp	.90	2.40	18.00
ACONITUM			Monkshood
autumnale, Autumn Monkshood, 4' A. dk. bl. Sp-Oc	1.50	4.00	25.00
fischeri, Azure Monkshood, 1½' A. dk. bl. Sp-Oc f. Wilsoni, Violet Monkshood,	1.20	3.50	25.00
5' A. vl. bl. Sp napellus, Aconite,	2.25	6.00	50.00
3½ B. dk. bl. Il-Ag	1.05	2.70	24.00
n. bicolor, Bicolor Aconite, 2' B. vg. bl-wt. Jl-Ag	1.20	3.50	
n. Sparks, Spark's Aconite, 3' B. dk. bl. Jl-Oc	1.05	3.00	25.00
AEGOPODIUM		Silvere	dge Goutweed
*podograria variegatum, 12" D. wt. Ma-Jn	.90	2.40	18.00
AETHIONEMA		Leba	non Stonecress
*coridifolium, 12" rs. Jn	1.05	3.00	
AGROSTEMMA (See LYCHNIS)			
AJUGA			Bugle
*genevensis, Geneva Bugle, 8" A. dk. bl. Ma *reptans, Carpet Bugle,	.90	2.40	18.00
4" A. bl. Ma-Jn	.90	2.40	18.00
ALTHAEA			Hollyhock
rosea,—5' A. Jl-Ag. Double varieties, pink, red,	7.5	2.20	15.00
white, yellow Single varieties, pink, red,	.75	2.20	
white, yellow	.75	2.20	15.00
Fringed flowers	.75	2.20	15.00
(For explanation of Descrip	tive Cod	e see pe	ige 04)

ALYSSUM	Three	Per 10	Per 100 Alyssum
*argenteum, Silver Alyssum, 12" B. yl. Jn-Ag *rostratum, Yellowhead Alyssum,	.75	2.20	15.00
12" D. vl. In-II	.90	2.40	18.00
entuft,—1' B. yl. ApJn	.75	2.20	15.00
*saxatile sulphureum, 12" B. yl. Ap-Jn	.90	2.40	
AMSONIA			Amsonia
tabernaemontana, Willow Amsonia,—2½′ B. gy. bl. Ma-Jn	.90	2.40	18.00
ANCHUSA			Bugloss
italica dropmore, Dropmore Bugloss,—3½ B. bl. Jn-Sp *myosotidiflora, Siberian Bugloss, 12" B. lt. bl. Ap-Ma	.90	2.40	18.00
12" B. It. bl. Ap-Ma	1.20	3.50	24.00
ANDROSACE			Rock Jasmine
*lanuginosa,—6" D. rs. Ma *primuloides,—6" D. rs. ll	1.05 1.50	3.00 4.00	
ANEMONE			Anemone
hupehensis, Chinese Anemone, 1½' H. mv. pn. Ag-Nv japonica alba, White Japanese	.90	2.40	18.00
Anemone,—) Fl. wt. Ag-INV.	.90	2.50	. 20.00
j. rubra, Japanese anemone, 2' H. rs-rd. Ag-Nv	.90	2.50	20.00
j. Lady Ardilaun, 2' H. wt. Ag-Nv	.90	2.50	20.00
j. Mt. Rose, 2' db. H. rs. pn. Sp-Nv	.90	2.50	20.00
j. Prince Heinrich, 2' db. H. rd-pn. Ag-Nv	.90	2.50	20.00
j. Queen Charlotte, 2' H. dk. pn. Ag-Nv	.90	2.50	20.00
j. Rosea Superba, 2' H. rs. AgNv	.90	2.50	20.00
j. Whirlwind, 2' H. wt. Ag-Nv	.90	2.50	20.00
*pulsatilla, European Pasque- flower,—1' M. rd-pp. Ap-Ma.	.90	2.50	20.00
*p. alba,—12" M. wt. Ap-Ma *p. rubra,—12" M. rd. Ap-Ma *sylvestris, Snowdrop Anemone,	1.05 .90	3.00 2.40	20.00
*sylvestris, Snowdrop Anemone, 12" M. wt. Ma-Jl	.90	2.40	18.00
ANTENNARIA			Pussyloes
*dioica, Common Pussytoes, 4" D. wt. Jn-Jl	.90	2.40	18.00
ANTHEMIS			Camomile
tinctoria, Yellow Camomile, 2½' U. yl. Jn-Nv	.90	2.40	18.00

AQUILEGIA	Three	Per 10	Per 100 Columbina
*caerulea, Colorado Columbine, 12" L. bl-wt. Ma-Jl	.90	2.40	18.00
*canadensis, American Columbine, 2' L. sc-yl. Ma-Jn	.90	2.40	18.00
chrysantha, Golden Columbine, 3' L. yl. Jn-Ag *flabellata nana alba, White Fan	.90	2.40	18.00
Columbine,—1' L. wt. Jn	.75	2.20	15.00
*formosa truncata, California Columbine,—2½' L. mx. Ma-Jl.	.90	2.40	18.00
Longspur Hybrids, 2½' L. mx. Ma-Jl	.90	2.40	18.00
vulgaris, European Columbine, 2' L. mx. Ma-Jn	.75	2.20	15.00
v. alba, White European Columbine,—2' L. wt. Ma-Jn	.90	2.40	18.00
v. flore plena alba. 2' db. L. wt. Ma-Jn	.75	2.20	15.00
ARABIS			Rockcress
*albida, Wallcress, 8" D. wt. Ma	.90	2.40	18.00
*alpina, Alpine Rockcress, 9" D. wt. Ap-Ma *a. nana compacta, Dwarf Alpine	.75	2.20	15.00
Rockcress,—6" D. wt. Ap-Ma.	.90	2.40	18.00
*mollis, Downy Rockcress, 6" D. wt. Ap-Ma	.75	2.20	
ARENARIA			Sandwort
*balearica, Corsican Sandwort, 3" G. wt. Jn	1.05	2.70	20.00
*montana, Mountain Sandwort, 6" G. wt. Ma-In	.90	2.40	18.00
*verna caespitosa, Moss Sandwort, 2½" G. wt. Jn	.90	2.40	18.00
ARMERIA (See STATICE)			
ARTEMISIA			Tarragon
abrotanum, Southernwood, 3' fg. fl. finely cut lactiflora, White Mugwort,	1.50	4.50	
3′ B. wt. Ag-Sp	1.05	2.70	20.00
stelleriana, Dusty Miller, 2' sl. fl	.75	2.20	15.00
ASCLEPIAS			Milkweed
tuberosa, Butterfly Weed, 2' D. or. Jl-Sp	1.05	2.70	21.00
ASPERULA			Woodruff
*odorata, Sweet Woodruff, 6" D. wt. Ma	.90	2.40	
(For explanation of Descrip	tive Co	de see p	age 64)

	Three	Per 10	Per 100
ASTER DWARF ALPIN	E AST	ERS	Aster
*alpinus, Rock Aster,			Aster
9" II pp Ma-In	.75	2.20	15.00
9" U. pp. Ma-Jn *a. albus,—9" U. wt. Ma-Jn	.75	2.20	15.00
*a. Dark Beauty,		2.20	13.00
9" U. vl. Ma-Jn	.75	2.20	15.00
*a. Subcaerulus,			
10" U. lt. bl. Jn	.90	2.40	
AUTUMN FLOWERIN	G TAI	L ASTER	RS.
	0 1.11		
Aster 4' II pp Ag-Sp	.75	2.20	15.00
novae-angliae, New England Aster,—4' U. pp. Ag-Sp nov-ang. roseus, Pink New Eng-	.,,	2.20	15.00
land Aster,—4' U. pn. Ag-Sp. novibelgi, New York Aster,	.75	2.20	15.00
novibelgi, New York Aster,			
4' U. It. bl. Sp-Oc	.75	2.20	15.00
ptarmicoides. White Upland			
Aster,—1½′ U. wt. Ag-Sp	.75	2.20	15.00
Aster,—I½' U. wt. Ag-Sp tataricus, Tatarian Aster, 5' U. bl. vl. Oc-Nv		2.20	15.00
5' U. bl. vl. Oc-Nv	.75	2.20	15.00
CHOICE VAI	RIETIF	ES	
Blue Gem.			. 24.00
4' U. dk. bl. Sp-Oc	1.20	3.50	24.00
Climax,—4 U. It. bl. Ag-Uc	.90	2.40	18.00
Feltham Blue, 3' U. lt. bl. Ag-Sp	.90	2.40	18.00
Grey Lady 4' U. gy Sp	1.20	3.50	24.00
Grey Lady,—4' Ü. gy. Sp Japanese,—2' db. U. wt. Sp	.90	2.50	21.00
Lady Lloyd,	., .		
3' U. rs. pn. Ag-Sp	.90	2.40	18.00
Sam Banham,			
3' U. wt. Ag-Oc Snowflake,—3' U. wt. Ag-Sp	1.20	3.50	
Snowflake,—3' U. wt. Ag-Sp	.75	2.20	15.00
St. Egwyn,	00	0.40	10.00
18" U. pn. Sp-Oct	.90	2.40	18.00
T. S. Ware,—3' U. pn. Sp	.75	2.20	
White Climax, 4' U. wt. AgOc	.90	2.40	18.00
	.90	2.40	
ASTILBE			Astilbe
chinensis, Chinese Astilbe,	00	0.50	20.00
18" B. pn. Jl-Ag	.90	2.50	20.00
ARENDSI VAI			25.00
Gloria,—2' B. dk. pn. Jl-Ag Meta Immik,	1.20	3.50	25.00
3' B. dk. pn. Jl-Ag	1.50	4.00	30.00
Rose Pearl	1.50	4.00	50.00
2½ B. lt. pn. Jl-Ag Salland,—5' B. rd. Jl-Ag Vesta,—3' B. mv-ll. Jn-Jl	1.20	3.50	30.00
Salland.—5' B. rd. II-Ag	1.50	4.00	33.00
Vesta,—3' B. mv-ll. In-Il	1.20	3.50	30.00
JAPONICA VA	RIETIE:	S:	
japonica, Japanese Astilbe, 2½' B. wt. Jn-Jl			
2½′ B. wt. Jn-Jl	1.05	2.70	
j. Peach Blossom,	1.00	2.50	27.00
18" B. pn. Jl-Ag	1.20	3.50	27.00
j. Queen Alexandra,	1.20	3.50	24.00
2' B. cm. pn. Jn Jl j. W. E. Gladstone,	1.20	5.50	24.00
2' B. wt. Jn-Jl	1.50	4.00	30.00
2 D. wt. jn-ji	1.50	1.00	50.00

*deltoidea, Common Aubretia, 4" G. rs. pp. Ap-Ma				
**deltoidea, Common Aubretia, 4" G. rs. pp. Ap-Ma		Three	Per 10	
#d. G. rs. pp. Ap-Ma		٠		Aubretia
*d. graeca, Greek Aubretia, 3" G. dk. vl. Ma		1.07	2.70	20.00
3" G. dk. vl. Ma	4" G. rs. pp. Ap-IVIa	1.05	2.70	20.00
*d. leichtlini, Leichtline Aubretia, 4" G. pn. Ap-Ma	d. graeca, Greek Aubrelia,	1.05	2.70	
*d. leichtlini, Leichtline Aubretia, 4" C. pn. Ap-Ma	5" G. dk. VI. IVIa			20.00
*d. purpurea, Purple Lady Aubretia,—4" G. pn. Ap-Ma		1.20	2.50	50.00
*d. purpurea, Purple Lady Aubretia,—4" G. pp. Ap-Ma		1.05	2.70	
### BAPTISIA ### Wild-Indigo australis,—2½ B. dk. bl. Ma-Jn. 90 2.40 18.00 ### BELLIS #perennis, English Daisy, 5" U. mx. Ap-Jn	*1 Downla I also Aubus	1.05	2.70	
BAPTISIA australis,—2½ B. dk. bl. Ma-Jn90 2.40 18.00 BELLIS *perennis, English Daisy, 5" U. mx. Ap-Jn	d. purpurea, Furple Lady Aubre-	1.05	2.70	
australis,—2½′ B. dk. bl. Ma-Jn90 2.40 18.00 BELLIS *perennis, English Daisy,	na,—4 G. pp. Ap-Ma	1.05	2.70	
BELLIS *perennis, English Daisy, 5" U. mx. Ap-Jn	BAPTISIA			Wild-Indigo
*perennis, English Daisy, 5" U. mx. Ap-Jn	australis,—2½ B. dk. bl. Ma-Jn.	.90	2.40	18.00
*perennis, English Daisy, 5" U. mx. Ap-Jn	DELLIC			
5" U. mx. Ap-Jn				
#perennis, white, 5" U. wt. Ap-Jn	5" Il An In	75	2.20	15.00
### BOLTONIA asteroides, White Boltonia, 5' B. wt. Sp-Oc	**************************************	.13	2.20	15.00
BOLTONIA asteroides, White Boltonia, 5' B. wt. Sp-Oc		75	2.20	15.00
asteroides, White Boltonia, 5' B. wt. Sp-Oc		.15	2.20	
5' B. wt. Sp-Oc	BOLTONIA			Boltonia
latisquama, Violet Boltonia, 4' B. Iv. JI-Oc				
A' B. Iv. JI-Oc.	5' B. wt. Sp-Oc	.75	2.20	15.00
CACTUS—See OPUNTIA CALLIRHOE *involucrata,—10" O. cr. Jn-Sp	latisquama, Violet Boltonia,			
CACTUS—See OPUNTIA CALLIRHOE *involucrata,—10" O. cr. Jn-Sp	4' B. lv. Jl-Oc	.75	2.20	15.00
CACTUS—See OPUNTIA CALLIRHOE *involucrata,—10" O. cr. Jn-Sp	lat. nana, Dwarf Pinkray Bol-			
CALLIRHOE Poppy Mallow *involucrata,—10" O. cr. Jn-Sp75 2.20 CAMPANULA Bellflower *alliariaefolia, Spurred Bellflower, 18" M. wt. Jl-Ag	tonia,—2' B. pn. Sp	.90	2.40	18.00
CALLIRHOE Poppy Mallow *involucrata,—10" O. cr. Jn-Sp75 2.20 CAMPANULA Bellflower *alliariaefolia, Spurred Bellflower, 18" M. wt. Jl-Ag	CACTUS—See OPUNTIA			
*involucrata,—10" O. cr. Jn-Sp75				D 14 11
CAMPANULA Bellflower *alliariaefolia, Spurred Bellflower, 18" M. wt. Jl-Ag				Poppy Mallow
*alliariaefolia, Spurred Bellflower, 18" M. wt. Jl-Ag	*involucrata,—10" O. cr. Jn-Sp	.75	2.20	
*alliariaefolia, Spurred Bellflower, 18" M. wt. Jl-Ag	CAMPANULA			Bellflower
18" M. wt. Jl-Ag				
*barbata, Bearded Bellflower, 6" M. It-bl. Jl	18" M. wt. Il-Ag	1.05	2.70	
6" M. It-bl. Jl	*barbata, Bearded Bellflower,			
*car. alba, White Carpathian Bell- flower,—9" M. wt. Sp	6" M. lt-bl. Il	1.05	3.00	24.00
*car. alba, White Carpathian Bell- flower,—9" M. wt. Sp	*carpatica, Carpathian Bellflower,			
*car. alba, White Carpathian Bell- flower,—9" M. wt. Sp	9" M. dk. bl. Sp	.90	2.40	18.00
# ## ## ## ## ## ## ## ## ## ## ## ## #	*car, alba, White Carpathian Bell-			
*garganica, Gargano Harebell, 4" M. bl. Jn-Sp	flower,—9" M. wt. Sp	.90	2.40	18.00
4" M. bl. Jn-Sp	*garganica, Gargano Harebell,			
*glomerata, Danesblood, 2' M. It. bl. Jn-Jl	4" M. bl. Jn-Sp	1.05	2.70	24.00
2' M. lt. bl. Jn-Jl	*glomerata, Danesblood,			
flower,—4" M. vl. bl. Ma-Jn 1.05 2.70 24.00 medium, Canterbury-Bells, 2½' M. Jn-Jl	2' M. lt. bl. Jn-Jl	1.05	2.70	24.00
flower,—4" M. vl. bl. Ma-Jn 1.05 2.70 24.00 medium, Canterbury-Bells, 2½' M. Jn-Jl	*gl. acaulis, Low Cluster Bell-			
medium, Canterbury-Bells, 2½' M. Jn-Jl	flower,4" M. vl. bl. Ma-Jn	1.05	2.70	24.00
Pink, blue, white and mixed m. calycanthema, Cup and Saucer Bellflower,—2½' M. Jn-Jl	medium, Canterbury-Bells.			
Pink, blue, white and mixed m. calycanthema, Cup and Saucer Bellflower,—2½' M. Jn-Jl	2½′ M. Jn-Jl	.90	2.40	18.00
Bellflower,—2½' M. Jn-Jl 90 2.40 18.00 Pink, blue, white, and mixed *muralis, Dalmatian Bellflower, 6" M. bl. Ma-Jn 1.05 2.70 persicifolia, Peachleaf Bellflower, 2½' M. pp. Jn-Jl 90 2.40 18.00 per. alba,—2½' M. wt. Jn-Jl 90 2.40 18.00 per. Moerheimi, 2½' M. wt. Jn-Jl 90 2.40 18.00	Pink, blue, white and mixed			
Pink, blue, white, and mixed *muralis, Dalmatian Bellflower, 6" M. bl. Ma-Jn	m. calycanthema, Cup and Saucer			
*muralis, Dalmatian Bellflower, 6" M. bl. Ma-Jn		.90	2.40	18.00
6" M. bl. Ma-Jn	Pink, blue, white, and mixed			
2½' M. pp. Jn-Jl	*muralis, Dalmatian Bellflower,			
2½' M. pp. Jn-Jl	6" M. bl. Ma-Jn	1.05	2.70	
per. Moerheimi, 2½' M. wt. Jn-Jl	persicitolia, Peachleaf Bellflower,		- 10	10.00
per. Moerheimi, 2½' M. wt. Jn-Jl	2½ IVI. pp. Jn-Ji			
2½' M. wt. Jn-Jl	per. alba,—Z½ Ml. wt. Jn-Jl	.90	2.40	18.00
2 3 3		00	0.40	10.00
(For explanation of Descriptive Code see page 64)				
	(For explanation of Descrip	tive Co	de see j	page 64)

CAMPANULA—cont'd	Three	Per 10	Per 100
*punctata (nobilis), Spotted Bell- flower,—1' M. wt. Jn-jl	.90	2.40	18.00
pyramidalis, Chimney Bellflower, 3½' M. bl. Jl-Ag	.90	2.40	18.00
flower,—3½ M. wt. Jl-Ag	.90	2.40	18.00
*rotundifolia, Harebell, 10" M. bl. Jn-Ag	.90	2.40	18.00
CASSIA marilandica, Wild Senna, 3½' P. yl. Jn-Sp CENTAUREA	.75	2.20	15.00 Centaurea
*dealbata, Persian Centaurea,	.90	2.40	Centaurea
18" U. rs. pp. Jn-Ag macrocephala, Globe Centaurea,	.90	2.40	18.00
3' V. yl. Jl-Sp*montana, Perennial Corn Flow- er,—18" U. bl. vl. Jl-Ag	.90	2.40	18.00
*mont. alba, White Mountain Bluet,—18" U. wt. Jl-Ag	.90	2.40	18.00
CENTRANTHUS	.70	2.10	10.00
ruber, Jupitersbeard, 3' W. rd. Jn-Jl	.90	2.40	18.00
CERASTIUM			Cerastium
*argenteum (grandiflorum), 6" G. wt. Ma-Jn	1.20	3.50	27.00
*bierbersteini, Taurus Cerastium, 6" G. wt. Ma-Jn	.90	2.40	18.00
*tomentosum, Snow-in-Summer, 6" G. wt. Ma-Jn	.75	2.20	15.00
CERATOSTIGMA *plumbaginoides. Largente Plum-		40	Plumbago
*plumbaginoides, Larpente Plum- bago,—6" K. dk. bl. Ag-Sp	1.05	2.70	21.00
CHEIRANTHUS *allioni,—10" D. or. yl. Ma-Jl	.90	2.40	Wallflower 18.00
CHELONE			Turtlehead
glabra, White Turtlehead, 2' B. wt. Jl-Aglyoni, Pink Turtlehead,	.90	2.40	18.00
2' B. rs. pp. Ag-Sp	.90	2.40	18.00
CHRYSANTHEMUM *articum, Arctic Chrysanthemum, 18" U. wt. Sp-Oc coccineum, Pyrethrum roseum HYBRID PYRE	.90 THRUM	2.40 S:	18.00
Coccinea,—18" U. rd. pp. Ma-Jn. Elsie Gertrude,	1.05	3.00	24.00
18" U. lt. pn. 1Ma-Jn Hebe,—18" U. wt. Ma-Jn	1.05 1.05	3.00 3.00	24.00 24.00
Roseum atrosanguineum, 18" U. cr. Ma-Jn	.90	2.40	18.00

. IIIIIDI I DIO	L1 11 1 1 2 1 1	LU	
CHRYSANTHEMUM—cont'd	Three	Per 10	Per 100
Roseum single, 18" U. mx. Ma-In	.90	2.40	18.00
coreanum, Korean Chrysanthe- mum,—2' U. wt. rs. pn. Sp-Oc.	.90	2.40	18.00
leucanthemum hybridum, lm-			
proved Oxeye Daisy, 18" U. wt. Jl-Ag maximum, Shasta Daisy,	.75	2.20	15.00
2½' U. wt. Jl-Aguliginosum, Giant Daisy,	.75	2.20	15.00
4' U. wt. Jl-Sp	.75	2.20	15.00
HARDY NAMED	VARIE	TIES	
			19.00
Aberdeen,—18" V. mn. Oc-Nv. Autumn Glow,	.90	2.40	18.00
18" V. rs. rd. Oc-Nv	.90	2.40	18.00
Boston,—18" V. yl. Oc-Nv	.90	2.40	18.00
18" V. rs. rd. Oc-Nv Boston,—18" V. yl. Oc-Nv Brutus,—18" V. gd. Oc-Nv Capt. R. H. Cook, 18" V. rs. Oc-Nv	.90	2.40	18.00
18" V. rs. Oc-Nv	.90	2.40	18.00
Eve.—10" V. dk. pn. Oc-Nv	.90	2.40	18.00
Field of Snow, 18" V. wt. Oc-Nv Golden Pheasant,	.90	2.40	18.00
18" V. or. vl. Oc-Nv	.90	2.40	18.00
James Boone, 18" V. wt. Oc-Nv Julie Lagravere,	.90	2.40	18.00
18" V. mn. Oc-Nv Old Homestead,	.90	2.40	18.00
18" V. Iv. pn. Oc-Nv Pauline Wilcox,	.90	2.40	18.00
18" V. br. Oc-Nv Ruby Queen,	.90	2.40	18.00
18" W rd On Nr.	.90	2.40	18.00
Skibe 18" W vl Oe Nv	.90	2.40	18.00
18" W. rd. Oc-Nv	.90	2.40	18.00
Viola 18" V al ma Oa Na	.90	2.40	18.00
Viola,—18" V. vl. pn. Oc-Nv White Doty,—18" V. wt. Oc-Nv.			
	.90	2.40	18.00
CIMICIFUGA			Bugbane
foetida simplex, Kamchatka Bug-			
bane,—4 ⁷ A. cm. wt. Jn racemosa, Cohosh Bugbane,	3.00	8.50	
5' A. wt. Jl-Sp	.90	2.40	18.00
CONVALLARIA		Lih	of the Valley
majalis,—8" F. wt. Ma Jn.		20113	, of the railey
clumps	1.50	4.50	40.00
strong pips	.50	1.00	7.50
	.50	1.00	
COPTIS	7.5	2.20	Goldthread
*trifolia,-4" H. wt. Ma	.75	2.20	15.00
COREOPSIS	·		Coreopsis
delphinifolia, Larkspur Coreopsis,			
delphinifolia, Larkspur Coreopsis, 2' H. yl. Jl-Sp grandiflora, Big Coreopsis,	.75	2.20	15.00
Z H. gd. yl. Ma-Nv	.75	2.20	15.00
(For explanation of Descrip	tive Co	de see p	age 64)

	TI	D 10	D. 100
COREOPSIS—cont'd	Three	Per 10	Per 100
*rosea, Rose Coreopsis,	77	2.20	15.00
l' H. rs. pn. Jl-Agverticillata, Threadleaf Coreopsis,	.75	2.20	15.00
verficillata, I hreadleaf Coreopsis,	.75	2.20	15.00
18" H. le. yl. Jn-Sp	./5	2.20	15.00
CORONILLA			Crownvetch
	00	2.40	
*varia,—18" P. pn. Jn-Oc	.90	2.40	18.00
CRUCIANELLA			Crosswort
*stylosa, Common Crosswort,			•••
6" W. pn. Jn-Sp	1.20	3.50	
о w. рн. ји-ър	1.20	5.50	
CYNANCHUM		Ì	Mosquito Trap
acuminatifolium,			
18" B. wt. Ag	.90	2.40	18.00
DEL DI HAMILIA			, ,
DELPHINIUM			Larkspur
elatum, Bee Larkspur,			
4' A. dk. bl. Jn-Sp	.90	2.40	18.00
formosum, Hardy Larkspur,	00	2.40	10.00
4' A. bl. Jn-Jlf. belladonna,—2' A. lt. bl. Jn-Sp.	.90 .90	2.40 2.40	18.00 18.00
f. bellamosum,	.90	2.40	10.00
2' A de bl. In Sp	.90	2.40	18.00
2' A. dk. bl. Jn-Sp *grandiflorum chinensis, Slender	.70	2.70	10.00
Larkspur,—18" A. bl. Jn-Ag.	.90	2.40	18.00
*g. chin. alba,	.,,	2	10.00
18" A. wt. In-Ag	.90	2.40	18.00
18" A. wt. Jn-Ag Kelway Hybrids, Mixed,			
4' A. lt. & dk. bl. Jn-Sp	3.00	9.00	
			D. 1
DIANTHUS			Pink
*alpinus, Alpine Pink,			
3" I. rs. pn. Jn-Jl	1.05	3.00	
*arenarius, Sand-Loving Pink,	00	2.40	10.00
6" I. wt. Jl-Sp	.90	2.40	18.00
barbatus, Sweet William,	.75	2.20	15.00
18" D. mx. Jn-Jlb. Newport Pink,	.15	2.20	15.00
18" D. sm. pn. Jn-Jl	.90	2.40	18.00
b. Scarlet Beauty,	.,,	2.10	10.00
18" D. sc. In-Il	.90	2.40	18.00
18" D. sc. Jn-Jl*caesius, Cheddar Pink,			
5" I. rs. pn. Ma-Jl	.90	2.40	18.00
*deltoides, Maiden Pink,			
6" L rd. In-II	.90	2.40	18.00
*d. alba, White Maiden Pink,		0.40	10.00
6" I. wt. Jn-Jl *d. Brilliant,—6" I. rs. cr. Jn-Jl	.90	2.40	18.00
"d. Brilliant,—b" l. rs. cr. Jn-Jl	.90	2.40	18.00
*latifolius atrococcineus fl. pl.	.90	2.40	
8" D. db. cr. Jn-Oc *neglectus,—3" I. rd. Ma-Jn	.90	2.40	
plumarius. Scotch or Carden	.70	2.70	
Pink.—12" I. pn. In.	.75	2.20	15.00
Pink,—12" I. pn. Jn *speciosus,—12" I. lv. pn. Jl-Sp.	.90	2.40	18.00
*superbus, Lilac Pink,			
12" I. lv. pn. Jn-Ag	1.20	2.40	18.00

TIAKDI TEK	LIVIVIA	LO	1)
DIANTHUS—cont'd	Three	Per 10	Per 100
HARDY GARD	EN PIN	IKS	
	.90	2.40	18.00
*Carmon 3" I pp II	.90	2.40	18.00
Abbottsford,—8" V. cr. Jl *Carmen,—3" I. pn. Jl *Essex Witch,—3" I. pn. Jl	.90	2.40	10.00
*Grenadin Scarlet,	.70	2.10	
12" V. sc. Ag	.90	2.40	18.00
*Her Majesty,	.70	2.10	10.00
10" V wt II-Δα	.90	2.40	18.00
*Homer —6" V rd II	1.05	2.70	20.00
*Iuliet 8" V wt II	.90	2.40	18.00
*Homer,—6" V. rd. Jl *Juliet,—8" V. wt. Jl *Lord Lyons,—10" V. pn. Jl	.90	2.40	18.00
*White Reserve,	.,,	2.10	10.00
10" V. wt. Jn-Sp	.90	2.40	18.00
DICENTRA	•,,	2	10.00
*formosa, Western Bleeding Heart, 15" F. pn. Ap-Ag	1.05	2.70	20.00
on a tabilia Blanding Haart	1.05	2.70	20.00
spectabilis, Bleeding Heart, 2' F. rs. rd. Ap-Jl	1.80	5.00	40.00
	1.00	3.00	
DICTAMNUS			Gas Plant
albus (fraxinella),	1.20	2.50	25.00
2' K. wt. Jn-Jl	1.20	3. 5 0	25.00
a. caucasicus, Giant Gas Plant,	1.25	4.00	25.00
3' K. wt. Jn-Jl	1.35	4.00	35.00
DIGITALIS			Foxglove
ambigua, Yellow Foxglove,			
2' A. yl. Jn-Jl	.90	2.40	18.00
2' A. yl. Jn-Jl purpurea, Common Foxglove,			
3' A. pp. n-	.90	2.40	18.00
p. alba, Common White Foxglove,	00	0.40	10.00
3' A. wt. Jn-Jl	.90	2.40	18.00
p. gloxiniaeffora. Gloxinia Fox-			40.00
glove,—3' A. mx. Jn-Jl p. roseum,—3' A. rs. Jn-Jl	.90	2.40	18.00
p. roseum,—3 A. rs. Jn-Jl	.90	2.40	18.00
Shirley Giant Hybrids,	1.05	2.00	24.00
4' A. mx. pp. pn. wt. Jn-Jl	1.05	3.00	24.00
DORONICUM			Leopardbane
caucasium,—1' U. yl. Ma-Jn	1.50	4.00	
plantagineum excelsum, Šhowy			
Leopardbane,		4.00	24.00
2' U. or. yl. Ma-Jn	1.50	4.00	36.00
DRABA			Whitlowgrass
*fladnizensis, Arctic Whitlow- grass,—3" yl. Ap	1.50	4.00	
ECHINACEA			Coneflower
purpurea, Purple Coneflower,			Concioner
3' U. rd. pp. Jl-Ag	.90	2.40	18.00
ECHINOPS	.,0	2.10	Globethistle
			Globennisne
ritro, Steel Globethistle,	.90	2.40	18.00
4' E. bl. Jl-Ag	.50	2.40	18.00
EPIGAEA			
*repens, Trailing Arbutus,	1.05	2.70	20.00
4" pn. Ap-Ma	1.05	2.70	20.00
EPILOBIUM			
angustifolium, Blooming Sally,			
4' A. rd. Jn-Ag	.90	2.40	18.00
(For explanation of Descrip	tive Co	de see p	age 64)
		•	

EPIMEDIUM	Three	Per 10	Per 100 Epimedium
*alpinum, Alpine Epimedium, 9" L. rd. yl. Ma-Jn	1.50	4.50	30.00
*macranthum niveum, Snowy Epi- medium.—9" L. wt. Ap-Jl *pinnatum sulphureum, Yellow Persian Epimedium,	1.50	4.50	
8" L. yl. Ap-Jl	1.50	4.50	
ERIGERON *aurianticus, Orange Fleabane,			Fleabane
9" U. rdor. Jl-Ag *glabellus, Smooth Fleabane,	1.05	2.70	20.00
8" U. vl. pp. Jl-Ag	.90	2.40	18.00
Quakeress, 18" U. mv. pn. Jn-Jl	.90	2.40	18.00
speciosus, Oregon Fleabane, 2' U. bl. Jn-Jl	.90	2.40	18.00
ERINUS			Liver-Balsam
*alpinus, Alpine Liver-Balsam, 4" K. rs. pp. Ap-Jn *hirsutus,—4" K. vl. rd. Ap-Jn	1.05 1.05	3.00 3.00	
ERYNGIUM alpinum, Bluetop Eryngo,			Eryngo
2' E. bl. Jn-Sp	.90	2.40	18.00
amethystinum, Amethyst Eryngo, $2\frac{1}{2}$ E. dk. bl. Jn-Sp	.90	2.40	18.00
ERYSIMUM *pulchellum, Rockery Blistercress,			Blistercress
8" D. or. yl. Jl-Ag	.90	2.40	18.00
EUPATORIUM coelestinum, Mistflower,	h		Eupatorium
2' D. vl. pp. Ag-Oc purpureum, Joe-Pye-Weed, 5' D. rs. pp. Sp-Oc	1.05	2.70	20.00
	.75	2.20	15.00
EUPHORBIA corrolata, Flowering Spurge,			Spurg e
18" O. wt. Jl-Ag *myrsinites,—6" K. yl-or. Ma-Jn.	.75 1.05	2.20 2.70	15.00 20.00
HARDY F	ERNS		
*ADIANTUM pedatum, American Maidenhair			
Fein, -15" (shade)	.90	2.40	18.00
*ASPLENIUM platyneuron, Ebony Spleenwort, 12" (semi-shade)	.90	2.40	18.00
*ATHYRIUM filix-femina, Lady Fern, 2' (sun or semi-shade)	.90	2.40	18.00
*CRYPTOGRAMMA acrostichoides, American Rock- brake,—6" ev. (shade)	.90	2.40	18.00

HARDY FERNS—cont'd	Three	Per 10	Per 100
FDENNSTEDTIA punctilobula, Hay-scented Fern, 18" (sun, shade, semi-shade).	.90	2.40	18.00
DRYOPTERIS goldiana, Goldie Fern 3' (shade)	.90	2.40	18.00
*marginalis, Leather Woodfern,	00	2.40	
2 ev. (shade)spinulosa, Toothed Woodfern, 2' (shade-moist)	.90	2.40	18.00
2' (shade-moist)	.90	2.40	18.00
DNOCLEA sensibilis, Sensitive Fern, 1' (shade)	.90	2.40	18.00
OSMUNDA			
cinnamomea, Cinnamon Fern, 3' (shade & semi-shade)	.90	2.40	18.00
claytoniana, Interrupted Fern, 3' (sun, semi-shade)	.90	2.40	18.00
regalis, Royal Fern, 3' (semi-shade)	.90	2.40	18.00
POLYPODIUM	., •		
*vulgare, Common Polypody, 6" (shade)	.90	2.40	18.00
POLYSTICHUM acrostichoides, Christmas Fern, 12" ev. (shade)	.90	2.40	18.00
PTERETIS nodulosa, Ostrich Fern, 3' (sun or semi-shade)	.90	2.40	18.00
fwoodwardia areolata (angustifolia), Chain Fern,—1' (semi-shade or shade)	.90	2.40	18.00
FILIPENDULA			Meadowswee
hexapetala (Spirea filipendula),			177 044 0 4 0 4 0 4
Dropwort, 2' D. cm. wt. Jn-Jl	.90	2.40	18.00
rubra venusta, Carmine Meadow- sweet,—4' B. dk. pn. Jn-Jl	1.05	3.00	24.00
FUNKIA (See HOSTA)			
GAILLARDIA		1	Blankei Flower
aristata (grandiflora)	75		•
2' U. rd-or. Jn-Nv	.75	2.20	15.00
GALAX *aphylla,—10" A. wt. Jn	1.20	3.50	Galax
GALIUM			Bedstran
*boreale, Northern Bedstraw, 2' B. wt. Jn-Sp	.90	2.40	18.00
GAULTHERIA		20	Wintergreen
*procumbens,—3" N. wt., sc. fr.	1.05	2.70	

*c. Lady Stratheden, 18" O. gd. yl. db. Jn-Sp *montanum Heldreichi, Or an ge Avens,—12" O. or. yl. Ma-Jl. GLYCERIA (See PANICULARIA) GYPSOPHILA *cerastiodes, Mouse-ear Gypsophila,—4" G. wt. Jl paniculata, Baby's Breath 2½ B. wt. Jl-Ag pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½ B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,	.90 .90 .90	2.40 2.40	Cranesbill 18.00
*s. album,—18" O. wt. Jn-Ag GEUM *chiloense var., Mrs. Bradshaw, 15" O. sc. Jn-Sp *c. Lady Stratheden, 18" O. gd. yl. db. Jn-Sp *montanum Heldreichi, Or a n ge Avens,—12" O. or. yl. Ma-Jl. GLYCERIA (See PANICULARIA) GYPSOPHILA *cerastiodes, Mouse-ear Gypsophila,—4" G. wt. Jl paniculata, Baby's Breath 2½' B. wt. Jl-Ag pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,	.90		10.00
*s. album,—18" O. wt. Jn-Ag GEUM *chiloense var., Mrs. Bradshaw, 15" O. sc. Jn-Sp *c. Lady Stratheden, 18" O. gd. yl. db. Jn-Sp *montanum Heldreichi, Or a n ge Avens,—12" O. or. yl. Ma-Jl. GLYCERIA (See PANICULARIA) GYPSOPHILA *cerastiodes, Mouse-ear Gypsophila,—4" G. wt. Jl paniculata, Baby's Breath 2½' B. wt. Jl-Ag pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,		4.40	18.00
GEUM *chiloense var., Mrs. Bradshaw, 15" O. sc. Jn-Sp *c. Lady Stratheden, 18" O. gd. yl. db. Jn-Sp *montanum Heldreichi, O r a n g e Avens,—12" O. or. yl. Ma-Jl. GLYCERIA (See PANICULARIA) GYPSOPHILA *cerastiodes, Mouse-ear Gypso- phila,—4" G. wt. Jl paniculata, Baby's Breath 2½' B. wt. Jl-Ag pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,	.20	2.40	10.00
*chiloense var., Mrs. Bradshaw, 15" O. sc. Jn-Sp		2.70	4.
*c. Lady Stratheden, 18" O. gd. yl. db. Jn-Sp *montanum Heldreichi, Or a n g e Avens,—12" O. or. yl. Ma-Jl. GLYCERIA (See PANICULARIA) GYPSOPHILA *cerastiodes, Mouse-ear Gypso- phila,—4" G. wt. Jl paniculata, Baby's Breath 2½' B. wt. Jl-Ag pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,			Avens
*c. Lady Stratheden, 18" O. gd. yl. db. Jn-Sp *montanum Heldreichi, Or a n g e Avens,—12" O. or. yl. Ma-Jl. GLYCERIA (See PANICULARIA) GYPSOPHILA *cerastiodes, Mouse-ear Gypso- phila,—4" G. wt. Jl paniculata, Baby's Breath 2½' B. wt. Jl-Ag pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,	1 05	2.00	20.00
18" O. gd. yl. db. Jn-Sp *montanum Heldreichi, O r a n g e Avens,—12" O. or. yl. Ma-Jl. GLYCERIA (See PANICULARIA) GYPSOPHILA *cerastiodes, Mouse-ear Gypsophila,—4" G. wt. Jl paniculata, Baby's Breath 2½' B. wt. Jl-Ag pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,	1.05	3.00	20.00
*montanum Heldreichi, Or ange Avens,—12" O. or. yl. Ma-Jl. GLYCERIA (See PANICULARIA) GYPSOPHILA *cerastiodes, Mouse-ear Gypsophila,—4" G. wt. Jl	1.05	2.00	
Avens,—12" O. or. yl. Ma-Jl. GLYCERIA (See PANICULARIA) GYPSOPHILA *cerastiodes, Mouse-ear Gypsophila,—4" G. wt. Jl paniculata, Baby's Breath 2½' B. wt. Jl-Ag pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,	1.05	3.00	
GLYCERIA (See PANICULARIA) GYPSOPHILA *cerastiodes, Mouse-ear Gypsophila,—4" G. wt. Jl paniculata, Baby's Breath 2½' B. wt. Jl-Ag pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,	1.05	2.70	20.00
GYPSOPHILA *cerastiodes, Mouse-ear Gypsophila,—4" G. wt. Jl paniculata, Baby's Breath 2½' B. wt. Jl-Ag pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,	1.05	2.70	20.00
*cerastiodes, Mouse-ear Gypsophila,—4" G. wt. Jl paniculata, Baby's Breath 2½' B. wt. Jl-Ag pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,			
phila,—4" G. wt. Jl			Chalk-Plant
phila,—4" G. wt. Jl			·
paniculata, Baby's Breath 2½' B. wt. Jl-Ag pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,	.90	2.40	18.00
pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,			
pan. fl. pl., Double Baby's Breath, 3' B. db. wt. Jl-Ag pan. fl. pl., Bristol Fairy, 2½' B. db. wt. lg. Jn-Oc *repens, Creeping Gypsophila, 6" G. wt. Jn-Jl HELENIUM autumnale,—4' U. yl. Ag-Sp a. pumilum magnificum,	.90	2.40	18.00
2½' B. db. wt. lg. Jn-Oc			
2½' B. db. wt. lg. Jn-Oc	1.20	3. 5 0	30.00
2⅓′ B. db. wt. lg. Jn-Oc			
6" G. wt. Jn-Jl HELENIUM autumnale,—4" U. yl. Ag-Sp a. pumilum magnificum,	2.25	6.00	50.00
HELENIUM autumnale,—4′ U. yl. Ag-Sp a. pumilum magnificum,			
autumnale,—4′ U. yl. Ag-Sp a. pumilum magnificum,	.90	2.40	18.00
a. pumilum magnificum,			Sneeze Wort
a. pumilum magnificum,	.90	2.40	18.00
18" U. yl. Ag-Sp	1.50	4.00	30.00
a. Riverton Beauty,			
	1.05	2.70	20.00
a. Riverton Gem,			
	1.05	2. 7 0	20.00
a. rubrum,—4' U. dk. rd. Sp-Oc.	1.20	3.00	24.00
hoopesi, Orange Sneezeweed,			
1½' U. or. yl. Ma-Ag	1.05	2.70	20.00
HELIANTHEMUM			Sun Rose
*chamaecistus,—8" O. yl. Jn-Jl *c. cupreum,—6" O. br. Jn-Jl	.90	2.40	18.00
*c. cupreum,—6" O. br. Jn-Jl	.90	2.40	18.00
c. tomentosum, Rosemary Sun			
c. tomentosum, Rosemary Sun Rose,—10" O. yl. Jn-Jl	.90	2.40	18.00
*halimitolium multiflorum, Moroc-			
co Sun Rose,—5" O. or. Jn-Sp.	.90	2.40	18.00
*perfoliatum roseum,		1	
6" O. sm-pn. Jn-Ag	.90	2.40	18.00
HELIANTHUS			Sunflower
decapetalus maximus, Thinleaf			·
Sunflower,—4' U. yl. Ag-Oc mollis, Ashy Sunflower,	.75	2.20	15.00
mollis, Ashy Sunflower,			
3' U. le-yl. Jl-Sp	.75	2.20	15.00
scaberrimus var., Miss Mellish,			
3' U. le-yl. Jl-Spscaberrimus var., Miss Mellish, 5' U. yl. Ag-Sp	.90	2.40	18.00
s. var., Woolly Dodd, 6' U. yl. Ag-Sp			
6' U. yl. Ag-Sp	.90	2.40	18.00
HELIOPSIS			Oxeye Daisy
helianthoides pitcheriana.			
or-yl. Jl-Oc			O M Cy =y
3' U. or-vl. Il-Oc	.90	2.40	18.00
3' U. or-yl. Jl-Oc scabra,—4' U. yl. Jl-Oc	.90 .90 .90	2.40 2.40	

	Three	Per 10	Per 100
HEMEROCALLIS			Day Lily
aurantiaca major, Great Orange Day Lily,—2' Q. dk. or. Jn-Sp.	1.05	3.00	
citrina, Citron Day Lily, 3' Q. le. yl. Jn-Jl dumortieri, Early Day Lily, 1½' Q. br. yl. Ma-Jn	.90	2.40	18.00
dumortieri, Early Day Lily,	.90	2.40	18.00
d. sieboldi.—1½ O. or. vl. In-Il.	.90	2.40	18.00
flava, Lemon Day Lily,	***		10100
d. sieboldi,—1½′ Q. or. yl. Jn-Jl. flava, Lemon Day Lily, 3′ Q. le. yl. Ma-Jnfulva, Tawny Day Lily,	1.20	3.00	
2' Q. rd. or. Jn-Jlluteola, Golden Day Lily,	.75	2.20	15.00
4' Q. gd. yl. Jn middendorfi, Amur Day Lily,	1.20	3.00	21.00
2' Q. gd. or. Jn-Jlthunbergi, Japanese Day Lily,	.90	2.40	18.00
3' Q. le. yl. Jl	.90	2.40	18.00
HYBRID HEME	EROCAI	LLIS	
Apricot.—2' O. or. In	1.05	2.70	
Aureole,-3' Q. or. yl. Ma-In.	.90	2.40	
Dr. Regel,—1½ Q. or. yl. Ma-Jn.	.90	2.40	
Apricot,—2' Q. or. Jn	.90	2.40	18.00
2½' Q. br. or. (db). Jn-Jl Orangeman,—3' Q. or-yl. Jn-Jl.	.90 .90	2.40 2.20	15.00
HEPATICA			Hepatica
*acutiloba, Sharplobe Hepatica,			Trepunca
6" H. wt-pp. Ap-Ma *triloba, Roundlobe Hepatica,	.90	2.40	18.00
6" H. pn-pp. Ap-Ma	.90	2.40	18.00
HEUCHERA			Alum Root
*sanguinea, Coral Bells, 15" F. cr. Jn-Sp	1.05	2.70	20.00
*s. alba, White Coral Bells, 15" F. wt. Jn-Sp *s. gracillima (gracilis rosea),	.90	2.40	18.00
15" F. cr. rs. Jn-Sp	1.05	2.70	20.00
HIBISÇUS			Rosemallow
moscheutos, Swamp Rosemallow, 4' O. rs. Ag-Sp	.90	2.40	18.00
m. New Giant Marvel Mallows, 4' O. mx. Ag-Sp	.90	2.40	18.00
HOLLYHOCKS (See ALTHEA	rosea)		
HOSTA (Funkia)			Plaintain Lily
caerulea, Blue Plaintain Lily, 18" Q. vl. bl. Jl-Ag	.90	2.40	18.00
18" Q. vl. bl. Jl-Ag lancifolia, Lance-Leaf Plaintain Lily,—2' Q. ll. Ag l. variegata, Wavy-Leaf Plaintain Lily,—1' Q. bl. (vg. fl.). Jn-Jl. ovata—14' Q. ll. [n. vg. fl.]	.90	2.40	18.00
Lily,—1' Q. bl. (vg. fl.). Jn-Jl. ovata,—1½' Q. ll. Jn	.90 . 90	2.40 2.40	18.00 18.00
orata, 12 Q. II. Jii			
(For explanation of Descrip	nive Co	ue see p	uge U4)

78 WYMAN'S FRAMING	HAM	VURSERI	ES
HOSTA—cont'd	Three	Per 10	Per 100
plantaginea grandiflora, Big Plaintain Lily,—1½′ Q. wt. Ag-Sp.	1.50	4.50	39.00
sieboldiana, Cushion Plaintain Lily,—18" Q. lt. bl. Ag	1.20	3.50	
HYPERICUM *repens,—5" O. lt. yl. Ag IBERIS *gibraltarica,	1.20	3.50	St. Johnswort 30.00 Candyluft
12" D. wt. to II. Ma-Jn *sempervirens, Evergreen Candy-	.90	2.40	18.00
tuft,—1' D. wt. Ma *s. Little Gem.	.90	2.40	18.00
6" D. wt. Ma *s. Snowflake,—1' D. wt. Ma	.90 .90	2.40 2.40	18.00 18.00
INULA			Inula
*ensifolia, Swordleaf Inula, 15" V. gd. yl. Jl-Ag	1.20	3.00	24.00
salicina, Willowleaf Inula, 2' V. yl. Jl-Ag	.90	2.40	
IRIS *ALPINE, EARLY FLOWERI	NC IRI	s.	I ris
Blue King,	NG IIV	.S:	
9" S. bl. bk. Mr-Ma Sulphurea,—9" S. yl. Mr-Ma	1.50 1.50		
GERMANICA, GERMAN IRI	S. NAI	MED VAI	RIETIES.
The varieties in this class flower	in June		
Admiral Togo.—15" S. wt. lv	.90	2.40	18.00
Alcazar,—15" S. s. bl-f. pp Amas,—15" S. s. bl-f. vl	1.20 1.20	3.00 3.50	
Amas,—15 5. s. bi-i. vi Atroviolacea,	1.20	5.50	
15" S. s. vl. bl-f. dk. pp Caprice,	.90	2.40	18.00
15" S. s. rs. rdf. dk. rd Charles Dickens,	1.05	3.00	24.00
15" S. s. bl-f. dk. bl	.90	2.40	18.00
Eldorado,—2' S. s. br. yl-f. vl. br. Flavescens,—15" S. wt	.90	2.40	18.00
Flavescens,—15" S. wt	.90	2.40	18.00
Florentina Alba,—15" S. cm. wt.	.90	2.40	18.00
Florentina Blue,—15" S. bl	.90	2.40	18.00
Florentina Alba,—15" S. cm. wt. Florentina Blue,—15" S. bl Garrick,—15" S. s. llf. dk. bl	.90	2.40	18.00
Gen. Grant,—15" S. s. le-f. pp Her Majesty,	.90	2.40	18.00
15" S. s. rs. pn-f. cr Isoline,—2' S. s. rs. ll-f. pp. rs	1.05	3.00	15.00
lohan DeWitt.	.75 .90	2.20 2.40	15.00
15" S. s. ll. blf. pp Juanita,—3' S. lt. bl			
King 2' S a la f	1.05	3.00	24.00
King,—2' S. s. le. yl-f. mn Lohengrin,—18" S. ll. pn	.90	2.40	18.00
Lonengrin, —16 S. II. pn Loreley,	1.05	3.00	25.00
2½' S. s. lt. yl-f. dk. bl	1.05	2.70	20.00
Mme. Chereau,—18" S. wt. vl	.90	2.40	18.00
Mrs. Charles Darwin.			
2′ S. s. wt-f. vl	.90	2.40	18.00
2½′ S. s. lt. vl-f. dk. pp	1.50	4.00	
Pallida dalmatica,—3° S. II. bl	1.20	3.00	24.00
Perfection,—3' S. s. lt. bl-f. bk. pp.	1.05	3.00	

RIS-cont'd	Three	Per 10	Per 100
Princess Victoria Louise,			
2½′ S. s. le. yl-f. bl. rd	1.05	2.70	20.00
Duranan I augicu	1.05	2.70	20.00
Prosper Laugier,	1.05	2.70	20.00
3' S. s. br-f. rd. pp	1.05	2.70	20.00
Purple King,—2' S. pp Queen Caterina,—2' S. It. bl	.90	2.40	18.00
Queen Caterina,—2' S. It. bl	1.20	3.50	27.00
Quaker Lady,			
2½′ S. s. Íl. gy-f. bl	1.20	3.50	30.00
Queen of May,—2' S. rs. pn	.90	2.40	18.00
Rebecca,	.,,	2.10	10.00
	.90	2.40	19.00
2' S. s. gd. yl-f. dk. yl	.90	2.40	18.00
Rhein Nixe,	1.05	2.00	21.00
3' S. s. wt. f. vl. bl	1.05	3.00	21.00
Sherwin Wright,—2' S. gd. yl	1.05	3.00	24.00
William III,—2' S. dk. vl	.90	2.40	18.00
KARMDEEDI IADANEGE I	DIC N	ABARD	ADIETIE
KAEMPFERI, JAPANESE I	K15, IV.	AMED	VARIETIES,
The members of this group flow	er in Jul	y and Au	gust.
Aspasie,—J sg. 1. mv. Dl	1.50	4.00	30.00
Astarte,—) db. l. vl	1.50	4.00	30.00
Aspasie,—3' sg. T. mv. bl Astarte,—3' db. T. vl Babylon,—3' sg. T. rd. pp	1.50	4.00	30.00
Band of Clouds,—3' sg. T. pp Blue Belle,—3' sg. T. dk. bl Blue Bird,—3' sg. T. bl Blue Danube,—3' db. T. dk. bl. Double Blue Belle,	1.50	4.00	30.00
Blue Belle.—3' sg. T. dk. bl	1.50	4.00	30.00
Blue Bird -3' sq. T. bl	1.50	4.00	30.00
Plus Danuba 3' Jb T Jb bl	1.50	4.00	30.00
D II DI D II	1.50	4.00	50.00
Double Blue Belle,	1 50	4.00	20.00
3' db. T. dk. bl	1.50	4.00	30.00
Gold Bound,—3' db. T. wt	1.50	4.00	30.00
Helen Von Sieboldt,			
3' sg. T. dk. pn	1.50	4.00	30.00
Iso-no-Nami,	1130		30.00
	1.50	4.00	30.00
3′ db. T. gy. bl. gd	1.50	4.00	50.00
Maple Cascade,	1 70	4.00	20.00
3' db. T. cr. pp	1.50	4.00	30.00
Navy Blue,			
3' db. T. dk. bl	1.50	4.00	30.00
3' db. T. dk. bl Oscar,—3' sg. T. dk. rd	1.50	4.00	30.00
Painted Lady, -3' sg. T. wt. pn.	1.50	4.00	30.00
	1.50	1.00	20.00
Purple Emperor,	1.50	4.00	20.00
3' sg. T. dk. pp	1.50	4.00	30.00
Purple and Gold,			20.
Purple and Gold, 3' db. T. vl. bl	1.50	4.00	30.00
Pyramid — 3' db II bl	1.50	4.00	30.00
Venus,—3' sg. T. wt William Tell,—3' db. T. wt Zama Forest,—3' sg. T. wt	1.50	4.00	30.00
William Tell -3' db T wt	1.50	4.00	30.00
7 Found 2' T	1.50	4.00	30.00
Lama Porest,—) Eg. 1. Wt	1.50	4.00	50.00
MISCELLANEOUS VARIETIE	ī.S		
*cristata, Crested Iris,	00	0.40	10.00
6" T. lt. bl. Ma	.90	2.40	18.00
nseudacorus Water Flag			
4' T. vl. Ma-In	.90	2.40	18.00
*numila var Bride			
10" S wt Ma	1.05	2.70	20.00
*pumila var., Bride, 10" S. wt. Ma *p. cyanea,—10" S. bl. Ap-Ma			
p. cyanea,—IU" S. bl. Ap-lVla	1.05	2.70	20.00
*p. lutea,—10" S. yl. Ma	1.05	2.70	20.00
(For explanation of Descrip	ating C	do con	0000 641
(z or explanation of Descrip	mie u	me see p	uge or)

IRIS, MISCELLANEOUS VARI	Three	Per 10	Per 100
p. Sambo,			
10" S dk nn An-Ma	1.05	2.70	20.00
siberica,—3' S. bl. In	.90	2.40	18.00
siberica,—3' S. bl. Jns. alba,—3' S. wt. Jn	.75	2.20	15.00
s. orientalis,—3' S. bl. Jn	.90	2.40	18.00
*verna,—18" S. bl. Ma-Jn	.90	2.40	18.00
KNIPHOFIA uvaria, grandiflora, Dayglow			Torchlily
Torchlily, 3' A. sm. rd. Ag-Oc u. nobilis, Giant Torchlily,	.90	2.40	18.00
3' A. G., rd. Ag-Oc u. pfitzeriana,	.90	2.40	18.00
2½' A. or. sc. Ag-Oc	.90	2.40	18.00
LATHYRUS latifolius, Everlasting Pea,			Pea
A' D we wal II So	.90	2.40	18.00
4' P. rs. rd. Jl-Sp Pink Pearl,—4' P. pn. Jl-Sp	.90	2.40	18.00
1 mk 1 earl,—4 1 . pm. ji-3p	.50	2.40	10.00
LAVANDULA officinalis (vera)			Lavender
1' A. lt. bl., fg. Jl-Ag	1.05	2.70	20.00
LEONTOPODIUM *alpinum,—6" D. gy. wt. Jn-Ag	1.20	3.50	Edelweiss 30.00
LIATRIS			Gayfeather
pycnostachya, Cattail Gayfeather. 4' A, rs. pp. Ag-Oc spicata, Spike Gayfeather,	.90	2.40	18.00
3' A. rs. pp. Ag-Oc	.90	2.40	18.00
LILIUM			Lily
auratum, Goldband Lily, 4' R. wt. mn. Jl-Sp canadense, Canadian Lily,	1.50	4.00	30.00
4' R. or. yl. Jl-Agcandidum, Madonna Lily,	.90	2.40	18.00
3' Q. wt. Jn-Jlcarolinianum, Carolina Lily,	1.20	3.50	30.00
3' R. rd. or. Jl-Agelegans, Maroon Lily,	1.05	3.00	
2' R. mn. Jllongiflorum, Easter Lily,	1.05	3.00	
4' Q. wt. Jl-Ag	1.20	3.50	25.00
$4'()$ cm wt $\prod_{\sigma} \Delta \sigma$	1.50	3.50	27.00
regale, Royal Lily,—3' Q. wt. Ag.	1.80	5.50	50.00
regale, Royal Lily,—3' Q. wt. Ag. speciosum album, White Speciosum Lily,—3' R. wt. Ag-Sp spec. rubrum, Red Speciosum	2.25	6.00	50.00
Lily,—3' R. pn. rs. Ag-Sp superbum, American Turkscap Lily,—3' R. rd. or. Jl	1.20	3.50	25.00
Lily,—3' R. rd. or. Jl tigrinum, Tiger Lily,	1.05	2.70	20.00
4' R. or. Ag	.90	2.40	20.00

LILY-OF-THE-VALLEY—See Co	Three ONVAL	Per 10 LARIA	Per 100
LIMONIUM *latifolium, Bigleaf Sea Lavender,			Sea Lavender
2' B. Il. bl. Jl-Sp	.90	2.40	18.00
LINARIA *cymbalaria, Kenilworth Ivy, 3" G. ll. bl. Jn-Ag	.90	2.40	Toadflax
LINUM			Flax
*narbonnense, Narbonne Flax, 18" O. bl. Ma-Jn *perenne,—18" O. bl. Ma-Ag	1.05 .90	2.70 2.40	20.00 18.00
LITHOSPERMUM *Heavenly Blue, Shrubby Gromwell,—6" N. bl. Ag	2.00	8.00	Gromwell
	3.00	6.00	7 7 1
LOBELIA cardinalis, Cardinal Flower,			Lobelia
3' A. sc. Jl-Agsyphilitica, Large Blue Lobelia,	.90	2.40	18.00
2' A. bl. Ag-Sp	.90	2.40	18.00
LOTUS			Trefoil
corniculatus, Birdsfoot Trefoil, 4" P. yl. Jl-Ag	1.05	3.00	
LUPINIUS			Lupine
polyphyllus, Washington Lupine, 3' A. bl. Jn-Sp p. albus, White Washington Lupine, -3' A. wt. Jn-Sp	.90	2.40	18.00
pine,—3' A. wt. Jn-Sp	.90	2.40	18.00
moerheimi, Moerheim Lupine, 3' A. It. pn. Jn-Sp Hybrids,—3' A. mx. Jn-Sp	1.05 1.05	2. 7 0 2. 7 0	20.00 20.00
LYCHNIS			Campion
*alpina, Arctic Campion, 4" C. rs. pn. Ag chalcedonica, Maltese Cross,	1.05	2.70	20.00
$2\frac{1}{2}$ D. or. sc. Jn-Ag	.90	2.40	18.00
viscaria splendens, Rosepink Cam- pion,—1½ B. rs. pn. Jn	.90	2.40	18.00
v. splendens florepleno, 15" B. rs. db. Jn-Jl	.90	2.40	18.00
LYSIMACHIA			Loosestrife
clethroides, Clethra Loosestrife, 2' F. wt. Jl-Sp	.90	2.40	18.00
*nummularia, Moneywort, 4" O. yl. Jn-Ag	.75	2.20	15.00
LYTHRUM	./ 5	2.20	Lythrum
alatum, Winged Lythrum, 3' A. dk. pp. Ag-Oc salicaria roseum, Rose Loosestrife,	.90	2.40	18.00
salicaria roseum, Rose Loosestrife, 4' A. rs. Jl-Sp	.90	2.40	18.00
4' A. rs. Jl-Sps. roseum, Perrys Variety, 4' A. rd. Jl-Sp	.90	2.40	18.00
(For explanation of Descrip	tive Cod	le see p	age 64)

MALVA	Three	Per 10	Per 100 Mallow
alcea, Hollyhock Mallow, 2' O. pn. Jl-Sp	.90	2.40	18.00
moschata, Musk Mallow, 2' O. rs. Jl-Sp m. alba,—2' O. wt. Jl-Sp	.90	2.40	18.00
m. alba,—2' O. wt. Jl-Sp MAZUS	.90	2.40	18.00
*rugosus,—4" G. bl. Jn	1.05	2.50	20.00
MENTHA			Mint
piperita, Peppermint, 18" A. Il. (fg. fl.) Jl-Ag *requieni, Requien Mint,	.75	2.20	15.00
3" G. mn. (fg. fl.) Jl-Ag spicata, Spearmint,	1.05	2.70	20.00
18" A. pp. Jl-Ag MERTENSIA	.90	2.40	18.00 Bl uebe l l
*virginica, Virginia Bluebells, 18" N. bl. pn. Ap-Jn	.90	2.40	18.00
MITCHELLA			
*repens, Partridge Berry, 3" N. wt. Jl., ev. fl., cr. fr	.90	2.40	18.00
MONARDA didyma, Oswego Bee Balm, 3' V. sc. Jl-Ag	00	2.40	Bee Balm
d. Cambridge Scarlet,	.90	2.40	18.00
3' V. cr. sc. Jl-Ag	.90	2.40	18.00 Forget-me-not
*dissitiflora, Swiss Forget-me-not, 8" F. bl. Ma-Jl	.75	2.20	15.00
*scorpioides semperflorens, 8" F. lt. bl. Jn-Sp	.75	2.20	15:00
NEPETA			Catnip
*hederacea (glechoma), Ground Ivy,—3" G. lt. bl. Ma-Jn *mussini, Mussini Catnip,	.90	2.40	18.00
1' B, lt. bl. Ma-Sp. fg. fl	1.05	2.70	20.00
NIEREMBERGIA *rivularis, Whitecup,			Cupflower
6" O. cm. wt. Jn-Ag OENOTHERA	1.05	2.70	20.00 Sundrops
*missouriensis, Ozark Sundrops, 10" O. yl. Jn-Ag	1.20	3.00	25.00
fruticosa major, Bush Sundrops, 2' O. dk. yl. Jn-Sp	.90	2.40	18.00
f. youngi, Youngs Sundrops, 2' O. le. yl. Jn-Ag	.90	2.40	18.00
OPUNTIA			Cactus
*humifusa,—1' O. yl. Jn-Jl *missouriensis,—6" O. yl. Jn-Jl	1.50 1.50	4.00 4.00	
PACHISTIMA *canbyi,—6" ev. fl	1.95	5.00	Pachistima 40.00
PACHYSANDRA *terminalis,—8" ev. fl.		_	panese Spurge
2 yr. from pots	1.20 1.50	2.50 3.00	18.00 21.00

	Three	Per 10	Per 100
PAEONIA			Peony
Period of bloom is mid-June-			
Albert Crousse,—3' X. wt	2.25	6.00	
Augustin d'Hour, +3' X. rd	3.00	9.00	
Beaute Française,—2' X. II. rs	2.25	6.00	
Comte de Nippon,—3' X. wt	2.25	6.00	
Couronne d'Or,—3' X. wt	2.25	6.00	
Dr. Bretonneau,—3' X. II. wt	2.25	6.00	
Albert Crousse,—3' X. wt Augustin d'Hour,—3' X. rd Beaute Francaise,—2' X. ll. rs Comte de Nippon,—3' X. wt Couronne d'Or,—3' X. wt Dr. Bretonneau,—3' X. ll. wt Dorchester,—2' X. pn Duchesse de Nemours,	2.70	8.00	
Duchesse de Nemours, 2½' X. wt	2.70	8.00	
Edulis Superba,—22 X. It. pn	2.25	6.00	
Felix Crousse,—3 X. rd	3.00	9.00	50.00
Festiva maxima,—3' X. wt	2.25	6.50	50.00
Floral Treasure,—3' X. II. rs	2.25	6.00	
Francois Ortegat,—3' X. pp. cr	2.25	6.00	
Fulgida,—2½ X. rs. mg	2.25	6.00	
General Bertrand,—3' X. pn	2.25	6.00	
Golden Harvest,			
2' X. I. rs. fg	2.25	6.00	
Humei,—3' X. pn	2.25	6.00	
Lady Bramwell,—3' X. pn	2.25	6.00	
La Sublime,—3' X. cr. fg	2.25	5.00	
2' X. II. rs. fg Humei,—3' X. pn Lady Bramwell,—3' X. pn La Sublime,—3' X. cr. fg Louis VanHoutte,—3' X. pp	2.70	8.00	
Mine. Auguste Dessert,			
3' X lt. pn	6.00	18.00	
Mme. de Verneville,—3' X. wt	2.70	8.00	
Mons. Jules Elie,—3' X. pn	3.75	11.00	
Officialis rosea,—18" X. pn	2.25	7.00	
Mme. de Verneville,—3' X. wt Mons. Jules Elie,—3' X. pn Officinalis rosea,—18" X. pn Officinalis rubra,—18" X. cr	3.00	9.00	
Rosea piena superba.			
18" X. pn. sm	1.80	5.00	
Solfatare,— $2\frac{1}{2}$ X. cm. wt	2.70	8.00	
Double pink, double red, and			
double white	1.50	4.00	
PAPAVER			Poppy
*alpinum, Alpine Poppy,			
6" O. wt. Jn-Sp	1.05	2.70	21.00
*aninum Orange	1.05	2.70	21.00
*apinum Orange, 6" O. or. Jn-Sp	1.05	2.70	21.00
*alpinum roseum,	1105	2	21.00
6" O. pn. Jn-Sp	1.05	2.70	21.00
*hudicaule, Iceland Poppy,	1103	2.70	21.00
1' O. wt. yl. or. Ma-Ag	.90	2,40	18.00
orientale, Oriental Poppy,	.,,	2.10	10.00
2' O. sc. or. Ma-Jl	.90	2.40	18.00
orientale hybrids, varieties	1.50	4.00	30.00
Cerise Beauty,	1150		30.00
21' O as Ma II	Ovio	ntal King,	
$2\frac{1}{2}$ O. cs. Ma-Jl. Goliath,— $2\frac{1}{2}$ O. sc. Ma-Jl.		O. cr. s	. Ma. II
Mrs. Perry,			
$2\frac{1}{2}$ O. sm. pn. Ma-Jl.	21	en Alexano ¡'O. rs. pi	Ma-II
Oriflamme,		al Scarlet,	1110-J1.
$2\frac{1}{2}$ O. or. sc. Ma-Jl.		i' O. sc. N	la-II
22 O. or. sc. ivra-jr.	42	, O. SC. IV	14 J1.
(For explanation of Descriptive Code see page 64)			

PENTSTEMON	Three	Per 10	Per 100 Pentstemon
*arizonicus, 8" N. pp. bl. Jl-Ag diffusus, Bushy Pentstemon,	1.20	3.50	27.00
12 N. It. bl. n-	.90	2.40	18.00
laevigatus digitalis, Foxglove Pentstemon,—3' B. wt. Jn-Jl	.90	2.40	18.00
torreyi, Torrey Pentstemon, 2½ B. sc. Jl-Ag	.90	2.40	18.00
PHALARIS arundinacea variegata, Ribbon			
Grass,—1½′ vg. flPHLOX	.90	2.40	18.00 Phlox
PANICULATA VARIETIES: Albion,—2½ B. wt. Jl-Ag	.75	2.20	15.00
Annie Cook, 2½ B. lt. pn. Il-Ag	.90	2.40	18.00
2½' B. lt. pn. Jl-Ag B. Comte,—2½' B. dk. rd. Ag-Sp. Baron_van_Dedem,	.90	2.40	18.00
2' B. sm. rd. Ag-Sp Beacon,—2½' B. rd. Ag-Sp Blue Hill,—2½' B. lt. bl. Ag-Sp.	.90	2.40	18.00
Beacon,—22 B. rd. Ag-Sp	.90	2.40	18.00
Blue Hill,—2½ B. It. bl. Ag-Sp.	1.05	3.00 2.40	24.00
Bridesmaid,—2½ B. wt. Ag-Sp.	.90	2.40	18.00
Commander,—2½ B. rd. Ag-Sp.	1.05	3.00	24.00
Coquelicot, 2½ B. or. sc. Ag-Sp.	1.05	3.00	24.00
Bridesmaid,—2½' B. wt. Ag-Sp. Commander,—2½' B. rd. Ag-Sp. Coquelicot, 2½' B. or. sc. Ag-Sp. Debs,—2½' B. cr. Ag-Sp Deutschland,	1.20	3.50	
2½ B or rd Ag-Sp	1.05	3.00	24.00
2½' B. or rd. Ag-Sp Eclaireur,—2½' B. dk. rd. Ag-Sp. Elizabeth Campbell,	.90	2.40	18.00
2' B. sm. nn. Ag-Sn.	1.05	3.00	24.00
2' B. sm. pn. Ag-Sp Etta's Choice,—2' B. wt. Sp	.90	2.40	18.00
Europa,—2' B. wt. Ag	.90	2.40	1800
F. G. von Lassburg, 3' B. wt. Sp	.90	2.40	18.00
Frau Anton Buchner, 3' B. wt. Ag	.90	2.40	18.00
Gruppenkoenigin, 2' B. lt. pn. Ag	.90	2.40	18.00
Julius Heurlin,	00	2.40	10.00
Z B. It. sm. pn. JI-Ag	.90	2.40	18.00
Jules Sandeau,—2 B. pn. Ag-Sp.	1.05	3.00	24.00
L'Esperance,—2' B. lv-pn. Ag	.90	2.40	18.00
Mia Ruys,—1' B. wt. Ag-Sp	1.20	3.50	30. 0 0
2' B. It. sm. pn. Jl-Ag Jules Sandeau,—2' B. pn. Ag-Sp. L'Esperance,—2' B. lv-pn. Ag Mia Ruys,—1' B. wt. Ag-Sp Mrs. Jenkins,—2½' B. wt. Ag-Sp. Mrs. Milly von Hoboken,	.90	2.40	18.00
$2\frac{1}{2}$ B. pn. Ag-Sp	1.05	2.70	20.00
Pantheon.—2½ B. rs. Ag	.90	2.40	18.00
2½ B. pn. Ag-Sp Pantheon,—2½ B. rs. Ag Peachblow,—18" B. lt. pn. Ag Professor Verchow.	.90	2.40	18.00
Professor Verchow, 2½' B. or. sc. Ag-Sp Richard Wallace,	.90	2.40	18.00
3' B. wt. Ag-Sp	.90	2.40	18.00
3' B pp em Ag Sp	.90	2.40	18.00
Runstrom 21/ R 1 1	.90	2.40	18.00
T		2.70	20.00
3' B. pn. sm. Ag-Sp	1.05	2.40	18.00
W. C. Egan,—12 B. II. Ag	.90		
Widar,—18" B. rd. vl. Ag-Sp.	.90	2.40	18.00

PHLOX—cont'd DWARF OR CREEPING SO	Three ORTS	Per 10	Per 100
*amoena, Amoena Phlox, 6" D. pn. Ap-Ma	.90	2.40	18.00
*divaricata, Wild Blue Phlox, 1' C. ll. bl. Ma-Jn	1.20	3.00	24.00
*divaricata, Wild Blue Phlox, 1' C. ll. bl. Ma-Jn *d. alba,—1' C. wt. Ma-Jn *d. Laphami,—1' C. dk. bl. Ma-Jn.	.90 1.20	2.40 3.00	18.00
*ovata, Mountain Phlox, 1' C. lt. rd. Jn-Jl *subulata, Moss Pink,	.90	2.40	
4" G. It. pn. dk. pn. Ma-Jn *s. alba, White Moss Pink,	.75	2.20	15.00
4" G. wt. Ma-Jn	.75	2.20	18.00
Pink,—4" G. II. bl. Ma-Jn *s. lilacina,—4" G. II. Ma-Jn *s. nelsoni,—4" B. wt. Ma-Jn *s. The Bride,—4" G. wt. Ma-Jn *s. Washing and a second and	.75	2.20	15.00
*s. lilacina,—4" G. ll. Ma-Jn	.75	2.20	15.00
*s. nelsoni,—4" B. wt. Ma-Jn	.75	2.20	15.00
*s The Bride -4" G wt Ma-In.	.90	2.40	18.00
*s. Vivid,—4" G. rs. pn. Ma-Jn	1.50	4.00	36.00
s. vivid,—4 G. is. pii. ivia~jii	1.50	7.00	50.00
suffruticosa, Miss Lingard, 2½′ B. lt. ll. Jn-Jlsuf., Rose Queen,	.90	2.40	18.00
2' B. dk. pn. Jn-Jl	.90	2.40	18.00
PHYSALIS			
francheti, Chinese Lantern, 18" J. wt. Jn., or. fr	.90	2.40	18.00
PHYSOSTEGIA			
virginiana, False Dragonhead,			
3' A. dk. pn. Jl-Sp v. alba,—3' A. wt. Jl-Sp	.90 .90	2.40 2.40	18.00 18.00
*grandiflora, Vivid, 15" A. dk. pn. Jl-Sp	.90	2.40	
PLATYCODON grandiflorum, Balloonflower,			
18" M. bl. Jn-Oc	.90	2.40	18.00
18" M. wt. Jn-Oc	.90	2.40	18.00
12" M. bl. Jn-Oc	.90	2.40	18.00
PLUMBAGO larpentae, See CERA	TOSTI	GMA plun	
POLEMONIUM caeruleum, Greek Valerian,			Polemonium
1½' B. bl. Jn-Sp	.90	2.40	18.00
	.90	2.40	18.00
POLYGONUM			Fleeceflower
cuspidatum (sieboldi), Japanese Fleeceflower,—5' B. wt. Ag-Sp.	1.05	2.70	20.00
filiforme variegatum, Marbled Jumpseed,—18" B. wt. Ag-Sp.	.90	2.40	18.00
(For explanation of Descrip	otive C	ode see p	page 64)

POTENTILLA	Three	Per 10	Per 100 Cinquefoil
atrosanguinea, Himalayan Cinquefoil,—18" O. cr. Jn-Ag flagelliformis,—9" O. yl. or. Jn.	.90 1.20	2.40 3.50	18.00 25.00
*nepalensis, Miss Willmott, I' O. cs. pn. Ag *pyrenaica, Pyrenees Cinquefoil,	1.05	2.70	20.00
1' O. gd. vl. 11-Ag	.90	2.40	18.00
*tridentata, Wineleaf Cinquefoil, 1' C. wt. (ev. fl.). Jn-Ag	.90	2.40	18.00
PRIMULA			Primrose
*acaulis, English Primrose, 8" D. lt. yl. Ma-Jn	1.05	2.70	20.00
*cortusoides, Bigleaf Primrose, 6" D. mx. Ma-Jn *polyantha, Munstead strain,	.90	2.40	
10" D. yl., or., wt. Ma-Jn *veris, Cowslip Primrose,	.90	2.40	18.00
6" D. yl. wt. Ap-Ma	.90	2.40	18.00
PRUNELLA			Sel fheal
*grandiflora, Great Selfheal, 10" B. vl. bl. Jn-Jl *webbiana, Webb Selfheal,	.90	2.40	18.00
1' C. pp. Jn-Sp	.90	2.40	18.00
PYRETHRUM—See CHRYSANT	THEMU	M coccine	um
RANUNCULUS acris florepleno,			Buttercup
2' H. gd. yl. Ma-Sp	.90	2.40	18.00
repens, Creeping Buttercup, 8" H. gd. yl. Ma-Jl	.90	2.40	18.00
RUDBECKIA			Coneflower
fulgida, Orange Coneflower, 2' U. or. yl. Ag-Sp laciniata, Golden Glow,	.75	2.20	15.00
5' V. gd. yl. Jl-Spspeciosa (newmanni), Showy Coneflower,	75	2.20	15.00
2' V. or. yl. Jl-Oc	.90	2.40	18.00
SALVIA			Sage
azurea grandiflora, Great Azure Sage,—3' B. It. bl. Ag-Sp a. Pitcheri,—3' B. dk. bl. Sp-Oc.	.90 1.05	2.40 2.70	18.00
*sclarea, Common Clary, 2½' B. lv. pn. Jl-Sp	1.50	4.00	
SANGUINARIA *canadensis,—6" O. wt. Ap-Ma	.75	2.20	Bloodroot 15.00
SANTOLINA		L	avender Cotton
*chamaecyparissus, 1½' A. gy., ev. fg. fl	.90	2.40	18.00
SAPONARIA			Soapwort
*ocymoides, Rock Soapwort, 6" C. pn. Ma-Ag	1.05	2.70	20.00

SATUREIA	Three	Per 10	Per 100 Savory
			Savory
*alpina (Calamintha alpina), Alpine Savory,—8" A. fg. fl	.90	2.40	18.00
*montana, Winter Savory, 12" A. ev. fg. fl	1.20	3.50	
SAXIFRAGA			Saxifrage
*cordifolia, Heartleaf Saxifrage, 15" C. rs. Ap-Ma	1.05	3.00	20.00
*crassifolia, Leather Saxifrage, 15" C. pn. Ap-Jn *McNabiana,—10" C. wt. Ma-Jn.	1.05	2.70	20.00
*Rhei superba,	1.05	2.50	20.00
6" C. rs., Ap-Ma., ev. fl SCABIOSA	1.20		Scabiosa
caucasica, Caucasian Scabiosa,			
18" U. II. bl. Jn-Sp c. alba, White Caucasian	1.05	2.70	21.00
Scabiosa,—18" U. wt. In-Sp.	1.20	3.50	30.00
japonica, Japanese Scabiosa, 18" U. bl. Jl-Sp	.90	2.40	18.00
SEDUM			Stonecrop
*acre, Golden Moss, 4" G. yl. Ma-Jn	.75	2.20	15.00
*album, White Stonecrop, 4" wt. Jl-Ag	.75	2.20	15.00
*dasyphyllum, Leafy Stonecrop, 2" ev. fl	1.05	3.00	25.00
hispanicum, 3" gy. gn. fl	.90	2.40	18.00
*kamtschaticum, Orange Stone- crop,—6" yl. Jl-Ag *lydium, Lydian Stönecrop,	.75	2.20	15.00
*lydium, Lydian Stonecrop,			
2" ev. fl*pruinatum fosterianum,—4" bl. fl.	. 7 5 .90	2.20 2.40	15.00 18.00
*pruinatum fosterianum,—4" bl. fl. *sarmentosum, Stringy Stonecrop, 2" yl. Jl*sexangulare, Hexagon Stonecrop,	.90	2.40	
*sexangulare, Hexagon Stonecrop, 3" br. fl	.90	2.40	18.00
3" br. fl *sieboldi, Siebold Stonecrop, 4" rs. pn., bl-gy. fl. Ap-Sp	1.05	2.70	20.00
4" rs. pn., bl-gy. fl. Ap-Sp *spectabile, Showy Stonecrop, 1' D. rs. pn. Ag-Sp	.75	2.20	15.00
*spectabile, Brilliant,	.75	2.20	15.00
1' D. dk. pn. Sp			
4" pn. Jl-Ag SEMPERVIVUM	.90	2.40	18.00 House Leek
*arachnoideum, Spiderweb House-			110use Deci
leek.—3" ev. fl	.75	2.20	15.00
globiferum, Globe Houseleek, 6" gy. fl *tectorum, Roof Houseleek,	.75	2.20	15.00
6" ev. fl	.75	2.20	15.00
SHORTIA			
*galicifolia, Oconee Bells, 9" A., wt., Jn., ev. fl	1.20	3.50	
(For explanation of Descrip			age 64)

SIDALCEA	Three	Per 10	Per 100 Prairiemallow
Rosy Gem, Rose Prairiemallow, 2' B. rs. pn. Jn	.90	2.40	18.00
SILENE *alpestris, Alpine Catchfly,			Catchfly
4" G. wt. Ma-Jn*schafta, Schafta Catchfly,	1.05	3.00	24.00
4" I. rs. pn. Jn-Sp SILPHIUM	.90	2.40	18.00 Rosinweed
perfoliatum, Cup Rosinweed, 6' U. yl. Jl-Sp	.90	2.40	18.00
STACHYS			Woundwort
grandiflora superba, Mauve Beto- ny,—18" A. pp. Jl-Sp *lanata, Woolly Betony,	.90	2.40	18.00
1′ B. pp. Jl	.90	2.40	18.00
STATICE *armeria (Armeria maritima),			Thrift
Common Thrift, 6" W. pp. rs. Ma-Jn *a. alba (A. maritima alba),	.75	2.20	15.00
White Common Thrift, 6" W. wt. Ma-Jn	.90	2.40	18.00
*a. laucheana (A. laucheana), Rosalie,—6" W. rs. Jn-Ag *pseudo-armeria rubra (A. ceph-	.75	2.20	15.00
alotes rubra), 1' W. rs. rd. Jl-Ag See also LIMONIUM	.90	2.50	20.00
STOKESIA		*	Stokes Aster
laevis (cyanea), Stokesia, 1' V. lv. bl. Jl-Oc 1. alba, White Stokesia,	.90	2.40	18.00
1' V. wt. Jl-Oc	.90	2.40	18.00
TEUCRIUM			Germander
*chamaedrys, Chamaedrys' Ger- mander,—8" A. rs. Jl-Sp *orientale, Oriental Germander,	.90	2.40	18.00
8" A. vl. bl., ev. fl	1.50	4.00	30.00
THALICTRUM aquilegifolium, Columbine			Meadow Rue
Meadowrue, 3' C. cm. Ma-Jl a. purpureum, Purple Columbine	.90	2.40	18.00
Meadowrue, 3' C. pp. Ma-Jl	.90	2.40	18.00
dipterocarpum, Yunnan Meadow- rue,—4' C. vl-mv. Ag-Sp *minus adiantifolium, Maiden-	1.05	3.00	2 4.00
hair Meadowrue, 2' C. cm. yl., Jn-Jl. gy. fl	.90	2.40	18.00
THERMOPSIS			Thermopsis
caroliniana, Carolina Thermopsis, 3' A. yl. Jn-Jl	1.20	3.00	

HARDITER	EIVIVIA.	LS	09
THYMUS	Three	Per 10	Per 100 Thyme
*serpyllum, Mother-of-Thyme, 6" G. Il., Jl-Ag, fg. ev. fl *s. album, White Mother-of-	.90	2.40	18.00
Thyme, 4" G. wt., Jl-Ag. fg. ev. fl *s. citiodorus, Lemon-scented,	1.05	2.70	20.00
Thyme, 4" G. pn. Jl-Ag. fg. fl *s. coccineum, Crimson Thyme,	.90	2.40	18.00
4" G. cr. Jl-Ag. fg. fl	1.05	2.70	20.00
4" G. rd. pn., Ag. fg. gy. fl	.90	2.40	18.00
TIARELLA *cordifolia, Alleghany Foamflow-			Foamflower
er,—10" B. cm. wt. Ma-Jn	.90	2.40	18.00
TRADESCANTIA virginiana, Virginia Spiderwort,			Spiderwort
2' D. vl. bl. Jl-Ag	.90	2.40	18.00
TRILLIUM *erectum, Purple Trillium,			Trillium
9" br. pp. Ma*grandiflorum, Snow Trillium,	.75	2.20	15.00
9" wt. Ma	.75	2.20	15.00
TRITOMA (See KNIPHOFIA)			
TROLLIUS asiaticus, Siberian Globeflower,			Globeflower
18" H. or. Ma-Jneuropaeus, Common Globeflower,	1.50	4.00	
l½' H. le. yl. Ma-Ag	1.50	4.00	36.00
TUNICA *saxifraga, Saxifrage Tunicflower,			Tunicflower
6" Ö. rs. pn. Jn-Sp *s. alba,6" O. wt. Jn-Sp	.90 .90	2.40 2.40	18.00 18.00
VALERIANA		Con	nmon Valerian
officinalis, Garden Heliotrope, 4' C. pn. lv. Jn	.90	2.40	18.00
VERBASCUM			Mullein
phoeniceum, Purple Mullein, 3' B. pp-mv. Jl-Ag	1.05	3.00	
VERONICA			Speedwell
*incana, Woolly Speedwell, 1' A. vl. bl. Jl-Ag	.90	2.40	18.00
longifolia subsessilis, Člump Speedwell,—2' A. bl. Jl-Ag	1.20	3.50	25.00
*repens, Creeping Speedwell, 3" M. bl. Ma-Jn	1.05	2.70	20.00
*rupestris, Heavenly Blue, 4" A. bl. Ma-Jn	1.50	4.00	
*r. Trehani, 4" A. bl., Ma-Jn. yl. gr. fl	.90	2.40	
(For explanation of Descrip	otive Co	de see p	age 64)

	Three	Per 10	Per 100
VERONICA—cont'd spicata, Spike Speedwell,			
18" A. bl. Jn-Jl	.90	2.40	18.00
s. alba, White Spike Speedwell, 18" A. wt. Jn-Jl *spuria (amethystina), Bastard	.90	2.40	18.0 0
Speedwell, 18" A. dk. bl. Ma-Jn	.90	2.40	18.00
*s. True Blue, 12" A. dk. bl. Jn-Ag	.90	2.40	
VINCA			Periwinkle
*minor, Common Periwinkle, 6" O. bl., Jn-Sp. ev. fl	.75	2.20	15.00
*m. alba, White Periwinkle, 6" O. wt., Jn-Sp. ev. fl	1.20	3.50	33.00
VINCETOXICUM (See CYNAN	CHUM)		
VIOLA	·		Viole
*alpina, Alpine Violet, 6" wt. Il-Ag	.90	2.40	
6" wt. Jl-Ag *cornuta, Tufted Pansy, 8" lt. bl. Ap-Oc	.90	2.40	18.00
*c. alba, White Tufted Pansy, 8" wt. Ap-Oc	.90	2.40	18.00
*c. atropurpurea. Purple Tufted			
Pansy,—8" vl. bl. Ap-Oc *c. G. Wermig,	.90	2.40	18.00
8" dk. bl. Ap-Ma	.90	2.40	18.00
6" at. Ap-Oc	1.20	3.00	24.00
8" vl. bl. Ap-Ma* *Iersev Gem.—8" vl. bl. Ap-Oc	.75 1.05	2 .2 0 3.00	15.00 20.00
*odorata, Single Russian Violet, 6" bl. Ap-Jn	.90	2.40	18.00
*pedata, Bird-foot Violet, 6" pp. Jn-Jl	.90	2.40	18.00
*Blue Perfection, 6" mv. Jn-Sp	.7 5	2.20	15.00
*lutea splendens, 6" gd. yl. Jn-Sp	.75	2.20	15.00
*White Perfection, 6" wt. Jn-Sp	.75	2.20	15.00
/UCCA filamentosa, Common Yucca, 5' B. cm wt. Jn-Jl. 2 yrs	.90 1.05	2.40 3.00	18.00

INDEX

Page	Page
Abiec 5 6	Roltonia
Abies	Boltonia69
Acacia	Boston Ivy—See Ampelopsis tricuspidata Bridalwreath .52 Buckthorn .49
Acanthopanax	pelopsis tricuspidata
Acer25, 26	Bridalwreath52
Acanthopanax	Buckthorn49
Aconite	Buddleia40
Aconitum 65 Actinidia 57 Adiantum 74 Aegopodium 65 Aethionema 65 Agrostemma—See Lychnis 65 Ajuga 65 Akebia 57 Almond, Flowering 49 Althea 45, 65 Alyssum 66 Alum Root 77 Amelanchier 37 Ampelopsis 57 Amsonia 66 Anchusa 66 Andromeda 22	Rughane 71
A atinidia 57	Bugbane
A d'automo 74	Dugle
Adiantum/4	Bugle 65 Bugloss 66 Burning Bush 44 Buttercup 86 Butterfly Bush 40 Butterfly-Weed 67 Butternut 30 Buttonbush 41
Aegopodium65	Burning Bush44
Aethionema65	Buttercup86
Agrostemma—See Lychnis	Butterfly Bush
Airra 65	Rutterfly-Weed 67
Altabia 57	Dutterny Weed
ARCDIA	Butternut
Almond, Flowering49	Buttonbush41
Althea45, 65	
Alyssum	Cactus82
Alum Root	Callirhoe
Amelanchier 37	Calluna 19 20
Ampeloncie 57	Calycanthus41
Amperopsis	Cary carrinus
Amsonia00	Camomile66
Anchusa66	Campanula
Andromeda22	Campion81
Androsace	Campion 81 Candytuft 78 Caragana 41 Cardinal Flower 81 Carpinus 27 Cassia 70
Anemone	Caragana 41
Anemone .66 Antennaria .66 Anthemis .66 Aquilegia .67 Arabis .67 Aralia .26 .37 Arborvitae .15 .16 .17 .18 Arbutus .73 Arctostaphylos .19 Arenaria .67 Aristolochia .57 Armeria—See Statice .88 Aronia .38	Cardinal Flower 01
Anteniaria	Cardinal Plower
Anthemis00	Carpinus2/
Aquilegia6/	Cassia
Arabis67	Catalpa
Aralia	Cassia 70 Catalpa 27 Catchfly 88 Catnip 82 Ceanothus 41 Cedar 9
Arborvitae 15 16 17 18	Catnin 82
Arbutus 73	Cannothus 41
A moto atoph-los	Codes
Arctostaphylos	Ceual
Arenaria	Celastrus5/, 58
Aristolochia57	Centaurea70
Armeria—See Statice88	Cedar .9 Celastrus .57, 58 Centaurea .70 Centranthus .70
Aronia38	Cephalanthus 41
Arrow-wood55	Cephalanthus
Artemisia	Compataghierma
	Cerastostigma
Asclepias67	Cercidiphylum2/
Aschi	Cercis
Ash, Mountain34, 35	Chalk-plant .76 Chamaecyparis .6, 7 Cheiranthus .70
Asperula	Chamaecyparis
Asplenium 74	Cheiranthus 70
Actor 69 88	Chelone 70
A - 4:11-	Chelone
	Cherry, Ornamental
Athyrium/4	Chinese Lantern85
Aubrietia69	Chionanthus27
Avens76	Chokeberry38
Athyrium 74 Aubrietia 69 Avens 76 Azalea 38, 39, 40	Chrysanthemum70, 71
	Cimicifuga 71
Bahy's Breath 76	Chionanthus 27 Chokeberry 38 Chrysanthemum 70, 71 Cimicifuga 71 Cinquefoil 86 Cladrastis 27 Claractic 59
Palloan downer of	Cladragia
Dantini Wei	Clamatia
Daptisia	Ciciliatis
Barberry40	Clethra41
Bayberry48	Coffeetree29
Bearberry19	Coffeetree 29 Columbine 67 Coneflower 73, 86 Convallaria 71 Coptis 71
Beautybush46	Coneflower
Bedstraw 75	Convallaria 71
Pag Palm 92	Contic 71
Dec Dallii	Compile
Baby's Breath .76 Balloonflower .85 Baptisia .69 Barberry .40 Bayberry .48 Bearberry .19 Beautybush .46 Bedstraw .75 Bee Balm .82 Beech .29 Bellis .69	Corangerry
Bellis69	Coreopsis/1, 72
Bellflower	Coptis 71 Coralberry 53 Coreopsis 71, 72 Corktree 32 Corn Flower 70 Cornus 28, 41, 42 Coronilla 72 Cotonacter 42, 43
Berberis40	Corn Flower70
Betula	Cornus
Bignonia 57	Coronilla 72
Birch 126 27	Cotoneaster .42, 43 Cotton .86 Cowslip .86
Distance 57 50	Cotton 04
Dittersweet	Complin
Dittersweet, Evergreen-	Cowship86
See Wintercreeper	Crap, Ornamental30, 31, 32
Blanket Flower	Cranberry Bush55, 56
Bleeding Heart	Cranesbill
Blistercress	Crataegus
Betula .26, 27 Bignonia .57 Birch .26, 27 Bittersweet .57, 58 Bittersweet, Evergreen— See Wintercreeper Blanket Flower .75 Bleeding Heart .73 Blistercress .74 Blue Bells .82	Cowslip 86 Crab, Ornamental 30, 31, 32 Cranberry Bush 55, 56 Cranesbill 76 Crataegus 28, 29 Creeper 21, 57 Crosswort 72 Crownvetch 72
Blueberry55	Crosswort 72
Bloodroot86	Crownwetch 72
Diood100180	CIOWIIVELCII/2

Page	Page
Crucianella 72 Cryptogramma 74 Cupflower 82 Cydonia 43	Gymnocladus 20
Cryptogramma	Gymnocladus
Cupflower 82	Сурзорина
Ordonia 43	Holonia 90
Cynanchum72	Hamanalia
	Trainamens43
Daisy 69 Daphne 20 Delphinium 72 Dennstedtia .75 Deutzia .43, 44 Devil's Walking Stick .26 Dianthus .72, 73 Dicentra .73 Dicytalis .73 Digitalis .73	Halesia 22 Hamamelis 44 Hawthorn 28, 22 Heath 22 Heather 19, 22 Helenium 76 Helianthemum 76 Helianthemum 76 Heliopsis 77 Heliotope 88 Hemerocallis 77 Hemlock 11 Hemplock 17 Hemplock 17 Hemplock 17 Hemplock 17 Hemplock 17
Daisy	Heath20
Daphne20	Heather19, 20
Delphinium	Hedera21, 58
Dennstedtia	Helenium
Deutzia43, 44	Helianthemum
Devil's Walking Stick26	Helianthus
Dianthus72, 73	Heliopsis
Dicentra	Heliotrone 80
Dictamnus 73	Hemerocallis 7
Digitalic 73	Hemlools 19
Dogwood 28 41 42	Henetica 7
Dictamnus 73 Digitalis 73 Dogwood 28, 41, 42 Doronicum 73 Draba 73 Drapa 85 Dryopteris 75 Dutchman Pipe 57	Haushana 77
Duebe 72	TI::::
Draba	IIIDISCUS45, //
Dragonnead85	Hollyhock
Dryopteris5	Honeylocust29
Dutchman Pipe57	Honeysuckle
	Hoptree
Echinacea	Hornbeam22
Echinops	Hosta
Edelweiss80	Hydrangea45. 58
Echinacea 73 Echinops 73 Edelweiss 80 Elder 51 Elm 36	Hemlock 11 Hepatica 7 Heuchera 7 Hibiscus 45, 7 Hollyhock 6 Honeylocust 2 Hoptree 3 Hornbeam 2 Hosta 7, 7 Hydrangea 45, 5 Hypericum 7
Elm36	• • • • • • • • • • • • • • • • • • • •
Enkianthus	Iberis .76 Ilex .21, 46
Enigaea 73	Tley 21 46
Fnilohium 73	Inkharry
Epilobium 73 Epimedum 74 Erica 20	Touls 70
Epinedum4	T.:- 70 70 00
Erica20	Inkberry 2.2 Inula 78 Iris 78, 79, 80 Ivy 21, 58
Erigeron	1vy21, 30
Erinus4	T
Eryngium74	Jasmine60
Eryngo74	Jetbead49
Erysimum74	Joe-Pye-Weed/
Euonymus21, 44	Juglans30
Eupatorium74	Jasnine 66 Jetbead 44 Joe-Pye-Weed 7 Juglans 33 Juniper 7, 8, 9 Juniperus 7, 8, 9
Euphorbia74	Juniperus
Erinus	
	Kalmia .21, 22 Katsura Tree .22 Kerria .44
Fagus29	Katsura Tree2
Ferns74. 75	Kerria40
Filipendula	Kniphofia80
Fagus 29 Ferns .74, 75 Filipendula .75 Fir .5, 6, 13 Flax .81 Fleasafe .74 Fleasafe .95	Kniphofia80 Kolkwitzia46
Flax 81	
Fleahane 74	Laburnum 33 Lambkill 22 Larkspur 77 Lathyrus 8 Laurel 22 Lavender 8 Lavender 8
Fleeceflower 85	Lambkill 2
Fleeceflower	Larksour 72
Forgat me not	Tathyrue 80
Forget-ine-not	Tours 2
Foreloss 72	Laurendon 90
Toxylove	Lavendula80
Trimus	T and e
Forget-me-not 82 Forsythia	Laiophyllum
	Leiophynum
Gaillardia	Lavendula
Galax5	Leopardbane
Galium	Leucotnoe
Gas Plant73	Liatris80
Galax 75 Galium 75 Gas Plant 73 Gaultheria 75 Gayfeather 80 Geranium 76 Germander 88 Geum 76	Ligustrum46, 4/
Gayfeather80	Lilac35, 53, 54, 55
Geranium76	Lilium80
Germander88	Lily
	Liatris
	Limonium8
Globeflower89	Linaria8
Globethistle	Linden35, 36
Gloryvine59	Linum8
27 28 27 28 29 29 29 29 29 29 29	Liriodendron30
Golden Moss 87	Lithospermum8
Goldentuft 66	Liver Balsam
Goldentuft .66 Goldthread .71 Goutweed .65	Lohelia8
Contined	Lonicera 47. 58 50
Grace 04	Loosestrife 8
Gromwell 01	Totals 81
Grass	1,111
Groundenerry	144pmc

Page	Page
Lupinus 81 Lychnis 81 Lycium 59 Lysimachia 81 Lythrum 81	Platycodon85
Lychnis	Plumbago
Lycium59	Plum, Ornamental 33 49
Lysimachia 81	Polemonium
Lythrum 81	Polygonum 85
	Polypodium 75
Mallow69, 82	Page Page
Maltace Cross 81	Poplar 32 23
Malus 82	Dopper 02
Maltow .69, 82 Maltese Cross .81 Malva .82 Malus .30, 31, 32 Maple .25, 26 Matrimony Vine .59 Mazus .82 Maddays .82 Maddays .88	Popular 22 22
Maris	Dotantilla 06
Maple	Designation 11
Matrimony vine	Prairiemanow88
Mazus	Primrose86
Meadow Rue88	Primula86
Meadowsweet	Primula
Macadow Rue 88 Meadowsweet 75 Mentha 82	Prunella86
Mertensia82	Frivet .40, 47 Prunella .86 Prunus .33, 49 Pseudotsuga .13 Ptelea .33 Pterretis .75
Milkweed	Pseudotsuga
Mint	Ptelea
Mistflower74	Pteretis 75 Pussytoes 66 Pyrethrum 86 Pyrus 34
Mitchella82	Pussytoes66
Mockorange	Pyrethrum86
Monarda82	Pyrus34
Moneywort81	
Moneywort	Quercus
Morus32	Ouince, Ornamental43
Mosquito Trap72	
Moss Pink85	Ranunculus86
Mountain Ash34, 35	Raspberry, Flowering51
Mountain Laurel22	Ranunculus 86 Raspberry, Flowering 51 Red Bud 27 Retinospora 6, 7 Rhamnus 49 Red Bud 22
Mulherry32	Retinospora 6. 7
Mullein	Rhamnus 49
Myosotic 82	Rhododendron 23
Myrica 48	Rhododendron23 Rhodora49
Myrtla-See Periwinkle	Phodotypos 40
Morus 32 Mosquito Trap 72 Moss Pink 85 Mountain Ash 34, 35 Mountain Laurel 22 Mulberry 32 Mullein 89 Myosotis 82 Myrica 48 Myrtle—See Periwinkle Myrtle, Sand 22	Phys. 50
	Dibbon Cross 94
Nannyberry 56 Nepeta 82 Nierembergia 82 Ninebark 49	Rhodotypos
Namily Delly	Da-1
Niahamia 92	Daria Tarria
Niereinbergia	Rock Jasmine
Ninedark47	Rosa
0.1	Rose50, 51, 60, 61, 62
Oak34	Rose Acacia00
Oenothera82	Rosemallow//
Onociea	Rosinweed88
Oak 34 Oenothera 82 Onoclea 75 Opuntia 82 Osmunda 75 Ox-eye Daisy 76 Oxydendrum 32	Rockcress 67 Rock Jasmine 66 Rosa 50, 51 Rose 50, 51, 60, 61, 62 Rose Acacia 50 Rosemallow 77 Rosinweed 88 Roxbury Waxwork 58 Rubus 51 Rudbeckia 86
Osmunda	Rubus51
Ox-eye Daisy76	Rudbeckia86
Oxydendrum32	
	Sage86
Pachistima22, 82	St. Johnswort
Pachysandra22, 82	Salix34
Paeonia83	Solvio 96
Pansy90	Sambucus51
Papaver83	Sand Myrtle22
Pachistima .22, 82 Pachysandra .22, 82 Paeonia .83 Pansy .90 Papaver .83 Partridge Berry .82 Pea .41, 80 Pear, Ornamental .34 Pearl Bush, Common .44 Pentstemon .84 Peony .83	Sambucus 51 Sand Myrtle 22 Sand Pear 34 Sandwort 67
Pea41, 80	Sandwort
Pear, Ornamental34	Sanguinaria86
Pearl Bush, Common44	Sanguinaria
Pentstemon84	Saponaria86
Peony83	Saponaria
Peppermint82	Savin
Periwinkle22, 90	Savory
Phalaris84	Savory
Phellodendron32	
Philadelphus48. 49	Sea Lavender
Phlox	Sedum
Photinia 49	Selfheal86
Physalis 85	Semperviyum
Physocarpus 49	Selfheal 86 Sempervivum 87 Senna 70
Physostegia 85	Shadbush—See Shadblow
Picea 9 10 11	Shadblow
Pieris 22	Sheen Berry—See Nannyherry
Pentstemon 84 Peony 83 Peppermint 82 Periwinkle 22, 90 Phalaris 84 Phellodendron 32 Philadelphus 48, 49 Philox 84, 85 Photinia 49 Physalis 85 Physocarpus 49 Physostegia 85 Picea 9, 10, 11 Pieris 22 Pine 11, 12, 13	Senna 70 Shadbush—See Shadblow 37 Shaep Berry—See Nannyberry 87 Shortia 87 Sidalcea 88 Silene 88 Silene 88
Pinks 72 72	Sidaloga
Pinks .72, 73 Pinus .11, 12, 13 Pinxterbloom .39 Plaintain Lily .77, 78	Silana
Pinyterbloom	Silphium
Plaintain Lily 77 70	Silphium
1 10 1114 111 111y	Silverben, Great

T	70
Smoketree50	Page Trefoil81
Sneeze Wort	Trillium89
	Trollius89
Snowball56	Trumpetcreeper57
Snowberry53	Tsuga18
Soapwort86	Tulip Tree30
Sorbaria52	Tunica
Sorbus34, 35	Tunicflower89
Sourwood32	Turtlehead70
Spearmint82	Ulmus36
Speedwell89, 90	
Spiderwort89	Vaccinium55
Spiraea	Valerian89
Spirea52, 53	Valeriana89
Spruce	Vervascum89
Spurge22, 74, 82	Veronica89, 90
Stachys88	Viburnum55, 56
Statice	Vinca
Stokesia88	Viola90
Stonecress65	Violets90
Stonecrop87	Virgin's Bower58
Sumac50	Virginia Creeper57
Summersweet41	Vitis59
Sundrops82	
Sunflower	Wallflower70
Sun Rose	Wayfaring Tree55
Sweetbriar51	Weigela56
Sweetshrub41	White Fringe27
Sweet William	Whitlowgrass73
Symphoricarpos53	Wild-Indigo69
Syringa	Willow
	Winterberry46
Tarragon67	Wintercreeper21
Taxus13, 14, 15	Wintergreen
Tea, Jersey41	Wisteria59
Teucrium88	Witch Hazel45
Thalictrum88	Withe Rod55
Thermopsis88	Woodruff67
Thorn28	Woodwardia75
Thrift88	Woundwort88
Thuja15, 16, 17, 18	**************************************
Thyme89	Yarrow65
Thymus89	Yellow Root56
Tiarella89	Yellow Wood27
Tilia35, 36	Yew
Toadflax81	Yucca90
Torchlily80	1 ucca
Tradescantia89	Zanthorhiza56

DRIDER BLANK

WYMAN'S Framingham Nuweries

FRAMINGHAM-MASSACHUSETTS

19

Name Street and Number					
Express or Fre	IGHT STATION				
SHIPPING INSTRU	JCTIONS				
Quantity	Name of Plants	Size	Price		
,					
	·				

Quantity	Name of Plants	Size	Price
	·		
	·		
		1	
	-		
		1	



